



The Dell 1350cnw color laser-class printer



Big on color — small on compromise — world's smallest letter-size color laser-class network printer¹

The Dell 1350cnw is designed for small and medium sized businesses and small workgroups looking for high value, high quality color print capabilities with network and wireless connectivity features. It delivers the next evolution in LED printing technology with excellent print quality, lower energy consumption, and simple maintenance compared to conventional laser printers in the same class.

The Dell 1350cnw performs efficiently at speeds of up to 15 pages per minute (ppm) mono and 12 pages per minute (ppm) color (letter) (actual print speed will vary with use) and can reliably produce high quality printing at a maximum monthly duty cycle of up to 30,000 pages.

Ultra compact and efficient, the Dell 1350cnw is simple and easy to operate and offers the best value in color printing with networking and wireless capabilities for your organization.



Dell 1350cnw color laser-class printer

Big on color—small on compromise: Dell 1350cnw product benefits

Superb print quality with Dell LED printing technology and Color by Dell

With the Dell 1350cnw organizations can enjoy high-quality color printing with excellent color reproduction and sharp, crisp text quality. The breakthrough Dell LED printing technology represents a significant technological advancement over conventional LED printers—with a small and intelligent self-scanning print head for improved image transfer, high resolution printing and ultra compact printer design. Plus, Color by Dell, a total print quality solution, allows users to experience excellent color reproduction, sharp and crisp text, and eye-catching photo printouts displaying natural skin tones.

Efficiency without compromise

The Dell 1350cnw, with innovative LED printing technology, was purposely engineered to be compact for greater space efficiency, energy savings, and operational efficiency over conventional laser printers in the same class. You'll enjoy lasting and reliable performance based on simple mechanical parts compared to laser printers. And you'll minimize downtime and save money on printer consumables as the Dell 1350cnw comes with a drum and fuser unit designed to last the life of the printer.

Great performance—great functionality

There's no need to wait for your print job with the Dell 1350cnw which features print speeds of up to 15 pages per minute (ppm) letter in mono and up to 12 pages per minute (ppm) color (actual print speed will vary with use). And with a maximum monthly duty cycle of up to 30,000 pages, the Dell 1350cnw can handle your organization's color printing jobs well.

Solid warranty and service

Should your Dell 1350cnw need service, Dell's standard 1-Year Limited Hardware Warranty³ and 1-Year Next Business Day Advanced Exchange Service⁵ can help get you back up and running again promptly. Protect your investment even longer with an optional Limited Hardware Warranty³ extension which is available during the term of the warranty for up to four years.

Environmentally-conscious design—reduce, recycle, renew

Dell's end-of-use programs include a commitment to recycling printers and toner cartridges. According to the US Environmental Protection Agency, Energy Star[®]-certified products, like the Dell 1350cnw, are up to 25% more power efficient on average than conventional models⁴. The Dell 1350cnw have been designed to help reduce the use of hazardous materials. Dell printer users can return toner cartridge to Dell for recycling at no additional cost. Dell also helps customers dispose of old printers and other computer equipment in an environmentally-conscious manner.

Order supplies online or through selected reseller partners



Dell 1350cnw color laser-class network printer



Dell 1350cnw control panel



Dell 1350cnw connectivity



Dell 1350cnw toner cartridge

Get the most out of your Dell printer with genuine Dell options and supplies

| | |
|----------------------------|--|
| Toner cartridges | Dell 1350cnw black and color toner (CMY) toner standard and ship-with capacity: approximately 700 pages ² each; black toner high capacity: approximately 2,000 pages ² , color toner (CMY) high capacity: approximately 1,400 pages ² |
| Memory (RAM) | 128 MB standard |
| Connectivity | Standard USB 2.0 high speed supported; 10/100 BASE-T Ethernet, WiFi (Dell 1350cnw only) |
| Paper handling | Input: standard 150 sheets + 10 sheets bypass tray; output: 100-sheet bin |
| Service and support | Standard: Toll-free technical support and 1-Year Limited Hardware Warranty ³ and 1-Year Next Business Day Advanced Exchange Service ⁵ ; Optional: Extended service options available during term of warranty for up to 4 years |



Dell 1350cnw color laser-class printer

| | |
|---|---|
| Product description | World's smallest color laser printers with standard on-board wired or wireless networking capabilities, designed for SMBs and small workgroups. |
| Printer specifications | |
| Print speed | Up to 15 ppm mono and up to 12 ppm color (letter) (actual print speed will vary with use) |
| Warm up time | |
| From power on to Ready state on LCD | Equal to or less than 25 seconds |
| First page out time | |
| From Ready state | Equal to or less than 22 seconds (mono), 27 seconds (color) |
| Print resolution | 600 x 600 dpi (up to 1200 x 2400 dpi equivalent in image quality) |
| User interface | Seven buttons, two LEDs, two lines mono LCD |
| Data streams | Host-based |
| Processor speed | 384 MHz |
| Memory (RAM) | 128 MB |
| Memory expansion | Not available |
| Read-only memory (ROM) | 8 MB |
| Maximum duty cycle | Up to 30,000 pages per month |
| Recommended monthly duty cycle | 250 - 700 pages per month |
| Paper handling | |
| Standard input sources | 150-sheet drawer + 10-sheet bypass tray |
| Additional input capacity | Not available |
| Maximum input capacity | 160 sheets |
| Duplexer | Manual |
| Standard output destination | 100-sheet bin |
| Maximum output capacity | 100 sheets |
| Additional output destinations | Not available |
| Supported media types, sizes and paper weights | |
| Media types supported | Plain paper (Normal, Thick); Cover; Coated paper; Label; Envelope; Recycled Paper; Hagaki |
| Media sizes | |
| Bypass tray | Letter SEF, Executive SEF, Folio (8.5 in x 13 in) SEF, Legal SEF, Com-10 SEF, Monarch/DL, A4 SEF, B5 SEF, A5 SEF, C5 SEF. Custom paper size: Width: 3 in to 8.5 in, Length: 5 in to 14 in (only SEF, LEF not supported) |
| Standard 150 sheet drawer | Letter SEF, Executive SEF, Folio (8.5 in x 13 in) SEF, Legal SEF, Com-10 SEF, Monarch/DL, A4 SEF, B5 SEF, A5 SEF, C5 SEF. Custom paper size: Width: 3 in to 8.5 in, Length: 5 in to 14 in (only SEF, LEF not supported) |
| Media weight | |
| Bypass tray | 2.1 oz to 7.6 oz |
| Standard 150 sheet drawer | 2.1 oz to 7.6 oz |
| Printable area | 8.185 in x 13.685 in |
| Page layout options | Portrait or landscape orientation, multiple copies, multipage printing (N-up), manual duplex printing (only for Windows Driver), poster (only for Windows Driver), booklet printing (only for Windows Driver), watermarks (only for Windows Driver), collate, rotation |
| Connectivity | |
| Standard interfaces | USB 2.0 High speed supported, 10/100 BASE-T Ethernet, WiFi |
| Print languages and fonts | GDI |
| Operating Systems (OS) support | |
| Wireless | Microsoft® Windows® 7 32-bit/64-bit, Vista® 32-bit/64-bit (Home Basic, Home Premium, Ultimate, Business), Windows Server 2008 32-bit/64-bit, Windows Server 2008 R2, Windows XP 32-bit/64-bit (Home & Pro), Windows 2003 Server 32-bit/64-bit, Mac OS®: 10.3.9 or later (Power PC 32-bit), 10.4.11 or later (Power PC 32-bit/ Intel 32-bit), 10.5 with latest update (Power PC 32/64-bit/ Intel 32/64-bit), 10.6 with the latest update (Intel 32/64-bit) |
| Network protocol | |
| Network/transport protocols | Port 9100, LPD/LPR, TCP/IP, HTTP, SNMP (v1, v2), BOOTP, DHCP, RARP, Auto IP, DNS, mDNS, IPv4/IPv6 (DHCP v6 Lite) |
| Media access control (MAC) address | 48-bit address space (MAC-48, EUI-48 supported) |
| Wireless certification | WiFi (b/g/n), WPA 2.0 Personal |
| Security protocol | WPA - TKIP or AES, WEP - 64/128-bit |



Dell 1350cnw color laser-class printer

Consumables

| | |
|---|---|
| Toner management | In conjunction with the printer and software, features include toner level reporting, low toner alerts, auto-generated alert e-mails, toner conservation, and the Dell Supplies Management System |
| Ship-with toner cartridge capacity ² | 700 capacity (Black); 700 page capacity color (CMY) |
| Standard toner cartridge capacity ² | 700 capacity (Black); 700 page capacity color (CMY) |
| High capacity toner cartridge ² | 2,000 page capacity (Black); 1,400 page capacity color (CMY) |
| Toner recycling | Dell's Recycling Program (details included in product) |

Language and regulatory certifications

| | |
|---|--|
| Printer firmware & software | English, French, German, Italian, Spanish, Danish, Norwegian, Dutch, Swedish |
| Safety certifications | IEC60950-1:2005 2nd edition / EN60950-1:2006 2nd edition; IEC60825-1 (LED); CE Mark (EU); Nemko (Nordic); GS Mark (Germany); GOST and Hygienic (Russia); SASO (Saudi Arabia); SABS (South Africa); UL/cUL listed (UL60950-1:2007 2nd edition); FDA/DHHS (21CFR, Chapter 1, Subchapter J); NOM (Mexico) |
| EMC certifications | CE mark (EU countries) [EN55022:2006+A1:2007 Class B; EN61000-3-2:2006; EN 61000-3-3:1995+A1:2001+A2:2005; EN55024:1998+A1:2001+A2:2003]; FCC CFR Title 47, Part 15 Class B (USA); ICES-003, (Canada); GOST (Russia); SABS (South Africa); C-Tick (Australia) |
| Environmental compliance and other certifications/compliances | Printer MIB, EU RoHS, Energy Star®-compliant, Blue Angel (Germany), Citrix® Metaframe Presentation Server 4.5/5.0 (Windows Server 2000/2003 running Terminal Services/Server) |

Printer management

Dell OpenManage™ Printer Manager; Dell Printer Configuration Web Tool; Dell ColorTrack 1.0 and Dell Supplies Management System, Standard Printer MIB, Dell Private MIB

Warranty and service options

| | |
|------------------|---|
| Standard service | 1-Year Limited Hardware Warranty ³ and 1-Year Next Business Day Advanced Exchange ⁵ |
| Service options | Extended service options are available up to 4 years |

Printer options and accessories

Not available

Physical specifications

| | |
|---|--|
| Dimensions (W x D x H) | <i>Printer:</i> 15.5 in x 11.8 in x 8.9 in; <i>Shipping:</i> 20.7 in x 17.0 in x 15.0 in |
| Weight | <i>Printer:</i> 23.3 lbs; <i>Shipping:</i> 28.7 lbs |
| Operating environment | <i>Unpackaged:</i> Temperature: 41°F to 90°F; Relative humidity: 15% to 85% RH, non-condensing; Altitude: ≤ 10,170 ft. <i>Packaged:</i> Temperature: 32°F to 95°F; Relative humidity: 15% to 80% RH; Altitude: ≤ 10,170 ft. |
| Acoustics ⁶ | |
| Printing (Bystander position) | Simplex Mode: 51.2 dB (A) (Ref); Standby mode: 20.8 dB (A) (Ref) |
| Voltage | |
| 100 vac models: | 100 to 127 vac ± 10 %, 50 ± 3 Hz / 60 ± 3 Hz nominal |
| 120 vac models: | 100 to 127 vac ± 10 %, 50 ± 3 Hz / 60 ± 3 Hz nominal |
| 230 vac models: | 220 to 240 vac ± 10 %, 50 ± 3 Hz / 60 ± 3 Hz nominal |
| Power consumption (Energy Star®-compliant) | <i>Continuous printing:</i> 310W; <i>Standby mode:</i> 64W; <i>Power Saver mode:</i> Equal to or less than 14W; <i>Deep sleep mode:</i> Equal or less than 7W; <i>Off mode:</i> 0W |
| Maximum current consumption: | 10A @ 110V-127V 5A @ 220V-240V |
| Power Save options | User definable 5-30 mins. (default 5 mins.) |

Service options

Extended service options are available up to 4 years

¹ Based on a comparison of printer volume, (W x D x H) performed by Dell in August 2010.

² Tested in accordance with ISO/IEC 19752 testing methodology. Yields vary with usage and environmental conditions.

³ For a copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or visit www.dell.com/warranty.

⁴ For details on energy efficiency of Energy Star-qualified products, refer to: <http://www.energystar.gov>.

⁵ Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

⁶ Sound Pressure: Typical measurements based on ISO 7779.