



Dell PowerConnect W-Series ClearPass GuestConnect

The Dell PowerConnect W-Series ClearPass GuestConnect is a scalable, easy-to-use visitor management and Bring Your Own Device (BYOD) solution that delivers secure wireless network access to guests, employees and their mobile devices.

The intuitive user interface of PowerConnect W-Series ClearPass GuestConnect greatly simplifies visitor management by streamlining workflow processes, allowing receptionists, employees and other non-IT staff to create temporary accounts for Wi-Fi access.

Guests and employees with mobile devices can also self-register for network access. Once registered, PowerConnect W-Series ClearPass GuestConnect delivers account login credentials to users via SMS text message or email. Accounts can be set to expire automatically after a specific number of hours or days.

Scalable to satisfy the needs of large enterprises and multi-site networks, PowerConnect W-Series ClearPass GuestConnect manages secure, rolebased access for thousands of users. PowerConnect W-Series ClearPass GuestConnect also integrates seamlessly with existing multi-vendor networks and security devices to streamline deployments and meet compliance mandates.

With PowerConnect W-Series ClearPass GuestConnect, the corporate IT staff has one less thing to worry about and can significantly reduce operating costs and complexity.

Key features

- Enterprise-grade security with high availability
 - Unique username and password per user
 - Integrated RADIUS database for guest and device accounts
 - Role-based access controls
 - Assign different access-level privileges based on user type
 - Print template and SMS integration delivers wireless security keys out-of-band to ensure scalable and encrypted guest access
- Customization
 - Branding unique skin technology delivers a fully customized, corporate branded user experience

- Advertising services Advanced content delivery platform for next-generation hotspots. Easily monetizes Wi-Fi access in public access environments using business intelligence data collection and demographic-targeted advertising delivery
- Visitor intelligence Self-registration capability collects data about guest preferences and experiences. Intelligent labeling enables matched content delivery
- Seamless integration with third-party multivendor hardware and software
- Intuitive, easy to use interface
 - Enables reception staff and non-technical personnel to manage guest accounts and configure self-provisioning captive portals
 - Visitor management Create and modify temporary user accounts; delete or set accounts to automatically expire
 - Self-registration Guests and employees can register for access through a customizable web interface

Secure, scalable, easy to use and manage wireless guest management and Bring Your Own Device (BYOD) solution.

- Scalability
 - Scales to thousands of users with minimal IT involvement
- Compliance and Auditing
 - Track and report guest account activity as well as employees that are sponsoring each guest
- Back-up and recovery
 - Backup all or specific configuration components and reporting data in real-time or via scheduled operations, including FTP and FTP over SSL or SMB file shares

Bring your Own Device (BYOD) Support

ClearPass GuestConnect automates provisioning for BYOD and IT-managed devices. The integrated device fingerprinting technology identifies broad variety of device types.

With ClearPass GuestConnect BYOD, guests and employees simply self-register for secure network access and onboard their devices.

The result is streamlined and an easy-to-manage process for delivering and revoking unique device credentials.

Key features:

- Automatic configuration of network settings.
- Provisioning and revocation of unique device credentials for BYOD and employer provided devices.
- Supports iOS operating system now. Support for Windows, Mac OS X and Android devices coming soon.

Dell PowerConnect W-Series ClearPass GuestConnect models

PowerConnect W-Series ClearPass GuestConnect appliance is available as hardware appliances that are optimized to run Dell PowerConnect W-Series ClearPass GuestConnect software, eliminating any potential hardware incompatibility or performance issues. Dell PowerConnect W-Series ClearPass GuestConnect is also available as a Virtual Appliance that is supported on the following platforms:

- VMware ESXi Server 4.0+, 5.0+
- VMware ESX Server 4i, version 4.1.0+
- VMware Workstation (all versions)
- VMware Player 3.0+
- VMware Server 2.0+

Dell PowerConnect W-Series ClearPass GuestConnect hardware appliances

Dell PowerConnect W-Series ClearPass GuestConnect hardware is available in two model as follows:

- Dell PowerConnect W-Series ClearPass
 GuestConnect 100 For small companies, branch
 offices, midsize/large enterprises and public access
 deployments scalable to 5,000 user connections
- Dell PowerConnect W-Series ClearPass
 GuestConnect 2500 For very large deployments
 such as hotel chains, carriers or corporate
 headquarters, scalable to 25,000 user connections

Warranty

• 1 year parts/labor

Feature	Dell PowerConnect W-Series ClearPass GuestConnect 100	Dell PowerConnect W-Series ClearPass GuestConnect 2500
Platform Scalability	100 users, expandable to 5,000 users	2,500 users, expandable to 25,000 users
CPU	2 x Quad Core Xeon 2.66 GHz X3450	2 x Quad Core Xeon 2.66 GHz X5650
Memory	8 GB	48 GB
Hard drive storage	2 x 3.5" SATA (7.2K RPM) 250 GB hard drive PERC H200 RAID-1 controller	4 x 2.5" SAS (10K RPM) 300 GB Hot Plug hard drives PERC 6/I SAS RAID controller
Ports	4 x USB 2.0, 1 x serial connector, 2 x video	4 x USB 2.0, 1 x serial connector, 2 x video
Network interface	2 x Gigabit Ethernet	2 x Gigabit Ethernet
Power consumption (maximum)	Max 250 watts	Max 717 watts
Power supply	Single	Dual
AC input voltage / frequency	110/220 VAC 50/60 Hz auto-selecting	110/220 VAC 50/60 Hz auto-selecting
Rack mount	1U rack-mountable chassis, sliding rails included	1U rack-mountable chassis, sliding rails included
Dimensions (DxWxH)	39.37 x 43.1 cm x 4.26 cm (15.5" x 17.1" x 1.67") with bezel attached	77.2 cm x 48.24 cm x 4.26 cm (30.39" x 18.99" x 1.68") with bezel attached
Weight	21.4 lbs (unboxed)	39 lbs (unboxed)
Operating temperature	10° C to 35° C (50° F to 95° F)	10° C to 35° C (50° F to 95° F)
Storage temperature	-40° C to 65° C (-40° F to 149° F)	-40° C to 65° C (-40° F to 149° F)

CERTIFICATIONS / REGULATORY

PowerConnect W-ClearPass GuestConnect hardware appliance meets EMC and safety standards of over 50 countries inclusive of; USA (FCC), Canada, EU, Japan, Korea, China. For more country-specific regulatory information, and approvals, please see your Dell representative.

Ordering Information		
Part number	Description	
AMG-HW-100	W-ClearPass GuestConnect 100. Dedicated Appliance. Preloaded with 100 licenses, expandable to 5,000 with purchase of user license packs	
AMG-HW-2500	W-ClearPass GuestConnect 2500. Dedicated Appliance. Preloaded with 2500 licenses, expandable to 25,000 with purchase of user license packs	
AMG-LIC-25000	25,000 user license pack	
AMG-LIC-10000	10,000 user license pack	
AMG-LIC-2500	2,500 user license pack	
AMG-LIC-1000	1,000 user license pack	
AMG-LIC-200	200 user license pack	
AMG-LIC-50	50 user license pack	
AMG-LIC-100	100 user license pack	
AMG-SW-100	Software Virtual appliance for 100 users.	
AMG-SKIN-PS	UI customization service	
AMG-SW-100R	SW High Availability Virtual Appliance for up to 5,000 users. Only valid for customers with AMG-SW-100	
AMG-ADVERT-200	PowerConnect W-Series ClearPass GuestConnect advertising Services Plugin for a maximum of 200 users.	
AMG-ADVERT-500	PowerConnect W-Series ClearPass GuestConnect advertising Services Plugin for a maximum of 500 users.	
AMG-AD- VERT-10000	PowerConnect W-Series ClearPass GuestConnect advertising Services Plugin for a maximum of 10,000 users.	

© 2012 Dell Inc., All Rights Reserved. Dell, the DELL logo, and PowerConnect are trademarks of Dell Inc. Reproduction of these materials in any manner whatsoever without the written permission of Dell Inc. is strictly forbidden.

Learn more at Dell.com/wireless

