

Dell Printer Operating System and Certification Guide



Reliable, high-performance printers. Designed with you in mind.

Whether you are looking for a multi-function color laser printer or a high-performance black and white, Dell has a model that's right for you. All of our printers are extensively tested to ensure the utmost reliability and performance, and our certifications provide customers with an additional level of assurance that each printer is designed and tested with your needs in mind.

Dell printers are designed to work with most major operating systems and leading software vendors such as SAP and Citrix, industry specific solution providers like Cerner and Meditech and other government and industry technical standards.

This guide will help you find the printer that's right for you – whatever your industry or specific needs.



Dell 5330dn Laser Printer

Certifications

	PRINTERS	MICROSOFT WHQL	MAC OS	NOVELL-YES CERTIFIED NETWORK	CITRIX ¹	SAP DEVICE TYPES	CERNER	MEDITECH	OTHER-SECTION 508 VPAT	OTHER-WI-FI- CERTIFIED B/G)
BLACK & WHITE	Dell 7330dn	Yes	Yes	Yes	No	No	No	No	Yes	No
	Dell 5535dn MFP	Yes	Yes	Yes	Yes	Yes	Yes ²	Yes ²	Yes	Yes ³
	Dell 5530dn	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes ³
	Dell 5350dn	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes ³
	Dell 5330dn	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ³
	Dell 5230n/dn	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes ³
	Dell 3335dn MFP	Yes	Yes	Yes	Yes	Yes	Yes ²	Yes ²	Yes	Yes ³
	Dell 3333dn MFP	Yes	Yes	Yes	Yes	Yes	Yes ²	Yes ²	Yes	Yes ³
	Dell 3330dn	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes ³
	Dell 2355dn MFP	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes
	Dell 2350d/dn	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
	Dell 2335dn MFP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ³
	Dell 2330d	Yes	Yes	No	Yes	No	No	No	Yes	No
	Dell 2230	Yes	Yes	No	No	No	No	No	Yes	No
	Dell 1135n MFP	Yes	Yes	No	No	No	No	No	Yes	No
	Dell 1130	Yes	Yes	No	No	No	No	No	Yes	No
	Dell 1130n	Yes	Yes	No	No	No	No	No	Yes	No
	COLOR	Dell 7130cdn	Yes	Yes	Yes	Yes	Yes	No	No	Yes
Dell 5130cdn		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ³
Dell 3130cn Duplex		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ³
Dell 3115cn MFP		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ³
Dell 2155cn/cdn MFP		Yes	Yes	Yes	Yes	Yes	No	No	No	Yes
Dell 2150cn/cdn		Yes	Yes	Yes	Yes	Yes	No	No	No	Yes ³
Dell 2145cn MFP		Yes	Yes	No	No	No	No	No	Yes	No
Dell 1355cn/cnw MFP		Yes	Yes	No	No	No	No	No	Yes	Yes (cnw model)
Dell 1350cnw		Yes	Yes	No	No	No	No	No	Yes	Yes
Dell 1250c		Yes	Yes	No	No	No	No	No	No	No

¹ Metaframe Presentation Server 4.0, 4.5 and 5.0. Certification and compatibility may vary by model. Check OS support table.

² Available February 2011

³ Feature supported with Optional Wireless card



Client and Network OS Support

PRINTER MODEL	CLIENT AND NETWORK OPERATING SYSTEM SUPPORT
Dell 7330dn	Vista 32bit / 64bit, Windows Server 2008, Win XP 64 bit, Win XP 32 bit, Win 2003 Server 32/64 bit, Win 2008 Server is guaranteed Win 2K, Windows Cluster Server Environment supported, SUSE Linux 10.0 and later, Redhat Linux 3.0, 4.0, 5.0 (AS/ES/WS), Fedora Core Linux 5, Mac OS 9.x, Mac OS X Version 10.4.X and 10.5.X (Power PC, Intel X86 Processors), Apple talk, HP_UX, 11.0, 11i, Solaris 8,9, Sun Solaris 10(CUPS), IBM AIX 5.1, Novell Netware 5.X/6.5 (NDPS only) Supported by Windows drivers.
Dell 5535dn MFP	Microsoft® Windows® 7, Windows® 2000 Professional, Windows® 2000 Server® running Terminal Services, Windows XP Professional, Windows® XP x64, Windows Server 2003, Windows Server 2003 running Terminal Services, Windows Server 2003 x64, Windows Server 2003 x64 running Terminal Services, Windows Vista® Home, Windows Vista® Premium x64, Windows Server 2008, Windows Server 2008 x64, Windows Server 2008 running Terminal Services, Windows Server 2008 x64 running Terminal Services, Red Hat® Enterprise Linux® WS 3.0, 4.0, 5.0, SUSE Linux Enterprise Server 8.0, 9.0, 10.0, 11.0, 11.1, SUSE® Linux Enterprise Desktop 10, 11, openSUSE 10.2, 10.3, 11.0, Linspire Linux 6.0, Debian GNU/Linux 4.0, 5.0, Red Flag Linux Desktop 5.0, 6.0 (Simplified Chinese), Ubuntu® 7.10, Ubuntu 8.04 LTS, Novell® NetWare® 5.x, 6.x. Macintosh version OS X 10.2-10.6, Unix™ - Sun® Solaris™ 8, 9, 10.0, HP UX. Citrix® Metaframe Presentation Server 3.0, 4.0 & 4.5 (compatible) and 5.0 (certified), SAP
Dell 5530dn	Microsoft® Windows® 7, Windows® 2000 Professional, Windows® 2000 Server® running Terminal Services, Windows XP Professional, Windows® XP x64, Windows Server 2003, Windows Server 2003 running Terminal Services, Windows Server 2003 x64, Windows Server 2003 x64 running Terminal Services, Windows Vista® Home, Windows Vista® Premium x64, Windows Server 2008, Windows Server 2008 x64, Windows Server 2008 running Terminal Services, Windows Server 2008 x64 running Terminal Services, Red Hat® Enterprise Linux® WS 3.0, 4.0, 5.0, SUSE Linux Enterprise Server 8.0, 9.0, 10.0, 11.0, SUSE® Linux Enterprise Desktop 10, 11, openSUSE 10.2, 10.3, 11.0, Linspire Linux 6.0, Debian GNU/Linux 4.0, Red Flag Linux Desktop 5.0, 6.0 (Simplified Chinese), Ubuntu® 7.10, Ubuntu 8.04 LTS, Novell® NetWare® 5.x, 6.x. Macintosh version OS X 10.2-10.6, Unix™ - Sun® Solaris™ 8, 9, 10.0, HP UX. Citrix® Metaframe Presentation Server 3.0, 4.0 & 4.5 (compatible) and 5.0 (certified), SAP
Dell 5350dn	Microsoft® Windows Server 2003 running Terminal Services with Citrix MetaFrame Presentation Server 3.0, 4.0, 4.5. Microsoft® Windows Server 2003 x64 running Terminal Services with Citrix MetaFrame Presentation Server 4.0 x64, 4.5 x64, Microsoft® Windows XP, 2000, Vista®, Windows 7, Linux - Ubuntu 7.10, 8.04 LTS, Debian GNU/Linux 4.0, RH Linux WS 3, 4, 5. SuSE Linux Enterprise Server 8, 9, 10, SuSE Linux Enterprise Desktop 10, 11. OpenSuSE 10.2, 10.3, 11.0, Novell NetWare 5.x, 6.x. Macintosh version (OS 9.x and OS X 10.2-10.5), Unix (Sun Solaris SPARC 8, 9, 10) HP UX 11.11, 11.23, 11.31, SAP PCL Device type support
Dell 5330dn	Windows - NT 4.0 (PCL6 only) / 2000 / XP / Vista / 2003 Server/ 2008 Server. Linux OS including Red Hat 8.0 ~9.0, Fedora Core 1~4, Mandrake 9.2~10.1, SuSE 8.2~9.2, Suse Linux Enterprise Version10, Redhat WS Linux 5.0. Mac OS 9.x/10.1 and above, Unix - Sun 8, 9, 10, HP-UX 11i, IBM AIX 5.2, 5.3, Citrix MetaFrame 4.0 & 4.5, SAP. Network Protocols:TCP/IPv4, IPv6 (DHCP, DNS, 9100, LPR, SNMP, HTTP,IPSec), EtherTalk, Novell NetWare (IPX/SPX, NDS, Bindery, iPrint), DHCP, BOOTP, SLP, SSDP, Rendezvous (Bonjour), DDNS-Lite, WINS, TCP (Port 2000), LPR(Port 515), Raw(Port 9100), IPP Port Printing/Secure-IPP, SNMPv1/2/3, HTTP/HTTps, Telnet, SMTP (E-mail Notification).
Dell 5230n/dn	Microsoft® Windows Server® 2008, Microsoft® Windows 2000 Server running Terminal Services with Citrix MetaFrame Presentation Server 3.0, 4.0, 4.5. Microsoft® Windows Server 2003 running Terminal Services with Citrix MetaFrame Presentation Server 3.0, 4.0, 4.5. Microsoft® Windows Server 2003 x64 running Terminal Services with Citrix MetaFrame Presentation Server 4.0 x64, 4.5 x64, Microsoft® Windows XP, 2000, Vista®, Windows® 7, Linux - Ubuntu 7.10, 8.04 LTS, Debian GNU/Linux 4.0, RH Linux WS 3.0, 4.0, 5.0, SuSE Linux Enterprise Server 8.0, 9.0, 10.0, 11.0, 11.1., SuSE Linux Enterprise Desktop 11, OpenSuSE 11.0, Novell NetWare 5.x, 6.x., Macintosh version (OS 9.x and OS X 10.2-10.6), Unix (Sun Solaris SPARC 7, 8, 9, 10.0) HP UX 11.11, 11.23, 11.31, SAP PCL Devicetype support.
Dell 3335dn MFP	Microsoft® Windows® 7, 2000, XP, Server® 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server® 2003 x64, Server® 2003 x64 running Terminal Services, Vista®, Vista® x64, Server® 2008, Server® 2008 x64, Server 2008 running Terminal Services, Server® 2008 x64 running Terminal Services, Citrix ready, Linux® - Ubuntu 7.10, 8.04, Debian GNU/Linux 4.0 , RedHat® Linux® WS 3.0,4.0,5.0, SuSE Linux Enterprise Server 8.0, 9.0, 10.0, 11.0, SuSE Linux Enterprise Desktop 11, OpenSuSE 11.1, Novell NetWare 5.1, 6.x. Macintosh version OS X 10.2-10.6, Unix - Sun Solaris 8, 9, 10.0, HP UX. Citrix Metaframe Presentation Server 3.0, 4.0 & 4.5 (compatible) and 5.0 (certified), SAP
Dell 3333dn MFP	Microsoft® Windows® 7, 2000, XP, Server® 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server® 2003 x64, Server® 2003 x64 running Terminal Services, Vista®, Vista® x64, Server® 2008, Server® 2008 x64, Server 2008 running Terminal Services, Server® 2008 x64 running Terminal Services, Citrix ready, Linux® - Ubuntu 7.10, 8.04, Debian GNU/Linux 4.0 , RedHat® Linux® WS 3.0,4.0,5.0, SuSE Linux Enterprise Server 8.0, 9.0, 10.0, 11.0, SuSE Linux Enterprise Desktop 11, OpenSuSE 11.1, Novell NetWare 5.1, 6.x. Macintosh version OS X 10.2-10.6, Unix - Sun Solaris 8, 9, 10.0, HP UX. Citrix Metaframe Presentation Server 3.0, 4.0 & 4.5 (compatible) and 5.0 (certified), SAP
Dell 3330dn	Microsoft® Windows® NT 4.0, Windows 2000, Windows XP, Windows XP 64-bit, Windows Vista® (32 & 64-bit), Windows Server® 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 x64, Windows Server 2008 R2 x64, Windows® 7 Mac OS X (10.2 - 10.6) UNIX® (Solaris™ 9 and 10, HP-UX11i) English Linux® (Red Hat® Enterprise Linux ES 4/5, SUSE Enterprise SUSE 10, 11, TurboLinux) English
Dell 2355dn	Windows Vista® 32bit/64bit (Home Basic, Home Premium, Ultimate, Business), Windows Server 2008 64bit, Windows XP 32bit/64bit (Home & Pro), Windows 2003 Server 32bit/64bit, Microsoft® Windows® 7 32bit/64bit, Windows 2000• Various Linux OS • Mac OS ® 10.3 ~ 10.6• Novell NetWare NDPS services via TCP/IP & IPP on 5.x, 6.x• Bonjour discovery supported• SAP R/3 v4.6C, 4.x and 3.x and later. • Citrix MetaFrame, Citrix 4.0/4.5/5.0 (XenApps); Windows Terminal Services
Dell 2350dn	Microsoft® Windows® NT 4.0, Windows 2000, Windows XP, Windows XP 64-bit, Windows Vista® (32 & 64-bit), Windows Server® 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 x64, Windows® 7 Mac OS X (10.2 - 10.5) UNIX® (Solaris™ 9 and 10, HP-UX11i) English Linux® (Red Hat® Enterprise Linux ES 4/5, SUSE Enterprise SUSE 10, TurboLinux) English

BLACK & WHITE



Client and Network OS Support cont'd

PRINTER MODEL	CLIENT AND NETWORK OPERATING SYSTEM SUPPORT	
BLACK & WHITE	Dell 2335dn MFP	Windows 2000, XP 64 bit (Home & Pro), XP 32 bit (Home & Pro), Server 2003 & 2008, Vista 32bit / 64bit (Starter, Home Basic, Home Premium, Ultimate, Enterprise & Business) <ul style="list-style-type: none"> • Various Linux OS including Red Hat 8.0 ~9.0, Fedora Core 1~4, Mandrake 9.2~10.1, and SuSE 8.2~9.2 • Mac OS 10.3 ~ 10.5 • Novell NetWare NDPS services via TCP/IP & IPP on 5.x, 6.x • Bonjour discovery supported • SAP R/3 v4.6C, 4.x and 3.x and later. • Citrix MetaFrame; Windows Terminal Services. Network Protocols:TCP/IPv4, IPv6 (DHCP, DNS, 9100, LPR, SNMP, HTTP, IPSec), Ether-Talk, Novell NetWare NDPS services via TCP/IP & IPP on 5.x, 6.x, DHCP, BOOTP, SLP, SSDP, Bonjour (Rendezvous), DDNS, WINS, TCP (Port 2000), LPR (Port 515), Raw (Port 9100), SNMPv1/2/3, HTTP, Telnet, SMTP (E-mail Notification)
	Dell 2330d	Microsoft® Windows® NT 4.0, Windows 2000, Windows XP, Windows XP 64-bit, Windows Vista® (32 & 64-bit), Windows Server® 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 x64, Windows® 7 Mac OS X (10.2 - 10.5) UNIX® (Solaris™ 9 and 10, HP-UX11i) English Linux® (Red Hat® Enterprise Linux ES 4/5, SUSE Enterprise SUSE 10, TurboLinux) English
	Dell 2230	MS Windows 2008 Server, 2003 Server, 2000 Server, XP 32bit/64 bit, 2000, Microsoft Vista 32bit/64bit, Windows® 7. RH Linux 3.0,4.0,5.0 WS SUSE Linux 10.x or later. NetWare 5.1, 6.0. Macintosh version (OS X or later), Unix (PS PPD for Sun Solaris 8,9,10.0) HP UX 11i. Citrix Metaframe. SAP.
	Dell 1135n MFP	Microsoft® Windows® - 2000/ XP (32/64-bit) / Vista (32/64-bit) / Windows Server® 2003 (32/64-bit) / Windows Server® 2008 (32/64-bit), Windows Server® 2008 R2, Windows 7 (32/64-bit) RedHat® Enterprise Linux® WS 4, 5 (32/64-bit), Various Linux OS Macintosh version (OS X : 10.3 - 10.6)
	Dell 1130/1130n	Microsoft® Windows®2000/XP(32/64 bit) / Windows Vista® (32/64 bit) / 2003 Windows Server® (32/64bit) / 2008 Windows Server (32/64 bit), Windows 7 (32/64 bit) RedHat® Enterprise Linux® WS 4, 5 (32/64 bit), Various Linux OS Macintosh version (OS X 10.3 - 10.6) 1130n only: Novell Netware NDPS services via TCP/IP only on 5.x, 6.x and Novell UPD gateway
COLOR	Dell 7130cdn	Windows 2000 32 Bit: (Professional, Server, Advanced Server, Terminal Server, Citrix 2000 Server, Windows 2000 Advanced Server Cluster)Windows XP SP2 / Server 2003 32 Bit:(Home XP2, Professional SP2, Windows Server 2003, Terminal Server, Citrix XP Server, Windows Server 2003 Cluster)Vista 32/ 64 bit(Vista Home Basic, Vista Home Premium, Vista Business, Vista Ultimate)Win 32/64 bit and Win 2008 R2XP / Server 2003 64 Bit for AMD & Intel Xeon processors (x64):(Windows XP Professional 64-Bit Edition, Windows Server 2003 64-Bit Edition)Windows XP SP3Mac OS v10.3 Mac OS v10.4 Mac OS v10.5 Mac OS v10.6 Red Hat Enterprise,Fedora Core 1~7SUSE (Novell)Solaris 9, 10HP-UX 11.0, 11iAIX 5
	Dell 5130cdn	Microsoft® Windows® 2000, XP 32-bit, XP 64-bit, Vista® (32 & 64-bit), Server® 2003 (32 & 64-bit), Server® 2008 (32 & 64-bit), Windows® Server 2008R2, Windows® 7, Windows® cluster Server environment, Windows® 2000 SP2-4, Mac OS 9.X, X (10.3.9 - 10.5), UNIX® (Solaris™ 9 and 10, HP-UX 11i), SUSE Linux® 8.0 and 9, SUSE Enterprise Linux® 10, RedHat® Enterprise 4/5 ES, RedHat® Linux 3.0, 4.0 (AS/WS) Linux® (Red Hat® Enterprise Linux® ES 4/5, SUSE Enterprise SUSE 10, TurboLinux Fuji), NetWare
	Dell 3130cn Duplex	Microsoft® Windows® NT 4.0, Windows 2000, Windows XP, Windows XP 64-bit, Windows Vista® (32 & 64-bit), Windows Server® 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 x64, Windows7(32 & 64-bit), Windows Server 2008 R2 - Mac OS® X(10.2 - 10.5) - UNIX® (Solaris™ 9 and 10, HP-UX11i) English - Linux® (Red Hat® Enterprise Linux ES 4/5, SuSE Enterprise SuSE 10, TurboLinux Fuji) English
	Dell 3115cn MFP	Microsoft® Windows® NT 4.0 SP6a , 2000 SP2-4, XP SP1-2, XP 64-bit, Server 2003 SP1, Server 2003 x64, Windows® 7, Mac OS X, UNIX® (Solaris™ 10, HPUX11i), Linux (Red Hat® 8/9, SUSE 9, TurboLinux 10), NetWare Ver 3-6.5
	Dell 2155cn/cdn	Microsoft® Windows® 7 32bit/64bit, Windows Vista® 32bit/64bit (Home Basic, Home Premium, Ultimate, Business), Windows Server 2008 32bit/64bit, Windows XP 32bit/64bit (Home & Pro), Windows 2003 Server 32bit/64bit. Windows Cluster Server Environment. Mac OS®: 10.3.9 or later (Power PC 32 bit), 10.4.11 or later (Power PC 32 bit/ Intel 32 bit), 10.5 with latest update (Power PC 32/64 bit/ Intel 32/64 bit), 10.6 with the latest update (Intel 32/64 bit), SUSE Enterprise Linux Desktop 10 (x86), Red Hat Enterprise Linux 5 Desktop (x86), NovellYES certification, Microsoft® Windows Server 2003 running Terminal Server with Citrix Presentation Server 4.0 and 4.5 and XenApp 5.0, Windows Server 2008 running Terminal Server with Citrix Presentation Server 4.5 and XenApp 5.0
	2150cn/cdn	Microsoft® Windows® 7 32bit/64bit, Windows Vista® 32bit/64bit (Home Basic, Home Premium, Ultimate, Business), Windows Server 2008 32bit/64bit, Windows XP 32bit/64bit (Home & Pro), Windows 2003 Server 32bit/64bit. Windows Cluster Server Environment. Mac OS®: 10.3.9 or later (Power PC 32 bit), 10.4.11 or later (Power PC 32 bit/ Intel 32 bit), 10.5 with latest update (Power PC 32/64 bit/ Intel 32/64 bit), 10.6 with the latest update (Intel 32/64 bit), SUSE Enterprise Linux Desktop 10 (x86), Red Hat Enterprise Linux 5 Desktop (x86), NovellYES certification, Microsoft® Windows Server 2003 running Terminal Server with Citrix Presentation Server 4.0 and 4.5 and XenApp 5.0, Windows Server 2008 running Terminal Server with Citrix Presentation Server 4.5 and XenApp 5.0
	Dell 2145cn MFP	Microsoft® Windows® 2000/XP/Windows® Vista/Windows®Server 2003/2008, Windows® 7, MacOS: 10.3~10.5 Linux: Red Hat 8.0~9.0, Mandrake 9.2~10.1, SUSE 8.2~9.2 and Fedora Core 1~4
	Dell 1355cn/cnw MFP	Microsoft® Windows® 2000/2003/XP/Windows Vista®/2008, Windows® 7, MacOS: 10.3~10.5
	Dell 1350cnw	Microsoft® Windows® 7 32bit/64bit, Windows Vista® 32bit/64bit (Home Basic, Home Premium, Ultimate, Business), Windows Server 2008 32bit/64bit, Windows Server 2008 R2, Windows XP 32bit/64bit (Home & Pro), Windows 2003 Server 32bit/64bit Mac OS®: 10.3.9 or later (Power PC 32 bit), 10.4.11 or later (Power PC 32 bit/ Intel 32 bit), 10.5 with latest update (Power PC 32/64 bit/ Intel 32/64 bit), 10.6 with the latest update (Intel 32/64 bit)
	Dell 1250c	Microsoft® Windows® 7 32bit/64bit, Windows Vista® 32bit/64bit (Home Basic, Home Premium, Ultimate, Business), Windows Server 2008 32bit/64bit, Windows Server 2008 R2, Windows XP 32bit/64bit (Home & Pro), Windows 2003 Server 32bit/64bit Mac OS®: 10.3.9 or later (Power PC 32 bit), 10.4.11 or later (Power PC 32 bit/ Intel 32 bit), 10.5 with latest update (Power PC 32/64 bit/ Intel 32/64 bit), 10.6 with the latest update (Intel 32/64 bit)

To learn more, visit Dell.com/Printers
 or Call 1-877-220-3355