

MARKETING NAME: C7017T
REGULATORY MODEL: C7017Tf

REGULATORY TYPE: NA

EFFECTIVE DATE: June 27, 2016 EMC EMISSIONS CLASS: B

Dell Inc. www.dell.com

TABLE OF CONTENTS

l.	GLOBAL ENVIRONMENTAL INFORMATION	2
II.	NFPA 99 CONFORMITY	
III.	POWER CORDS AND USER DOCUMENTATION	2
IV.	DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS	3
V.	TRADE (IMPORT/EXPORT) COMPLIANCE DATA	3
VI.	SYSTEM DIMENSION AND WEIGHT	
VII.	PERFORMANCE DATA (ErP Lot 3 information is located in section XIII Appendix A)	3
VIII.	PRODUCT MATERIALS INFORMATION	
IX.	PACKAGING	5
Χ.	BATTERIES	5
XI.	DESIGN FOR ENVIRONMENT	5
XII.	RECYCLING/ END-OF-LIFE SERVICE INFORMATION	6
XII.	HELPFUL LINKS	6

STATEMENT OF COMPLIANCE

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Generally, Information Technology Equipment (ITE) product compliance is based on IEC and CISPR standards and their national equivalent such as Product Safety, IEC 60950-1 and European Norm EN 60950-1 or EMC, CISPR 22/CISPR 24 and EN 55022/55024. Dell products have been verified to comply with the EU RoHS Directive 2011/65/EU. Dell products do not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B products are intended for use in residential/domestic environments but may also be used in non-residential/non-domestic environments.
- EMC Class A products are intended for use in non-residential/non-domestic environments. Class A products may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. ErP compliance is tied to the CE mark.

REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, 1907/2006) is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH directive. For information on SVHC (Substances of Very High Concern), see www.dell.com/REACH.

Compliance documentation, such as certification or Declaration of Compliance for the product is available upon request to regulatory_compliance@dell.com. Please include product identifiers such as marketing name, regulatory module, regulatory type and country that compliance information is needed in request.



Compliance documentation, such as certification or Declaration of Compliance for the product is available upon request to regulatory_compliance@dell.com. Please include product identifiers such as marketing name, regulatory module, regulatory type and country that compliance information is needed in request.

I. GLOBAL ENVIRONMENTAL INFORMATION

Environmental			
Country	Approval	Compliance	
Global	Energy Star	Certified	
US & Canada (varies by country)	EPEAT	NA	
China	CECP	Certified	
China	CEC	Certified	
Global	TCO Certified Display	NA	
Germany – Display with HDMI only	Energy Label	For specific product energy class and value refer technical product spec at http://accessories.euro.dell.com/sna/category.aspx?c=de&category_id=4009&cs=dedhs1&l=de&ref=bkt&s=dhs	

Adapter Certification and Declaration (Applicable only if product uses an external adapter)

Country	Authority/Mark
Australia/NZ	Australia/NZ MEPS
South Korea	South Korea MEPS
United States	US DOE
Canada	NRCan
California Energy Commission	Adapter & Battery Charger
EU	Regulation EC No 278/2009

For more details concerning environmental information, click www.dell.com/environmental_information

II. NFPA 99 CONFORMITY

Select Dell systems have been tested and found to comply with the touch current requirements as defined in 10.3.5 of National Fire Protection Association standard NFPA 99:2012. The touch current does not exceed 100 MA with ground wire intact (if a ground wire is provided) and 500 MA with ground disconnected at 127 V AC, 60 Hz when tested in accordance with 10.3.5 of NFPA 99: 2012. To determine if this product complies with the above requirements, send a request to regulatory_compliance@dell.com. Please include product identifiers such as marketing name, regulatory type and country for which compliance information is needed.

III. POWER CORDS AND USER DOCUMENTATION

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.



IV. DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS

Dell Inc.

Department: Global Regulations and Standards

MS: PS4-30

Round Rock, Texas 78682, USA Regulatory_Compliance@Dell.com

V. TRADE (IMPORT/EXPORT) COMPLIANCE DATA

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: www.dell.com/import_export_compliance or send request to WW_Export_Compliance@dell.com

SYSTEM DIMENSION AND WEIGHT VI.

For product dimension and weight, please refer to product specification/userquide/usermanual at www.dell.com

VII. PERFORMANCE DATA

Energy Consumption¹

Service Level	Energy Consumption (Wattage)	BTU Calculation	Description of Service Level
*Maximum	230	786.6	The system is running programs to maximize the power consumption.
On Mode	120	410.4	The product is connected to a power source and produces an image.
Sleep Mode	1.5	5.13	The reduced power state the display enters after receiving instructions from a content source (e.g. computer, game console, or settop box), or via other functions (e.g. timers or sensors). A blank screen and reduction in power consumption characterize this mode. The display returns to On Mode with full operational capability upon sensing a signal from a source or function that can initiate that can initiate the reduced power state.
Off	0.27	0.92	The system is turned off but is still connected to its AC power source.

^{*} Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption*

Product Safety, EMC & Environmental Datasheet Page 3 Revision A11

¹ This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making dec sions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.



Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click <u>here</u> for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available <u>here</u>

VIII. PRODUCT MATERIALS INFORMATION²

Information on Dell's material use is available here.

To review Dell's Restricted Material Guidance document click here.

- The case material is ABS-HB
- This product contains 0% post-consumer recycled plastic
- Marking of plastic parts greater than 25 grams are done in accordance with ISO 11469 (see below)

Flame Retardants Used in Motherboard

Part	Flame Retardant
Motherboard	Halogen-free Organic Phosphates Compounds

Flame Retardants Used in Mechanical Plastic Parts > 25 grams

Resin Material Name	Marking per ISO 11469:2000, 11469:1996	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.)	List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
ABS-HB	>ABS<	FR(40)	Halogen-free Organic Phosphates Compounds	None

Mercury Information

Number of bulbs	Average per bulb
0	0 mg

For more information Dell's compliance to various materials restrictions regulations and list of substance prohibited from use please click www.dell.com/environmental_information

For additional information please visit:

• Restricted Material Compliance www.dell.com/environmental_information

Revision A11 Page 4

^{*} This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied. For more details visit www.dell.com/environmental_information

² Waste Handling. Local regulations should be observed when disposing of this product due to the presence of the materials and substances as listed above.



• Products MSDS (Material Safety Data Sheets):

Batteries:

 $\frac{http://www.dell.com/content/topics/topic.aspx/global/shared/about_dell/values/regulatory_compliance/en/dell_battery_declaration_january2011?c=us\&l=en\&s=corp\&\sim ck=anavml$

Printer Toner and Ink:

http://www.dell.com/downloads/global/corporate/environ/comply/MSDS_doc.pdf

PACKAGING

Information on Dell's sustainable packaging effort available <u>here</u>. Additional materials restricted in Packaging as per Dell's Restricted Material Guidance document found <u>here</u>.

Packaging Materials (Carton Box, Plastic Bags, Screen Protector, Cushion etc)	Total Weight of each Material type, (kg)	% of Post Consumer Recycled Content (PCR)
Carton box (Corrugated Fibred		
Board)	7.264	80%
Expanded Polyethylene (EPE)	3.341	0%
Plastic bags - LDPE	0.1112	0%

For more details on packaging please click www.dell.com/environmental_information

IX. BATTERIES

Below is a listing of batteries that could be present in the product:

Battery Description – Batteries	Battery Type	Battery Weight (kg)
CR-2032 coin cell	Lithium	NA
AA or AAA Remote Control Battery	Alkaline	NA
AA or AAA Wireless Mouse and/or Keyboard	Alkaline	NA
Rechargeable Battery x cell	Lithium Ion	NA

For more details on batteries including MSDS please click <u>www.dell.com/environmental_information</u>

X. DESIGN FOR ENVIRONMENT

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on product Recyclability please visit www.dell.com/environmental_information



XI. RECYCLING/ END-OF-LIFE SERVICE INFORMATION

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, contact Dell for instructions by emailing recycling_emea@dell.com or visit www.dell.com/recyclingworldwide and select the relevant country

XII. HELPFUL LINKS

• Environmental Policy

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-global-environmental-policy.pdf

• Environment Website

www.dell.com/earth

Corporate Sustainability Report

http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true

ISO 14001 Certification

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf

Materials Restricted for Use

http://www.dell.com/downloads/global/corporate/environ/restricted_materials_guid.pdf

Chemical Use Policy

http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf

• Client Energy Calculator

 $\frac{http://www.dell.com/content/topics/topic.aspx/global/products/landing/en/client-energy-calculator? c=us\&l=en$

Product Carbon Footprint

http://content.dell.com/us/en/corp/d/corp-comm/environment_carbon_footprint_products

• RoHS Compliance

www.dell.com/rohsinfo

• REACH Compliance

www.dell.com/REACH

• Recycling Information

www.dell.com/recycling

• Supplier Responsibility

http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx

Dell is a member of the Electronic Industry Citizenship Coalition (<u>www.eicc.info</u>)



APPENDIX A: ErP Lot 26 Energy Information

Network Standby Classification	LoNA	
Off/Standby - Watts	0.3/0.4	
Network Standby - Watts	2.3	
Number of Network Ports	1	
Location of 'Physical' Network Ports	Side	
Network Port Type	RJ45	
Network Port(s) Activated or Deactivated	Network Port(s) "Activated"	
Network Port Maximum Performance in GB/s	100 Mbps	
Communication protocol used by equipment	Ethernet - TCPIP	
Description of how to assert Network Standby Mode		
Sequence of events to trigger automatic assertion of Network Standby Mode	Information available @ www.dell.com/regulatory_compliance	
Notes regarding operation of the equipment EX: how the user switches the equipment into network standby		
Default time for PM function to switch equipment into this mode www.dell.com/support		
Inactivity time required to enter Network Standby		
Re-activation trigger		
Measurement Method		