PRODUCT: Display ST2220T

REGULATORY MODEL: ST2220Tc

EFFECTIVE DATE: November 16, 2010

Dell Inc.

www.dell.com

TABLE OF CONTENTS FOR PRODUCT SAFETY, EMC & ENVIRONMENTAL DATASHEET

Regulatory

Product Safety

II. Electromagnetic Compatibility

III. Power Cords and User Documentation

IV. Datasheet Responsible Party Name and Address

Environmental

V. System Dimension and Weight

VI. <u>Declarations and Certifications</u>

VII. Performance Data

VIII. Product Materials Information IX. Packaging

X. Design for Environment

XI. Recycling/End-of-Life Service Information
XII. Dell Corporate Environmental Information

I. PRODUCT SAFETY¹

The product has been certified and bears the Mark, as applicable, of the Product Safety authorities as indicated below.

Country/Region	Authority or Mark
Argentina	TUV-IRAM
Belarus	BELLIS
Canada	SCC
China	CNCA or CCC
Croatia	KONCAR
European Union	CE
IECEE	IECEE CB
Israel	SII
Japan	PSE
Kazakhstan	OTAN – CKT
Kenya	KEBS
Kuwait	KUCAS
Mexico	NYCE or NOM
Moldova	INSM
Nigeria	SONCAP
Russia	GOST
Saudi Arabia	KSA ICCP
Serbia	KVALITET
	Safety
Singapore	Registration Scheme
South Africa	NRCS
South Korea	KC
Taiwan	BSMI
	UKRTEST or
Ukraine	UKRSERTCOMPUTER
United States	NRTL
Uzbekistan	STZ

¹ The above-listed Product Safety certifications may vary depending upon the location of the factory and specific product configuration. Certification marks may not be applied on products for countries outside the purchaser's country.



II. ELECTROMAGNETIC COMPATIBILITY²

The product has been certified and bears the Mark, as applicable, of the EMC authorities as indicated below.

Country/Region	Authority or Mark	Class
Australia /	ACMA	
New Zealand	or C-Tick	Class B
Belarus	BELLIS	Class B
Bosnia		
& Herzegovina,		
Montenegro, Serbia	KVALITET	Class B
Canada	ICES	Class B
China	CNCA or CCC	Class B
Croatia	KONCAR	Class B
European Union	CE	Class B
Israel	SII	Class B
Japan	VCCI	Class B
Kazakhstan	OTAN – CKT	Class B
Moldova	INSM	Class B
Russia	GOST	Class B
South Africa	SABS	Class B
South Korea	KCC	Class B
Taiwan	BSMI	Class B
	UKRTEST or	
Ukraine	UKRSERTCOMPUTER	Class B
United States	FCC	Class B
Uzbekistan	STZ	Class B

III. POWER CORDS AND USER DOCUMENTATION

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

IV. DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS

Dell Inc.

Department: Global Regulations and Standards

MS: PS4-30

Round Rock, Texas 78682, USA

512-338-4400

Regulatory Compliance@Dell.com

V. SYSTEM DIMENSION AND WEIGHT

Depth, cm	Width, cm	Height, cm	Weight, kg
5.85	38.01	52.81	6.3 (May vary with additional options installed)

² The above-listed EMC certifications may vary depending upon the location of the factory and specific product configuration. Certification marks may not be applied on products for countries outside the purchaser's country.



VI. DECLARATIONS AND CERTIFICATIONS

This system received the following approvals and may be labeled with one or more of these marks depending on point of purchase:

Country	Approvals	Certified or Registered Compliance
China	CECP	CQC10701049926
China	Energy Label - Displays	Grade 1
Global	Energy Star	5.0 Tier 1
* See below (varies by country)	EPEAT:	Silver
Nordic	TCO'03 Displays	N/A
Nordic	TCO Certified Displays 5.1	N/A
South Korea	eco-label	N/A
South Korea	E-standby	202100504

^{*} EPEAT registered where applicable/supported see: <u>Desktops</u>, <u>Monitors</u>, <u>Notebooks</u>, <u>Workstation-Desktops</u>, and <u>Workstation-Notebooks</u> for registration status by country.

Information on Dell's participation in various Eco-labels and Green Standards can be found here.

Dell is a member of the Electronic Industry Citizenship Coalition (www.eicc.info)

Through internal design controls and supply chain declarations, this system has been verified to comply with the EU RoHS Directive. For more details, see www.dell.com/rohsinfo.

All Dell products shipping directly into China which are manufactured on or after March 1st, 2007, will be China RoHS compliant. For more details, see www.dell.com/chinarohs.

All Dell products shipping to South Korea are compliant with South Korea RoHS requirements, declarations here.

Information on Japan RoHS (J-MOSS) chemical disclosures is available here.

REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, EC 1907/2006) is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH directive. For more details, see www.dell.com/REACH

Dell's Energy Star qualified products are listed on the EPA website here



VII. PERFORMANCE DATA

Energy Consumption³

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click here for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available here

Service Level	Energy Consumption (Wattage)	BTU Calculation	Description of Service Level
*Maximum	48.46	165.7332	The system is running programs to maximize the power consumption.
On Mode	28.57	97.7094	The product is connected to a power source and produces an image.
Sleep Mode	0.597	2.04174	The reduced power state the display enters after receiving instructions from a content source (e.g. computer, game console, or set-top box), or via other functions (e.g. timers or sensors). A blank screen and reduction in power consumption characterize this mode. The display returns to On Mode with full operational capability upon sensing a signal from a source or function that can initiate that can initiate the reduced power state.
Off	0.438	1.49796	The system is turned off but is still connected to its AC power source.

^{*}Maximum Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above.

Energy consumption is tested at 230 Volts / 50 Hz. Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour. BTU is calculated based upon the wattage reading taken in the given mode. To convert Watts to BTU, (1 Watt = 3.42 BTU)

If applicable, iAMT increases the power consumption even during the off state. The power measurements reported above are valid only if the iAMT Management Engine (ME) is set to "ON" in S0 state only (S0 is simply power-on, non-sleep, working state).

ErP compliance is tied to the CE mark.

_

³ This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.



VIII. PRODUCT MATERIALS INFORMATION4

Dell has implemented process controls and corrective actions throughout its organization and supply chain to ensure that its chemicals management objectives are met — and that the targeted restricted materials are replaced and alternative materials are developed for future product generations. Process controls that Dell implemented include piece-part supplier declarations and Dell factory and supplier material testing audits. To review Dell's Restricted Material Guidance document click here.

Information on Dell's material use is available here.

Restricted Substances

This Dell product does **NOT** contain any of the following substances (in concentrations exceeding legal threshold limits):

- Asbestos
- Azo dyes/colorants in components that come into direct contact with human skin
- Cadmium and its compounds (except for use in applications exempted by the EU RoHS Directive)
- Ozone Depleting Substances; Class I and Class II CFCs (chlorofluorocarbons) and HCFCs (hydrofluorocarbons)
- Chloroparaffins, short chained (10-13 carbon chain)
- Chromium VI and its compounds (except for use in applications exempted by the EU RoHS Directive)
- Halogenated dioxins or furans (i.e. polychlorinated dibenzodioxines, polychlorinated dibenzofurans)
- Lead and its compounds (except for use in applications exempted by the EU RoHS Directive)
- Mercury (except for use in applications exempted by the EU RoHS Directive)
- Nickel and its compounds in components that are likely to result in prolonged skin exposure
- PCBs (polychlorobiphenyls)
- PCTs (polychloroterphenyls)
- PBBs (polybromobiphenyls)
- PBDEs (polybrominated diphenylethers)
- BFR (brominated flame retardants) and PVC (polyvinyl chloride) in plastic parts greater than 25 grams
- Polychlorinated naphthalenes (PCNs)
- Tributyl tin (TBT)
- Triphenyl tin (TPT)

Additional Materials Information

- External and/or Internal cables may use PVC as an insulating material to ensure product safety
- The case material is, > ABS+HB< (i.e. PC+ABS, Aluminum, etc)
- Product may contain post-industrial recycled content (plastics, metal, glass)
- This product contains 0 % post consumer recycled chassis plastic
- Materials that may require special handling, please see WEEE Product End-of-Life Instructions <u>here</u>
- Marking of plastic parts greater than 25 grams are done in accordance with ISO 11469 (see below)

Flame Retardants Used in Motherboard

Part Flame Retardant

Motherboard Halogen-free Organic Phosphates Compounds

⁻

⁴ **Waste Handling.** Local regulations should be observed when disposing of this product due to the presence of the materials and substances as listed above.



Flame Retardants Used in Mechanical Plastic Parts > 25 grams

iamo itotalidanto occa in mochambal i lactio i alto i 20 giamo				
Resin Material	Marking per ISO 11469:2000, 11469:1996	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.)	List applicable R-Phrase(s) per EU Directive 1272/2008
ABS/HB	>ABS<	NA	Halogèn-free Organic Phosphates Compounds	None

Mercury Information

Number of bulbs	Average per bulb
2 CCFLs	< 3.5 mg

IX. PACKAGING

Information on Dell's sustainable packaging effort available here.

No CFCs (chlorofluorocarbons), HCFCs (hydrofluorocarbons) or other ozone depleting substances are used in packaging material. Chromium, lead, mercury, cadmium are not intentionally added to packaging materials and are not present in a cumulative concentration greater than 100 ppm as incidental impurities. No halogenated plastics or polymers are used for packaging material. Dell complies with the EU Directive 94/62/EEC. Plastics packaging materials marked according to ISO 11469 standards.

Packaging Materials	Total Weight of each Material type, (kg)	% of Post Consumer Recycled Content (PCR)
Carton box (Corrugated Fibred Board)	0.18kg	30%
Expanded Polystryene (EPS)	0.8kg	0%
Plastic bags- Others(Mixture Plastics)	0.034kg	0%
Plastic Screen Protector-Others	0.02kg	0%

Printed user documentation is bleached in a chlorine-free process.

X. DESIGN FOR ENVIRONMENT

Longevity and Upgrading

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. Connections are easy to find and accessible with commonly available tools. To extend the life of your system, you can install or upgrade certain system components (e.g., microprocessor, memory, expansion cards, optical drives, and storage devices). Spare parts (such as batteries, power supplies, keyboard parts) are available after the end of production for up to five years, or otherwise through the warranty period.



Recyclability

Information for recycling is available here.

For recyclability, this system incorporates the following design guidelines:

- EU WEEE mark is applied to products sold in Europe, EU recycling information can be found at www.euro.dell.com/recycling
- WEEE Product End-of-Life Instructions are available here
- Plastic parts heavier than 25g have material codes according to ISO 11469:2000.
- Minimal use of composite structure materials.
- Painting/coating of plastics <100 grams is compatible with recycling or reuse
- Mechanical plastic parts greater than 100 grams consist of one material or of easily separable materials.

XI. RECYCLING/ END-OF-LIFE SERVICE INFORMATION

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, contact Dell for instructions by emailing recycling_emea@dell.com or visit www.dell.com/recyclingworldwide and select the relevant country.

XII. DELL CORPORATE ENVIRONMENTAL INFORMATION

Information on Dell's Environmental initiatives, policies, programs and goals can be found at www.dell.com/environment.

Dell's Corporate Responsibility Policies are available <u>here</u>.

Product Safety, EMC and Environmental Datasheets for Dell products are located at: www.dell.com/regulatory_compliance_datasheets

Dell's commitment to accountability and assurance is further demonstrated in leveraging the Global Reporting Initiatives (GRI) G3 Guidelines in the preparation of our annual summary report and Web site. We are self-reporting at a B level and have submitted our self-report to GRI to check it against the criteria for GRI Application Level B. To view GRI Index 2009 click <a href="https://example.com/here-example.c

Dell holds International Organization for Standardization (ISO) and Occupational Health & Safety Assessment Series (OHSAS) certifications/registrations in a number of important areas including global product development and recycling/take-*back programs, quality, safety, and health and environment. You can view or download copies of certificates <a href="https://example.com/health/nea

Information related to Supplier Responsibility is available here.