



MARKETING NAME.....Inspiron 14-3437, Inspiron 14, Inspiron 3437
REGULATORY MODEL.....P37G
REGULATORY TYPE.....P37G003
EFFECTIVE DATE.....May 15, 2013
EMC EMISSIONS CLASS.....B

Dell Inc.
www.dell.com

TABLE OF CONTENTS

I. GLOBAL ENVIRONMENTAL INFORMATION2
II. POWER CORDS AND USER DOCUMENTATION.....2
III. DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS.....2
IV. TRADE (IMPORT/EXPORT) COMPLIANCE DATA.....2
V. SYSTEM DIMENSION AND WEIGHT2
VI. PERFORMANCE DATA.....3
VII. PRODUCT MATERIALS INFORMATION4
VIII. PACKAGING.....4
IX. BATTERIES5
X. DESIGN FOR ENVIRONMENT5
XII. RECYCLING/ END-OF-LIFE SERVICE INFORMATION5
XI. HELPFUL LINKS.....5

STATEMENT OF COMPLIANCE

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Generally, Information Technology Equipment (ITE) product compliance is based on IEC and CISPR standards and their national equivalent such as Product Safety, IEC 60950-1 and European Norm EN 60950-1 or EMC, CISPR 22/CISPR 24 and EN 55022/55024. Dell products have been verified to comply with the EU RoHS Directive 2011/65/EU. Dell products do not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B products are intended for use in residential/domestic environments but may also be used in non-residential/non-domestic environments.
• EMC Class A products are intended for use in non-residential/non-domestic environments. Class A products may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet.

ErP compliance is tied to the CE mark.

REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, 1907/2006) is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH directive. For information on SVHC (Substances of Very High Concern), see www.dell.com/REACH.

Compliance documentation, such as certification or Declaration of Compliance for the product is available upon request to regulatory_compliance@dell.com. Please include product identifiers such as marketing name, regulatory module, regulatory type and country that compliance information is needed in request.



I. GLOBAL ENVIRONMENTAL INFORMATION

| Environmental | | |
|-----------------------------------|---------------------------------------|-------------------------|
| Country | Approval | Compliance |
| Global | Energy Star (Configuration Dependent) | Computers , Version 5.2 |
| Varies by country – see EPEAT.net | EPEAT (Configuration Dependent) | Bronze |
| South Korea | e-Standby | Yes |
| Mexico | Energy Labeling Law | Yes |
| China | CEL | Yes |

Adapter Certification and Declaration

| Country | Authority/Mark |
|------------------------------|---------------------------|
| Australia | Australia MEPS |
| South Korea | South Korea MEPS |
| Canada | NRCAN |
| California Energy Commission | Adapter & Battery Charger |
| EU | ErP Lot 7 Tier II |

II. POWER CORDS AND USER DOCUMENTATION

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

III. DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS

Dell Inc.
 Department: Global Regulations and Standards
 MS: PS4-30
 Round Rock, Texas 78682, USA
Regulatory_Compliance@Dell.com

IV. TRADE (IMPORT/EXPORT) COMPLIANCE DATA

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: www.dell.com/import_export_compliance or send request to WW_Export_Compliance@dell.com

V. SYSTEM DIMENSION AND WEIGHT

| Depth, mm/cm | Width, mm/cm | Height, mm/cm | Weight, kg |
|--------------|--------------|---------------|---|
| 245mm | 346mm | 30.25mm | 2.13 Kg (depending upon installed options) |



VI. PERFORMANCE DATA

System Configuration

The Energy Consumption and Declared Noise Emissions data is based on a configuration including:

| | |
|--|----------------------------|
| Processor | Intel i3-4010U, 1.7GHz, 2C |
| Hard Drive(s) | 1000GB, 5400rpm |
| Memory | 8GB |
| Video Card | N/A |
| RMSD / Optical Drive | DVD+/-RW |
| Power Supply (Internal or External) | External |
| Power Supply Size in Watts | 90W |
| Power Supply Efficiency Level | V |

Client Computers:

| Service Level | Energy Consumption (Wattage) | BTU Calculation | Description of Service Level |
|--|------------------------------|-----------------|---|
| *Maximum | 42.68 | 145.97 | The system is running programs to maximize the power consumption. |
| Idle Mode | 6.86 | 23.46 | As specified EPA Energy Star Computer mode. |
| S3 "Sleep" Mode | 0.81 | 2.77 | Suspend-to-RAM (low-power/sleep mode) |
| Off | 0.38 | 1.30 | System is turned off but still connected to its AC power source. If the product is a computer, the Low Power Mode feature is enabled via BIOS if available. |
| External Power Supply "No-Load" (if applicable) | 0.06 | 0.21 | AC adapter connected to mains with system detached otherwise known as "No-load" condition. |

*Maximum **Energy Consumption** results are based solely upon the laboratory testing of the **System Configuration** listed above.

Energy consumption is tested at 230 Volts / 50 Hz. Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour. BTU is calculated based upon the wattage reading taken in the given mode. To convert Watts to BTU, (1 Watt = 3.42 BTU)

If applicable, iAMT increases the power consumption even during the off state. The power measurements reported above are valid only if the iAMT Management Engine (ME) is set to "ON" in S0 state only (S0 is simply power-on, non-sleep, working state).

Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779)

Computers

| Service Level | Sound Power (LWAd, bels) (1 bel=10 decibels, re 10-12 Watts) | Sound Pressure Operator Position (LpAm, decibels) (re 2x10-5 Pa) |
|--------------------------------|--|--|
| Hard Drive Accessing | UMA:2.8 / DIS:2.8 | UMA:19.6 / DIS:20.9 |
| Optical Drive Accessing | UMA:4.8 / DIS:4.9 | UMA:40.2 / DIS:40.2 |
| Idle | UMA:2.7 / DIS:2.7 | UMA:17.7 / DIS:18.6 |



VII. PRODUCT MATERIALS INFORMATION¹

Information on Dell's material use is available [here](#).

To review Dell's Restricted Material Guidance document click [here](#).

- The case material is, > PC+ABS <
- This product contains 0% post-consumer recycled plastic
- Marking of plastic parts greater than 25 grams are done in accordance with ISO 11469 (see below)

Flame Retardants Used in Motherboard

| Part | Flame Retardant |
|-------------|-----------------|
| Motherboard | TBBPA |

Flame Retardants Used in Mechanical Plastic Parts > 25 grams

| Resin Material Name | Marking per ISO 1146 9:2000, 11469:1996 | Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.) | Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.) | List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008 |
|---------------------|---|--|---|---|
| SABIC, C7230P | >PC+ABS-TALC-FR(40)< | FR(40) | Organo Phosphate | N/A |
| SABIC, CM6140 | >PC+ABS-(ED+TD)8FR(40)< | FR(40) | Organo Phosphate | N/A |
| mitsubishi, TMB1615 | >PC+ABS-FR(40)< | FR(40) | Organo Phosphate | N/A |
| mitsubishi, MB1700 | >PC+ABS-FR(40)< | FR(40) | Organo Phosphate | N/A |
| BAYER, FR3021 | >PC+ABS TD15 FR(40)< | FR(40) | Organo Phosphate | N/A |
| BAYER, FR3002 | >PC+ABS-FR(40)< | FR(40) | Organo Phosphate | N/A |

Mercury Information

| Number of bulbs | Average per bulb |
|-----------------|------------------|
| 0 | 0 mg |

For MSDS (Material Safety Data Sheets) refer to the link below:

Batteries:

http://www.dell.com/content/topics/topic.aspx/global/shared/about_dell/values/regulatory_compliance/en/dell_battery_declaration_january2011?c=us&l=en&s=corp&~ck=anavml

Printer Toner and Ink:

http://www.dell.com/downloads/global/corporate/enviro/comply/MSDS_doc.pdf

VIII. PACKAGING

Information on Dell's sustainable packaging effort available [here](#).

| Packaging Materials | Total Weight of each Material type, (kg) | % of Post-Consumer Recycled Content (PCR) | | |
|-----------------------|--|---|------------|-------------|
| | | APJ region | DAO region | EMEA region |
| Corrugated Fiberboard | 0.542 | 100% | 100% | 100% |
| Molded paper pulp | 0.087 | >80% | >80% | >80% |
| Molded Bamboo | 0.002 | 0% | 0% | 0% |

¹ **Waste Handling.** Local regulations should be observed when disposing of this product due to the presence of the materials and substances as listed above.



IX. BATTERIES

Below is a listing of batteries that could be present in the product:

| Battery Description – Batteries | Battery Type | Battery Weight (kg) |
|---------------------------------|--------------|---------------------|
| CR-2032 coin cell | Lithium | Max: 0.0032 |
| Rechargeable Battery 4 cell | Lithium Ion | Max: 0.2410 |
| Rechargeable Battery 6 cell | Lithium Ion | Max: 0.3400 |

For more details on batteries including MSDS please click www.dell.com/environmental_information

X. DESIGN FOR ENVIRONMENT

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing.

For more information on product Recyclability please click www.dell.com/environmental_information

XII. RECYCLING/ END-OF-LIFE SERVICE INFORMATION

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, contact Dell for instructions by emailing recycling_emea@dell.com or visit www.dell.com/recyclingworldwide and select the relevant country.

XI. HELPFUL LINKS

- **Environmental Policy**
<http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-global-environmental-policy.pdf>
- **Environment Website**
www.dell.com/earth
- **Corporate Sustainability Report**
<http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true>
- **ISO 14001 Certification**
<http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf>
- **Materials Restricted for Use**
http://www.dell.com/downloads/global/corporate/enviro/restricted_materials_guid.pdf
- **Chemical Use Policy**
<http://i.dell.com/sites/docontent/corporate/environment/en/Documents/chemical-use-policy.pdf>
- **Client Energy Calculator**
<http://www.dell.com/content/topics/topic.aspx/global/products/landing/en/client-energy-calculator?c=us&l=en>
- **Product Carbon Footprint**
http://content.dell.com/us/en/corp/d/corp-comm/environment_carbon_footprint_products
- **RoHS Compliance**
www.dell.com/rohsinfo
- **REACH Compliance**
www.dell.com/REACH
- **Recycling Information**
- www.dell.com/recycling
- **Supplier Responsibility**
<http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx>