

MARKETING NAME*: Inspiron[™] 14, Inspiron[™] N4020 Dell Inc.
REGULATORY MODEL: P07G www.dell.com

REGULATORY TYPE: P07G001 EFFECTIVE DATE: February 2, 2011

TABLE OF CONTENTS FOR PRODUCT SAFETY, EMC & ENVIRONMENTAL DATASHEET

Regulatory Environmental

I. Product Safety VII. System Dimension and Weight
II. Electromagnetic Compatibility VIII. Declarations and Certifications

III. NFPA Conformity Statement IX. Performance Data

IV. Power Cords and User Documentation
V. Datasheet Responsible Party Name and Address
XI. Product Materials Information
Packaging

V. <u>Datasheet Responsible Party Name and Address</u> XI. <u>Packaging</u> VI. <u>Trade Import/Export Compliance Data</u> XII. <u>Batteries</u>

XIII. <u>Design for Environment</u>

XIV. Recycling/End-of-Life Service Information
XV. Dell Corporate Environmental Information

I. PRODUCT SAFETY¹

The product has been certified and bears the Mark, as applicable, of the Product Safety authorities as indicated below.

Country/Region	Authority or Mark
Argentina	IRAM
Australia	NATA [†]
Cambodia	ISC [†]
Canada	SCC
China	CNCA or CCC
European Union	CE
IECEE	IECEE CB
Israel	SII
Kenya	KEBS
Kuwait	KUCAS
Mexico	NYCE or NOM
Nigeria	SONCAP
Norway	NEMKO
Russia	GOST
Saudi Arabia	KSA ICCP
	Safety
Singapore	Registration Scheme [†]
South Africa	NRCS
South Korea	KETI (eK) ^T
Taiwan	BSMI
United States	NFPA
United States	NRTL

† Product Safety certification is specific to the AC Adapter only.

^{*} Notice: This product has been assigned a unique regulatory model and regulatory type that is imprinted on the product shipping invoice and product labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. Requests for specific information on product regulatory approvals should reference the assigned product regulatory model and type.

¹ The above-listed Product Safety certifications may vary depending upon the location of the factory and specific product configuration. Certification marks may not be applied on products for countries outside the purchaser's country.



This model Dell notebook for use with the following adapters:

Flextronics: FA065LS1-01; FA65NE0-00; Hipro: HA65NS5-00; HA65NE0-00; LiteOn: LA65NS2-01; LA65NE0-01;

Delta: DA65NM111-00.

ELECTROMAGNETIC COMPATIBILITY² II.

The product has been certified and bears the Mark, as applicable, of the EMC authorities as indicated below.

Country/Region	Authority or Mark	Class
Australia /	ACMA	
New Zealand	or C-Tick	Class B
Canada	ICES	Class B
China	CNCA or CCC	Class B
European Union	CE	Class B
Israel	SII	Class B
Japan	VCCI	Class B
Norway	NEMKO	Class B
South Africa	SABS	Class B
South Korea	KCC	Class B
Taiwan	BSMI	Class B
United States	FCC	Class B
Vietnam	ICT	Class B

NFPA 99 Conformity Statement III.

All AC Adapters provided with Dell notebook computers comply with the chassis leakage current requirements as defined by clause 8.4.1.3.5 of National Fire Protection Association standard NFPA 99:2005...leakage current equal to or less than 300uA @ 127 VAC/60 Hz.

IV. POWER CORDS AND USER DOCUMENTATION

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

V. DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS

Dell Inc.

Department: Global Regulations and Standards

MS: PS4-30

Round Rock, Texas 78682, USA

512-338-4400

Regulatory_Compliance@Dell.com

² The above-listed EMC certifications may vary depending upon the location of the factory and specific product configuration. Certification marks may not be applied on products for countries outside the purchaser's country.



VI. TRADE (IMPORT/EXPORT) COMPLIANCE DATA

System US Harmonized Tariff System (USHTS) Number	8471.30.0100
System US Export Control Classification Number (ECCN)	4A994

For additional questions regarding importing & exporting classification of Dell products, please send an e-mail to: US Export Classification@Dell.com

VII. SYSTEM DIMENSION AND WEIGHT

Depth, cm	Width, cm	Height, cm	Weight, kg
34	24.4	36.2	2.1946

VIII. DECLARATIONS AND CERTIFICATIONS

This system received the following approvals and may be labeled with one or more of these marks depending on point of purchase:

Approvals	Certificate #	Yes / No / N/A
Energy Star 5.0 capable	N/A	Yes
* EPEAT	Link below for registration status	Varies by Country

^{*} EPEAT registered where applicable/supported see product links for respective registration status by country: Desktops, Monitors, Notebooks, Workstation-Desktops, and Workstation-Notebooks.

Information on Dell's participation in various Eco-labels and Green Standards can be found here.

Dell is a member of the Electronic Industry Citizenship Coalition (http://www.eicc.info/)

Through internal design controls and supply chain declarations, this system has been verified to comply with the EU RoHS Directive. For more details, see www.dell.com/rohsinfo.

All Dell products shipping directly into China which are manufactured on or after March 1st, 2007, will be China RoHS compliant. For more details, see www.dell.com/chinarohs.

All Dell products shipping to South Korea are compliant with South Korea RoHS requirements, declarations here.

Information on Japan RoHS (J-MOSS) chemical disclosures is available here.

REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, EC 1907/2006) is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH directive. For more details, see www.dell.com/REACH

Dell's Energy Star qualified products are listed on the EPA website here



IX. PERFORMANCE DATA

System Configuration

The Energy Consumption and Declared Noise Emissions data is based on a configuration including:

Processor	Intel® Celeron® Processor 900 2.20 GHz
Hard Drive(s)	320GB
Memory	4GB*2

Energy Consumption³

Service Level	Energy Consumption (Wattage)	BTU Calculation	Description of Service Level
*Maximum	24.04	82.2168	The data provided is the highest wattage reading while running an Industry Benchmark suite of tests.
Idle	7.15	24.453	As specified by the EPA Computer spec 4.0 or system is sitting at the main Windows screen.
ACPI-S3 "Standby" mode	1.06	3.6252	Suspend-to-RAM (low power mode)
ACPI-S4 "Hibernate" mode	0.62	2.1204	Suspend-to-Disk (a lower power mode)
Off Low Power Mode disabled	0.62	2.1204	System is turned off with the Low power Mode feature disabled via the BIOS
External Power Supply	0.31	1.0602	AC adapter connected to mains with system detached otherwise known as "No-load" condition

^{*}Maximum Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above.

If applicable, iAMT increases the power consumption even during the off state. The power measurements reported above are valid only if the iAMT Management Engine (ME) is set to "ON" in S0 state only (S0 is simply power-on, non-sleep, working state).

Energy consumption is tested at 230 Volts / 50 Hz. Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour. Off data is not meant to show compliance to US Executive Order 13221. When applicable, Dell product information related to US Executive Order 13221 may be obtained at: http://oahu.lbl.gov/index.html.

Dell's Energy Calculator can keep you in the know on how changes in power management settings and more efficient hardware options can positively impact energy costs, and can help you optimize your infrastructure for high efficiency. Please see Dell's Client Energy Savings Calculator here.

³ This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.



Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779)

Service Level	Sound Power (L _{WAd} , bels) (1 bel=10 decibels, re 10 ⁻¹² Watts)	Sound Pressure Operator Position (L _{DAm} , decibels) (re 2x10 ⁻⁵ Pa)
Hard Drive Accessing	2.8	24.9
CD Drive Accessing	5.1	43.6
Idle	2.8	17.4
Floppy Drive Accessing	N/A	N/A

X. PRODUCT MATERIALS INFORMATION⁴

Restricted Substances

This Dell product does **NOT** contain any of the following substances (in concentrations exceeding legal threshold limits):

- Asbestos
- Azo dyes/colorants in components that come into direct contact with human skin
- Cadmium and its compounds (except for use in applications exempted by the EU RoHS Directive)
- Class I and Class II CFCs (chlorofluorocarbons) and HCFCs (hydrofluorocarbons)
- Chloroparaffins, short chained (10-13 carbon chain)
- Chromium VI and its compounds (except for use in applications exempted by the EU RoHS Directive)
- Halogenated dioxins or furans (i.e. polychlorinated dibenzodioxines, polychlorinated dibenzofurans)
- Lead and its compounds (except for use in applications exempted by the EU RoHS Directive)
- Mercury (except for use in applications exempted by the EU RoHS Directive)
- Nickel and its compounds in components that are likely to result in prolonged skin exposure
- PCBs (polychlorobiphenyls) or PCTs (polychloroterphenyls)
- PBBs (polybromobiphenyls) or PBDEs (polybrominated diphenylethers)
- PVC (polyvinyl chloride) in plastic parts greater than 25 grams
- Polychlorinated naphthalenes (PCNs)
- Tributyl tin (TBT) and triphenyl tin (TPT) compounds

For information on Japan RoHS (J-MOSS) chemical disclosures: www.dell.com/japan_rohs.

Additional Materials Information

- The cables may use PVC as an insulating material to ensure product safety
- The case material is: >PC+ABS<
- Product may contain post-industrial recycled content (plastics, metal, glass)

Mercury Information

Number of bulbs	Average per bulb
0	0

⁴ **Waste Handling.** Local regulations should be observed when disposing of this product due to the presence of the materials and substances as listed above.



Flame Retardants Used in Mechanical Plastic Parts > 25 grams and Motherboards

Part	Flame Retardant	ISO 1043-4
Motherboard	TBBPA (Tetrabroms-Bisphenol A)	FR(16)
Mechanical Plastic Parts > 25 grams		
Part 1 Material: DJ1 LCD Cover	Aromatic polyphosphate,Bisphenol-A(TMB1615) /ORGANIC PHOSPHORUS(C7230P)	FR(40)
Part 2 Material: DJ1 LCD Bezel With Camera	Aromatic polyphosphate,Bisphenol-A	FR(40)
Part 3 Material: DJ1 Palmrest	Aromatic polyphosphate,Bisphenol-A(TMB1615) /ORGANIC PHOSPHORUS(C7230P)	FR(40)

XI. PACKAGING

No CFCs (chlorofluorocarbons), HCFCs (hydrofluorocarbons) or other ozone depleting substances are used in packaging material. Chromium, lead, mercury, or cadmium are not intentionally added to packaging materials and are not present in a cumulative concentration greater than 100 ppm as incidental impurities. No halogenated plastics or polymers are used for packaging material. Dell complies with the EU Directive 94/62/EEC.

Packaging Materials	Weight, kg
Corrugated Board	0.55
Corrugated Board	0.44
Corrugated Board	0.06
Corrugated Board	0.06
Bamboo Pulp	0.126

Printed user documentation is bleached in a chlorine-free process. (Europe Only)

XII. BATTERIES

Batteries in this product are not based on mercury, lead or cadmium technologies. The batteries used in this product are in compliance with EU Directive 91/ 157/ EEC, EU Directive 93/ 86/ EEC, EU Directive 98/ 101/ EEC, and EU Battery Directive 2006/66/EC.

The product documentation includes instructional information on the proper removal and disposal of the batteries used in this product. Below is a listing of batteries present in the product:

Battery Description – Internal Batteries	Battery Type
3V CR2032 coin cell	Lithium
Rechargeable Battery 4cell	Lithium Ion
Rechargeable Battery 6cell	Lithium Ion



XIII. DESIGN FOR ENVIRONMENT

Longevity and Upgrading

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. To extend the life of your system, you can install or upgrade certain system components (e.g., microprocessor, memory, expansion cards, and storage devices). Spare parts are available after the end of production for up to five years, or otherwise through the warranty period.

Recyclability

For recyclability, this system incorporates the following design guidelines:

- EU WEEE mark is applied to products sold in Europe, EU recycling information can be found at www.euro.dell.com/recycling
- Minimal use of non-separable connections, such as gluing and welding between different materials.
- Minimal use of composite structure materials.
- Mechanical plastic parts greater than 100 grams consist of one material or of easily separable materials.

XIV. RECYCLING/ END-OF-LIFE SERVICE INFORMATION

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, contact Dell for instructions by emailing recycling_emea@dell.com or visit www.dell.com/recyclingworldwide and select the relevant country.

XV. DELL CORPORATE ENVIRONMENTAL INFORMATION

Information on Dell's Environmental initiatives, policies, programs and goals can be found at www.dell.com/environment.

Product Safety, EMC and Environmental Datasheets for Dell products are located at: www.dell.com/regulatory_compliance_datasheets