

MARKETING NAME......Latitude 3560 Dell Inc.
REGULATORY MODEL......P50F www.dell.com
REGULATORY TYPE......P50F001
EFFECTIVE DATE......September 25, 2015

EMC EMISSIONS CLASS......B

TABLE OF CONTENTS

l.	GLOBAL ENVIRONMENTAL INFORMATION	2
II.	NFPA 99 CONFORMITY	
III.	POWER CORDS AND USER DOCUMENTATION	
IV.	DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS	2
V.	TRADE (IMPORT/EXPORT) COMPLIANCE DATA	
VI.	SYSTEM DIMENSION AND WEIGHT	2
VII.	PERFORMANCE DATA (ErP Lot 3 information is located in section XIV Appendix A)	
VIII.	PRODUCT MATERIALS INFORMATION	
IX.	PACKAGING	4
Χ.	BATTERIES	5
XI.	DESIGN FOR ENVIRONMENT	5
XII.	RECYCLING/ END-OF-LIFE SERVICE INFORMATION	5
XIII.	HELPFUL LINKS	
XIV.	APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information	6
XV.	APPENDIX B: ErP Lot 26 Network Standby (Energy Consumption) Information	

STATEMENT OF COMPLIANCE

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Generally, Information Technology Equipment (ITE) product compliance is based on IEC and CISPR standards and their national equivalent such as Product Safety, IEC 60950-1 and European Norm EN 60950-1 or EMC, CISPR 22/CISPR 24 and EN 55022/55024. Dell products have been verified to comply with the EU RoHS Directive 2011/65/EU. Dell products do not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B products are intended for use in residential/domestic environments but may also be used in non-residential/non-domestic environments.
- EMC Class A products are intended for use in non-residential/non-domestic environments. Class A products may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. ErP compliance is tied to the CE mark.

REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, 1907/2006) is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH directive. For information on SVHC (Substances of Very High Concern), see www.dell.com/REACH.

Compliance documentation, such as certification or Declaration of Compliance for the product is available upon request to regulatory compliance@dell.com. Please include product identifiers such as marketing name, regulatory module, regulatory type and country that compliance information is needed in request.



I. GLOBAL ENVIRONMENTAL INFORMATION

Environmental (Voluntary Marks)					
Country Approval Compliance					
Global	ENERGY STAR (Configuration Dependent)	Computers , Version 6.1			
Varies by country – see EPEAT.net	EPEAT (Configuration Dependent)	Gold			
California	Small Battery Charger System	Yes			
India	BEE Star	Yes			
Australia & New Zealand	MEPS	Yes			
Mexico	Energy Labeling Law	Yes			
China	CEL	Yes			
South Korea	e-Standby	Yes			

Adapter Certification and Declaration

Country	Authority/Mark	
Australia/New Zealand	Australia/NZ MEPS	
South Korea	South Korea MEPS	
Canada	NRCan	
California Energy Commission	Adapter & Battery Charger	
EU	Regulation EC No 278/2009	

II. NFPA 99 CONFORMITY

Select Dell systems have been tested and found to comply with the touch current requirements as defined in 10.3.5 of National Fire Protection Association standard NFPA 99:2012. The touch current does not exceed $100 \, \mu A$ with ground wire intact (if a ground wire is provided) and $500 \, \mu A$ with ground disconnected at $127 \, V$ AC, $60 \, Hz$ when tested in accordance with 10.3.5 of NFPA 99: 2012. To determine if this product complies with the above requirements, send a request to regulatory_compliance@dell.com. Please include product identifiers such as marketing name, regulatory type and country for which compliance information is needed.

III. POWER CORDS AND USER DOCUMENTATION

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

IV. DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS

Dell Inc.

Department: Global Regulations and Standards

MS: PS4-30

Round Rock, Texas 78682, USA Regulatory_Compliance@Dell.com

V. TRADE (IMPORT/EXPORT) COMPLIANCE DATA

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: www.dell.com/import_export_compliance or send request to www.Export_Compliance@dell.com

VI. SYSTEM DIMENSION AND WEIGHT

Depth,	Width,	Height,	Weight, kg
mm/cm	mm/cm	mm/cm	
380.0mm	260.0mm	23.25mm	2.16Kg (depending upon installed options)



VII. PERFORMANCE DATA (ErP Lot 3 information is located in section XIV Appendix A)

* Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption*

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click here for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available here

Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779)

VIII. PRODUCT MATERIALS INFORMATION¹

Information on Dell's material use is available here.

To review Dell's Restricted Material Guidance document click here.

- The case material is, > PC+ABS <
- This product contains 0% post-consumer recycled plastic
- Marking of plastic parts greater than 25 grams are done in accordance with ISO 11469 (see below)

Product is BFR/PVC Free ■Yes ■No Flame Retardants Used in Motherboard

Part	Flame Retardant	
Motherboard	ТВВРА	

Flame Retardants Used in Mechanical Plastic Parts > 25 grams

Resin Material Name	Marking per ISO 1146 9:2000, 11469:1996	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.)	List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
PC+ABS: Mitsubishi TMB1615	>PC+ABS- TD15FR(40)< MITSUBISHI TMB1615	FR(40)	Phosphoric acid	N/A
PC+ABS: Mitsubishi MB1700	>PC+ABS- TD15FR(40)< MITSUBISHI MB1700	FR(40)	Phosphoric acid	N/A

Mercury Information

^{*} This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.

For more details visit www.dell.com/environmental_information

¹ Waste Handling. Local regulations should be observed when disposing of this product due to the presence of the materials and substances as listed above.



Number of bulbs	Average per bulb
0	0 mg

India RoHS Declaration

DECLARATION OF CONFORMITY WITH GAZETTE OF INDIA: EXTRAORDINARY, E-WASTE (MANAGEMENT & HANDLING) RULES (INDIA ROHS)

Manufacturer Name and Address: Dell Inc. One Dell Way Round Rock, Texas, USA 78682

Dell Inc. declares that all Dell branded products have been designed and manufactured in compliance with E-Waste (Management & Handling) Rules² on the reduction in the use of hazardous materials in the manufacture of electrical and electronic equipment and their maximum allowed concentrations by weight in the homogenous material (except for the exemptions listed in schedule II).

Substance	Concentration
Lead	0.1%
Mercury	0.1%
PBB (Polybrominated Biphenyls)	0.1%
PBDE (Polybrominated Diphenyl Ethers)	0.1%
Hexavalent Chromium	0.1%
Cadmium	0.01%

Compliance has been verified via internal design controls, supplier declarations, and/or analytical test data. The undersigned below possesses the complete technical documentation relating to the declaration of compliance.

For additional information please visit:

- Restricted Material Compliance <u>www.dell.com/environmental_information</u>
- Products MSDS (Material Safety Data Sheets):

Batteries: Battery MSDS Documentation and Declaration

Printer Toner and Ink: MSDS Documentation

IX. PACKAGING

Information on Dell's sustainable packaging effort available here.

Additional materials restricted in Packaging as per Dell's Restricted Material Guidance document found here.

MC:

	Total Weight	% of Post-Consumer Recycled Content (PCR)		
Packaging Materials	of each Material type, (kg)	APJ region	DAO region	EMEA region
Corrugated Fiberboard	0.54	90%	Over 25%	Over 25%
Molded paper pulp	0.27	90%	100%	100%
LDPE Bags	0.0065	0%	N/A	N/A
Other, please specify (EPE)	0.002	0%	N/A	N/A

Shuttle:

Product Safety, EMC & Environmental Datasheet Revision A11

² E-Waste (Management & Handling) Rules 2011, by the Ministry of Environment & Forests, Government of India dated May 12, 2011.



	Total Weight	% of Post-Consumer Recycled Content (PCR)		
Packaging Materials	of each Material type, (kg)	APJ region	DAO region	EMEA region
Corrugated Fiberboard	0.45	90%	Over 25%	Over 25%
Molded paper pulp	0.26	90%	100%	100%
LDPE Bags	0.0065	0%	N/A	N/A
Other, please specify (EPE)	0.002	0%	N/A	N/A

X. BATTERIES

Below is a listing of batteries that could be present in the product:

Battery Description – Batteries	Battery Type	Battery Weight (kg)
CR-2032 coin cell	Lithium	Max: 0.0032
Rechargeable Battery 4 cell	Lithium Ion	Max: 0.25
Rechargeable Battery 6 cell	Lithium Ion	Max: 0.365

XI. DESIGN FOR ENVIRONMENT

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on product Recyclability please visit www.dell.com/environmental_information.

XII. RECYCLING/ END-OF-LIFE SERVICE INFORMATION

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, contact Dell for instructions by emailing recycling-emea@dell.com or visit www.dell.com/recyclingworldwide and select the relevant country.

XIII. HELPFUL LINKS

• Environmental Policy

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-global-environmental-policy.pdf

- Environment Website
 - www.dell.com/earth
- Corporate Sustainability Report

 $\underline{http://www.dell.com/Learn/us/en/uscorp1/report?c=us\&l=en\&s=corp\&delphi:gr=true}$

ISO 14001 Certification

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf

Materials Restricted for Use

http://www.dell.com/downloads/global/corporate/environ/restricted_materials_guid.pdf

• Chemical Use Policy

http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf

• Client Energy Calculator

http://www.dell.com/content/topics/topic.aspx/qlobal/products/landing/en/client-energy-calculator?c=us&l=en

Product Carbon Footprint

http://content.dell.com/us/en/corp/d/corp-comm/environment_carbon_footprint_products

RoHS Compliance

www.dell.com/rohsinfo

REACH Compliance

www.dell.com/REACH

Recycling Information

www.dell.com/recycling

Supplier Responsibility

http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx



XIV. APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information

The ErP Lot 3 Standard includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops, Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, Computer Servers, and Small Scale Servers.

ErP Lot 3 provides certain exclusions based upon product type, screen size, and/or the amount of power consumed in idle mode. Product energy and acoustic information might be reported for products that are out of scope of ErP

Lot 3 for informational purposes only.

Category	Category A	Category B	
Processor Speed in GHz	1.9	2.2	0
Number of Cores	2	2	0
Total Installed System Memory in GB	16	16	0
Graphics	Integrated	G1	Select
WOL enabled in "Sleep" Mode	No	No	No
WOL enabled in "Off" Mode	No	No	No
As Tested: Lowest Power State	0.44	0.45	
As Tested: Poff(W) WOL Disabled	0.44	0.45	
As Tested: Poff(W) WOL Enabled			
As Tested: Psleep(W) WOL Disabled	1.05	1.85	
As Tested: Psleep(W) WOL Enabled			
As Tested: Pidle(W)	6.31	6.50	
Base TEC Limit (kWh)	27	36	0
TEC Adders Limit (kWh)	4.80	11.80	0.00
Base + Adders TEC Limit (kWh)	31.80	47.80	0.00
Results TEC	19.82	21.09	0.00

Client Computers:

onom our parton.			
Service Level	Energy Consumption	BTU Calculation	Description of Service Level
*Maximum	43.17	147.64	The system is running programs to maximize the power consumption.
Idle Mode	6.50	22.24	As specified EPA Energy Star Computer mode.
S 3 "S leep" Mode	1.85	6.32	Suspend-to-RAM (low-power/sleep mode)
Off	0.52	1.76	System is turned off but still connected to its AC power source. If the product is a computer, the Low Power Mode feature is enabled via BIOS if available.
External Power Supply "No-Load" (if applicable)	0.09	0.31	AC adapter connected to mains with system detached otherwise known as "No-load" condition.

Power Supply Model	Internal		
#	or	Link to efficiency report	
	External		
AA65NM121	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-details&ref=5477379&appliance=EPS&nr=1	
HA65NS5-00	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-details&ref=5470487&appliance=EPS&nr=1	
DA65NM111-00	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-details&ref=5478051&appliance=EPS&nr=1	
LA65NS2-01	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-details&ref=5485275&appliance=EPS&nr=1	
LA90PM111	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-details&ref=5485277&appliance=EPS&nr=1	
DA90PM111	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-details&ref=5478054&appliance=EPS&nr=1	
AA90PM111	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-details&ref=5477380&appliance=EPS&nr=1	
LA90PM130	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-details&ref=8783126&appliance=EPS&nr=1	

^{*} Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption*



Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click here for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available here

Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779)

Computers Category A:

ilputers cutegory A.		
	Sound Power	Sound Pressure
Service Level	(L _{WAd} , bels) (1 bel=10 decibels,	Bystander Position
	re 10 ⁻¹² Watts)	(L _{pAm} , decibels) (re 2x10 ⁻⁵ Pa)
Hard Drive Accessing	2.6	15.6
Optical Drive	N/A	N/A
Accessing	IN/A	IN/A
Idle	2.5	15.5

Computers Category B:

Service Level	Sound Power (L _{WAd} , bels) (1 bel=10 decibels, re 10 ⁻¹² Watts)	Sound Pressure Bystander Position (L _{pAm} , decibels) (re 2x10 ⁻⁵ Pa)
Hard Drive Accessing	2.8	17.0
Optical Drive Accessing	N/A	N/A
Idle	2.8	17.0

Computers Category C:

ipaters eategory e.				
	Sound Power	Sound Pressure		
Service Level	(L _{WAd} , bels) (1 bel=10 decibels,	Bystander Position		
	re 10 ⁻¹² Watts)	(L _{pAm} , decibels) (re 2x10 ⁻⁵ Pa)		
Hard Drive Accessing	N/A	N/A		
Optical Drive	N/A	N/A		
Accessing	IN/A	IN/A		
Idle	N/A	N/A		

Computers Category D:

Service Level	Sound Power (L _{WAd} , bels) (1 bel=10 decibels, re 10 ⁻¹² Watts)	Sound Pressure Bystander Position (L _{pAm} , decibels) (re 2x10 ⁻⁵ Pa)
Hard Drive Accessing	N/A	N/A
Optical Drive Accessing	N/A	N/A
Idle	N/A	N/A

XV. APPENDIX B: ErP Lot 26 Network Standby (Energy Consumption) Information

The ErP Lot 26 Standard includes Network Standby power requirements to be provided by the manufacturer. This is applicable to multiple product categories. If no information is reported, it's assumed it is out of scope of ErP Lot 26.

^{*} This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.

For more details visit www.dell.com/environmental_information