

REGUL REGUL EFFEC	ETING NAMELatitude 3550 ATORY MODELP38F ATORY TYPEP38F001 TIVE DATESeptember 09, 2014 MISSIONS CLASSB	Dell Inc. www.dell.com
TABLE	OF CONTENTS	
Ι.	GLOBAL ENVIRONMENTAL INFORMATION	2
II.	NFPA 99 CONFORMITY	2
III.	POWER CORDS AND USER DOCUMENTATION	2
IV.	DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS	2
V.	TRADE (IMPORT/EXPORT) COMPLIANCE DATA	2
VI.	SYSTEM DIMENSION AND WEIGHT	
VII.	PERFORMANCE DATA (ErP Lot 3 information is located in section XIV Appendix A)	
VIII.	PRODUCT MATERIALS INFORMATION	
IX.	PACKAGING	4
Х.	BATTERIES	4
XI.	DESIGN FOR ENVIRONMENT	4
XII.	RECYCLING/ END-OF-LIFE SERVICE INFORMATION	4
XIII.	HELPFUL LINKS	
XIV	APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information	5

STATEMENT OF COMPLIANCE

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Generally, Information Technology Equipment (ITE) product compliance is based on IEC and CISPR standards and their national equivalent such as Product Safety, IEC 60950-1 and European Norm EN 60950-1 or EMC, CISPR 22/CISPR 24 and EN 55022/55024. Dell products have been verified to comply with the EU RoHS Directive 2011/65/EU. Dell products do not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B products are intended for use in residential/domestic environments but may also be used in non-residential/non-domestic environments.
- EMC Class A products are intended for use in non-residential/non-domestic environments. Class A products may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. ErP compliance is tied to the CE mark.

REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, 1907/2006) is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH directive. For information on SVHC (Substances of Very High Concern), see <u>www.dell.com/REACH</u>.

Compliance documentation, such as certification or Declaration of Compliance for the product is available upon request to <u>regulatory_compliance@dell.com</u>. Please include product identifiers such as marketing name, regulatory module, regulatory type and country that compliance information is needed in request.



Ι.

GLOBAL ENVIRONMENTAL INFORMATION

Environmental (Voluntary Marks)				
Country	Approval	Compliance		
Global	ENERGY STAR (Configuration Dependent)	Energy Star 6.0		
Varies by country – see EPEAT.net	EPEAT (Configuration Dependent)	Gold		
China	CEL	Yes		
Japan	Green PC Label	No		
South Korea	Eco Label	No		
South Korea	e-Standby	Yes		
Taiwan	Taiwan Green Mark	Yes		
India	BEE (NB only)	Yes		

Adapter Certification and Declaration

Country	Authority/Mark
Australia/New Zealand	Australia/NZ MEPS
South Korea	South Korea MEPS
United States	US DOE

II. NFPA 99 CONFORMITY

Select Dell systems have been tested and found to comply with the touch current requirements as defined in 10.3.5 of National Fire Protection Association standard NFPA 99:2012. The touch current does not exceed 100 μ A with ground wire intact (if a ground wire is provided) and 500 μ A with ground disconnected at 127 V AC, 60 Hz when tested in accordance with 10.3.5 of NFPA 99: 2012. To determine if this product complies with the above requirements, send a request to <u>regulatory_compliance@dell.com</u>. Please include product identifiers such as marketing name, regulatory type and country for which compliance information is needed.

III. POWER CORDS AND USER DOCUMENTATION

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

IV. DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS

Dell Inc. Department: Global Regulations and Standards MS: PS4-30 Round Rock, Texas 78682, USA <u>Regulatory_Compliance@Dell.com</u>

V. TRADE (IMPORT/EXPORT) COMPLIANCE DATA

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: www.dell.com/import_export_compliance or send request to WW_Export_Compliance@dell.com

VI. SYSTEM DIMENSION AND WEIGHT

Depth,	Width,	Height,	Weight, kg
mm/cm	mm/cm	mm/cm	
380.4 mm	258.61 mm	26.49mm	2.22Kg



VII. PERFORMANCE DATA (ErP Lot 3 information is located in section XIII Appendix A)

VIII. PRODUCT MATERIALS INFORMATION¹

Information on Dell's material use is available here.

- To review Dell's Restricted Material Guidance document click here.
 - The case material is, >PC+ABS-TD15 FR(40)
 - This product contains 0% post-consumer recycled plastic
 - Marking of plastic parts greater than 25 grams are done in accordance with ISO 11469 (see below)
- Product is BFR/PVC Free **D** Yes, **N**O

Flame Retardants Used in Motherboard

Part	Flame Retardant
Motherboard	ТВВРА

Flame Retardants Used in Mechanical Plastic Parts > 25 grams

Resin Material Name	Marking per ISO 1146 9:2000, 11469:1996	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.)	List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
PC/ABS	>PC+ABS-TD 15 FR(40)<	FR(40)	Organo Phosphate	N/A

Mercury Information

Number of bulbs	Average per bulb
0	NA

DECLARATION OF CONFORMITY WITH GAZETTE OF INDIA: EXTRAORDINARY, E-WASTE (MANAGEMENT & HANDLING) RULES (INDIA ROHS)

Dell Inc. declares that all Dell branded products have been designed and manufactured in compliance with E-Waste (Management & Handling) Rules² on the reduction in the use of hazardous materials in the manufacture of electrical and electronic equipment and their maximum allowed concentrations by weight in the homogenous material (except for the exemptions listed in schedule II).

Substance	Concentration
Lead	0.1%
Mercury	0.1%
PBB (Polybrominated Biphenyls)	0.1%
PBDE (Polybrominated Diphenyl Ethers)	0.1%
Hexavalent Chromium	0.1%
Cadmium	0.01%

Compliance has been verified via internal design controls, supplier declarations, and/or analytical test data. The undersigned below possesses the complete technical documentation relating to the declaration of compliance.

For additional information please visit:

- Restricted Material Compliance <u>www.dell.com/environmental_information</u>
- Products MSDS (Material Safety Data Sheets):
- Batteries: <u>http://www.dell.com/content/topics/topic.aspx/global/shared/about_dell/values/regulatory_compliance/en/d</u> <u>ell_battery_declaration_january2011?c=us&l=en&s=corp&~ck=anavml</u>

¹ Waste Handling. Local regulations should be observed when disposing of this product due to the presence of the materials and substances as listed above.

² E-Waste (Management & Handling) Rules 2011, by the Ministry of Environment & Forests, Government of India dated May 12, 2011.



IX. PACKAGING

Information on Dell's sustainable packaging effort available here.

Additional materials restricted in Packaging as per Dell's Restricted Material Guidance document found here.

	Total Weight	% of Post-Consumer Recycled Content (PCR)		
Packaging Materials	of each			
Fackaging Materials	Material	APJ region	DAO region	EMEA region
	type, (kg)		-	
Corrugated Fiberboard	0.4760	100%	100%	100%
EPE	0.0930	>80%	>80%	>80%
HDPE (including thermoformed)	0.0079	>80%	>80%	>80%
LDPE Bags	0.088		>80%	
Other	0.0040	>80%	>80%	>80%

X. BATTERIES

Below is a listing of batteries that could be present in the product:

Battery Description – Batteries	Battery Type	Battery Weight (kg)
CR-2032 coin cell	Lithium Ion	0.035
Rechargeable Battery x 3 cell / 43Wh	Lithium Ion	MAX: 0.248
Rechargeable Battery x 4 cell / 58Wh	Lithium Ion	MAX: 0.317

XI. DESIGN FOR ENVIRONMENT

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on product Recyclability please visit <u>www.dell.com/environmental_information</u>

XII. RECYCLING/ END-OF-LIFE SERVICE INFORMATION

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, contact Dell for instructions by emailing <u>recycling_emea@dell.com</u> or visit <u>www.dell.com/recyclingworldwide</u> and select the relevant country.

XIII. HELPFUL LINKS

- Environmental Policy
 http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-global-environmental-policy.pdf
- Environment Website
 www.dell.com/earth
- Corporate Sustainability Report
 <u>http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true</u>
- ISO 14001 Certification http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf
- Materials Restricted for Use
 http://www.dell.com/downloads/global/corporate/environ/restricted_materials_guid.pdf
- Chemical Use Policy
 http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf
 Cleart Environment Coloridate
- Client Energy Calculator
 http://www.dell.com/content/topics/topic.aspx/global/products/landing/en/client-energy-calculator?c=us&l=en
- Product Carbon Footprint
 http://content.dell.com/us/en/corp/d/corp-comm/environment_carbon_footprint_products
 Pai/20 Career View Carbon
- RoHS Compliance
 www.dell.com/rohsinfo
- REACH Compliance
 www.dell.com/REACH
- Recycling Information
 www.dell.com/recycling



Supplier Responsibility

http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx

XIV. APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information

The ErP Lot 3 Standard includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops, Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, Computer Servers, and Small Scale Servers.

Marketing Model/Name		Latitudo 3550/ P38F/ P38F001			
Line of Business		Latitudo			
Operating System & Version		WIN 8.1			
Is NB shipped with WoL enabled in "Sleep" Mode?			N	lo	
Is NB shipped with WoL enabled in	"Off" Mode?		N	0	
	Category Selection				
Highest anticipated power-de	manding configu	ration available	within that product category	y point 7.1.1 (as defined in Article 2)	
Data collection is required for ea	ch applicable Cat	egory per platfo		to be sold into the European Union (EU).	
Processor Speed in GHz	1.8		1.8		
Number of Cores	2		2		
Total Installed System Memory in GB	16		16		
Granhics	G1		Integrated	Select	
Category	Catego	ory B	Category A		
	Co	nfigura	tion Adders		
Total Installed Memory in GB	16		16	0	
Memory Adder	4.8		4.8	0	
'Additional Internal Storage' mean	s any and all internal st	-	ding hard disk drives (HDD), solid st ter beyond the first,	tate drives (SSD) and hybrid hard drives (HHD), included	
Additional Internal Storage?	No		No	Select	
Storage Adder	0.00		0.00	50000	
	GI			9-1+	
1st Discrete Graphics Card?	7.0		Integrated	Select	
1st Discrete Graphics Adder	NA		0.00 N/A	Select	
2nd Discrete Graphics Card? 2nd Discrete Graphics Adder	0.00		000	301001	
			ponent that allows a computer to rec	eter television signals:	
Discrete Television Turner Card?	No		No	Select	
	0.00		0.00	301001	
Discrete TV Turner Card Adder 0.00 0.00 Cut & Paste section below as a Picture into Dell P/N ENV0023 (EDS) at the bottom in section XIII. APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information					
XIII. APPEI					
XIII. APPEI Category		Lot 3 Prod			
	NDIX A: ErP	Lot 3 Prod	uct (Energy Consum		
Category	NDIX A: ErP Catego	Lot 3 Prod	uct (Energy Consum) Category A	ption) Information	
Category Processor Speed in GHz	NDIX A: ErP Catego 18	Lot 3 Prod	uct (Energy Consum) Category A 18	ption) Information	
Category Processor Speed in GHz Number of Cores	NDIX A: ErP Catego 18 2	Lot 3 Prod	uct (Energy Consum) Category A 18 2	ption) Information	
Category Processor Steed in GHz Number of Cores Total Installed System Memory in GB	NDIX A: ErP Catego 18 2 16	Lot 3 Prod	uct (Energy Consum) Category A 1.8 2 16	ption) Information	
Category Processor Steed in GHz Number of Cores Total Installed System Memory in GB Graribics	NDIX A: ErP Catego 18 2 16	Lot 3 Prod	uct (Energy Consum) Category A 1.8 2 16 I=tgrated	ption) Information	
Category Processor Sneed in GHz Number of Cores Total Installed System Memory in GB Graphics WOL enabled in "Sheet" Mode WOL enabled in "Off" Mode As Tasted: Lowest Power State	NDIX A: ErP Catego 18 2 16 61 04	' Lot 3 Prod ay B	uct (Energy Consum) Category A 1.8 2 16 Integrated No No 0.41	ption) Information	
Category Processor Sneed in GHz Number of Cores Total Installed System Memory in GB Granhics WOL enabled in "Sleep" Mode WOL enabled in "Off" Mode	NDIX A: ErP Catego 18 2 2 16 61	' Lot 3 Prod ay B	uct (Energy Consum, Category A 1.8 2 16 I=ttgrettd No No	ption) Information	
Category Processor Sneed in GHz Number of Cores Total Installed System Memory in GB Graphics WOL enabled in "Sheet" Mode WOL enabled in "Off" Mode As Tasted: Lowest Power State	NDIX A: ErP Catego 18 2 16 31 34 04	Lot 3 Prod ny B	uct (Energy Consum, Category A 18 2 16 Intgreted No 0.41 0.41	ption) Information	
Category Processor Steed in GHz Number of Cores Total Installed System Memory in GB Graphics WOL enabled in "Sheen" Mode WOL enabled in "Off" Mode As Tested: Lowest Power State As Tested: Poff(W) WOL Disabled As Tested: Poff(W) WOL Disabled As Tested: Poff(W) WOL Disabled	NDIX A: ErP Catego 18 2 16 61 04	Lot 3 Prod ny B	uct (Energy Consum) Category A 1.8 2 16 Integrated No No 0.41	ption) Information	
Category Processor Steed in GHz Number of Cores Total Installed System Memory in GB Grachics WOL enabled in "Sleen" Mode WOL enabled in "Off" Mode As Tasted: Poff(W) WOL Disabled As Tasted: Poff(W) WOL Enabled As Tasted: Polep(W) WOL Enabled As Tasted: Polep(W) WOL Enabled As Tasted: Polep(W) WOL Enabled	NDIX A: ErP Catego 18 2 16 01 041 0.41 0.41	Lot 3 Prod ny B	uct (Energy Consum, Category A 1.8 2 16 Instgrated No 0.41 0.41 0.41 0.76	ption) Information	
Category Processor Steed in GHz Number of Cores Total Installed System Memory in GB Graphics WOL enabled in "Sleep" Mode WOL enabled in "Sleep" Mode WOL enabled in "Off" Mode As Tasted: Poff(W) WOL Disabled As Tasted: Poff(W) WOL Enabled As Tasted: Polep(W) WOL Enabled	NDIX A: ErP Catego 18 2 16 01 041 0.41 0.41 0.55	Lot 3 Prod ny B	uct (Energy Consum, Category A 1.8 2 16 Instgrated No 0.41 0.41 0.41 0.76 3.60	ption) Information	
Category Processor Steed in GHz Number of Cores Total Installed System Memory in GB Grachics WOL enabled in "Sleen" Mode WOL enabled in "Off" Mode As Tasted: Poff(W) WOL Disabled As Tasted: Poff(W) WOL Enabled As Tasted: Polep(W) WOL Enabled As Tasted: Polep(W) WOL Enabled As Tasted: Polep(W) WOL Enabled	NDIX A: ErP Catego 18 2 16 04 04 04 05 551 36	2 Lot 3 Prod ny B	uct (Energy Consum, Category A 1.8 2 16 Instigrated No 0.41 0.41 0.41 0.76 3.60 27	ption) Information	
Category Processor Steed in GHz Number of Cores Total Installed System Memory in GB UCL enabled in "Sleen" Mode WOL enabled in "Sleen" Mode WOL enabled in "Sleen" Mode WOL enabled in "Sleen" Mode As Tested: Poff(W) WOL Disabled As Tested: Poff(W) WOL Disabled As Tested: Pollep(W) WOL Enabled As Tested: Pollep(W) WOL Enabled As Tested: Pollep(W) Base TEC Limit (kWh) TEC Addors Limit (kWh)	NDIX A: ErP Catego 18 2 16 04 044 0.44 0.44 0.55 551 36 11.8	2 Lot 3 Prod	uct (Energy Consum, Category A 1.8 2 16 Instigrated No 0.41 0.41 0.41 0.76 3.60 27 4.80	ption) Information	
Category Processor Steed in GHz Number of Cores Total Installed System Memory in GB Granhics WOL enabled in "Sleen" Mode WOL enabled in "Sleen" Mode WOL enabled in "Off" Mode As Tested: Poff(W) WOL Disabled As Tested: Poff(W) WOL Enabled As Tested: Paleep(W) WOL Enabled	NDIX A: ErP Catego 18 2 16 04 04 04 05 551 36	2 Lot 3 Prod ay B	uct (Energy Consum, Category A 1.8 2 16 Instigrated No 0.41 0.41 0.41 0.76 3.60 27	ption) Information	



* **Energy Consumption** results are based solely upon the laboratory testing of the **System Configuration** listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption*

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click <u>here</u> for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available <u>here</u>

* This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied. For more details visit www.dell.com/environmental_information

Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779)

Computers Category A:

Service Level	Sound Power (L _{WAd} , bels) (1 bel=10 decibels, re 10 ⁻¹² Watts)	Sound Pressure Bystander Position (L _{pAm} , decibels) (re 2x10 ⁻⁵ Pa)
Hard Drive Accessing	2.7	24.1
Optical Drive Accessing	NA	NA
Idle	2.7	24.0

Computers Category B:

Service Level	Sound Power (L _{WAd} , bels) (1 bel=10 decibels, re 10 ⁻¹² Watts)	Sound Pressure Bystander Position (L _{pAm} , decibels) (re 2x10 ⁻⁵ Pa)
Hard Drive Accessing	2.7	24.0
Optical Drive Accessing	NA	NA
Idle	2.7	24.0