

MARKETING NAME*: Latitude™ E4310, Latitude™ E4310n

Dell Inc. www.dell.com

REGULATORY MODEL: P05G REGULATORY TYPE: P05G001

EFFECTIVE DATE: January 12, 2011

TABLE OF CONTENTS FOR PRODUCT SAFETY, EMC & ENVIRONMENTAL DATASHEET

Regulatory Environmental

I. Product Safety
 II. Electromagnetic Compatibility
 VIII. System Dimension and Weight IX. Declarations and Certifications

III. Ergonomics, Acoustics, and Hygienics
IV. NFPA Conformity Statement

XI. Performance Data
Product Materials Information

 IV.
 NFPA Conformity Statement
 XI.
 Product Material

 V.
 Power Cords and User Documentation
 XII.
 Packaging

 VI.
 Datasheet Responsible Party Name and Address
 XIII.
 Batteries

VII. Trade Import/Export Compliance Data XIV. Design for Environment

XV. Recycling/End-of-Life Service Information
XVI. Dell Corporate Environmental Information

I. PRODUCT SAFETY¹

The product has been certified and bears the Mark, as applicable, of the Product Safety authorities as indicated below.

Country/Region	Authority or Mark
Argentina	IRAM
Australia	NATA ^T
Belarus	BELLIS
Cambodia	ISC [†]
Canada	SCC
China	CNCA or CCC
Croatia	KONCAR
European Union	CE
Germany	TUV
IECEE	IECEE CB
Israel	SII
Kazakhstan	OTAN – CKT
Kenya	KEBS
Mexico	NYCE or NOM
Moldova	INSM
Nigeria	SONCAP
Norway	NEMKO
Russia	GOST
Saudi Arabia	KSA ICCP
	Safety
Singapore	Registration Scheme [†]
South Africa	NRCS
South Korea	KETI (eK) [†]
Taiwan	BSMI
	UKRTEST or
Ukraine	UKRSERTCOMPUTER
United States	NFPA
United States	NRTL
Uzbekistan	STZ

^{*} Notice: This product has been assigned a unique regulatory model and regulatory type that is imprinted on the product shipping invoice and product labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. Requests for specific information on product regulatory approvals should reference the assigned product regulatory model and type.

† Product Safety certification is specific to the AC Adapter only.

¹ The above-listed Product Safety certifications may vary depending upon the location of the factory and specific product configuration. Certification marks may not be applied on products for countries outside the purchaser's country.



This model Dell notebook for use with the following adapters:

Delta: DA65NS3-00;

Flextronics: FA65NE0-00; FA65NE1-00; FA065LS1-01;

Hipro: HA65NE0-00; HA65NE1-00;

Chicony: HA65NS5-00;

LiteOn: LA65NE0-01; LA65NE1-01; LA65NS2-01.

II. ELECTROMAGNETIC COMPATIBILITY²

The product has been certified and bears the Mark, as applicable, of the EMC authorities as indicated below.

Country/Region	Authority or Mark	Class
Australia /	ACMA	
New Zealand	or C-Tick	Class B
Belarus	BELLIS	Class B
Bosnia		
& Herzegovina,		
Montenegro, Serbia	KVALITET	Class B
Canada	ICES	Class B
China	CNCA or CCC	Class B
Croatia	KONCAR	Class B
European Union	CE	Class B
Israel	SII	Class B
Japan	VCCI	Class B
Kazakhstan	OTAN – CKT	Class B
Moldova	INSM	Class B
Norway	NEMKO	Class B
Russia	GOST	Class B
South Africa	SABS	Class B
South Korea	KCC	Class B
Taiwan	BSMI	Class B
	UKRTEST or	
Ukraine	UKRSERTCOMPUTER	Class B
United States	FCC	Class B
Uzbekistan	STZ	Class B
Vietnam	ICT	Class B

III. ERGONOMICS, ACOUSTICS AND HYGIENICS³

The product has been certified and bears the Mark, as applicable, of the Ergonomics, Acoustics and Hygienics authorities as indicated below.

Country/Region	Authority or Mark
Russia	GOST

IV. NFPA 99 Conformity Statement

All AC Adapters provided with Dell notebook computers comply with the chassis leakage current requirements as defined by clause 8.4.1.3.5 of National Fire Protection Association standard NFPA 99:2005...leakage current equal to or less than 300uA @ 127 VAC/60 Hz.

_

² The above-listed EMC certifications may vary depending upon the location of the factory and specific product configuration. Certification marks may not be applied on products for countries outside the purchaser's country.

³ The above-listed Ergonomics, Acoustics and Hygienics certifications may vary depending upon the location of the factory and specific product configuration. Certification marks may not be applied on products for countries outside the purchaser's country.



V. POWER CORDS AND USER DOCUMENTATION

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

VI. DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS

Dell Inc.

Department: Global Regulations and Standards

MS: PS4-30

Round Rock, Texas 78682, USA

512-338-4400

Regulatory_Compliance@Dell.com

VII. TRADE (IMPORT/EXPORT) COMPLIANCE DATA

System US Harmonized Tariff System (USHTS) Number	8471.30.0100
System US Export Control Classification Number (ECCN)	4A994

For additional questions regarding importing & exporting classification of Dell products, please send an e-mail to: US Export Classification@Dell.com

VIII. SYSTEM DIMENSION AND WEIGHT

Depth	Width	Height	Weight, kg	Optimal Resolution (Display Only)
215 mm	323 mm	Front 25.40 – 26.50 mm Rear 30.55 – 31.65 mm	1.56 kg minimum 1.77 kg maximum	

IX. DECLARATIONS AND CERTIFICATIONS

This system received the following approvals and may be labeled with one or more of these marks depending on point of purchase:

Country	Approvals	Certified or Registered Compliance
Australia & NZ	MEPS-EPS	Yes
China	CECP	TBD
Global	Energy Star	Yes, Version 5.0
EPEAT	Link below for registration status	Varies by Country
South Korea	E-standby	Yes
South Korea	MEPS-EPS	Yes



* EPEAT registered where applicable/supported see: <u>Desktops</u>, <u>Monitors</u>, <u>Notebooks</u>, <u>Workstation-Desktops</u>, and <u>Workstation-Notebooks</u> for registration status by country.

Information on Dell's participation in various Eco-labels and Green Standards can be found here.

Dell is a member of the Electronic Industry Citizenship Coalition (www.eicc.info)

Through internal design controls and supply chain declarations, this system has been verified to comply with the EU RoHS Directive. For more details, see www.dell.com/rohsinfo.

All Dell products shipping directly into China which are manufactured on or after March 1st, 2007, will be China RoHS compliant. For more details, see www.dell.com/chinarohs.

All Dell products shipping to South Korea are compliant with South Korea RoHS requirements, declarations here.

Information on Japan RoHS (J-MOSS) chemical disclosures is available here.

REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, EC 1907/2006) is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH directive. For more details, see www.dell.com/REACH

Dell's Energy Star qualified products are listed on the EPA website here

X. PERFORMANCE DATA

System Configuration

The Energy Consumption and Declared Noise Emissions data is based on a configuration including:

	<u> </u>
Processor	Intel® Core™ i7- M620 at 2.67GHz
Hard Drive(s)	250 GB
Memory	8 GB of DDR3 SDRAM (1066MHz)
Video Card	Intel® HD Graphics with dynamic frequency
RMSD / Optical Drive	Blu-Ray
Power Supply (Internal or External)	External
Power Supply Size in Watts	65W AC Adapter
External Power Supply Efficiency Level	V

Energy Consumption⁴

_

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click here for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available here

⁴ This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.



Energy Consumption⁵

Service Level	Energy Consumption (Wattage)	BTU Calculation	Description of Service Level
*Maximum	43.5	148.77	The system is running programs to maximize the power consumption.
Idle Mode	13.19	45.1098	As specified EPA Energy Star Consumption mode.
S3 "Sleep" Mode	1.96	6.7032	Suspend-to-RAM (lower power/sleep mode)
Off	1.028	3.51576	System is turned off but still connected to its AC power source. If the product is a computer, the Low Power Mode feature is enabled via BIOS if available.
External Power Supply "No-Load" (if applicable)	0.2	0.684	AC adapter connected to mains with system detached otherwise known as "No-load" condition.

^{*}Maximum Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above.

Energy consumption is tested at 230 Volts / 50 Hz. Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour. BTU is calculated based upon the wattage reading taken in the given mode. To convert Watts to BTU, (1 Watt = 3.42 BTU)

If applicable, iAMT increases the power consumption even during the off state. The power measurements reported above are valid only if the iAMT Management Engine (ME) is set to "ON" in S0 state only (S0 is simply power-on, non-sleep, working state).

ErP compliance is tied to the CE mark.

Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779)

Sound Power Sound Pressure Sound Pressure **Operator Position** Bystander Position (L_{WAd}, bels) Service Level (1 bel=10 decibels, re 10⁻¹² Watts) (L_{pAm}, decibels) (L_{pAm}, decibels) (re 2x10⁻⁵ Pa) (re 2x10⁻⁵ Pa) Hard Drive Accessing 3.3 21.9 19.2 5.0 Optical Drive Accessing 43.8 36.0 2.9 21.3 18.7 Idle CPU activated (at a utilization of 50%) ECMA N/A N/A N/A -74 CPU activated (at a utilization of 90%) Blue 4.7 30.6 23.6 Angel UZ 78

⁵ This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.



XI. PRODUCT MATERIALS INFORMATION⁶

Dell has implemented process controls and corrective actions throughout its organization and supply chain to ensure that its chemicals management objectives are met — and that the targeted restricted materials are replaced and alternative materials are developed for future product generations. Process controls that Dell implemented include piece-part supplier declarations and Dell factory and supplier material testing audits.

To review Dell's Restricted Material Guidance document click here.

Information on Dell's material use is available here.

Restricted Substances

This Dell product does **NOT** contain any of the following substances (in concentrations exceeding legal threshold limits):

- Asbestos
- Azo dyes/colorants in components that come into direct contact with human skin
- Cadmium and its compounds (except for use in applications exempted by the EU RoHS Directive)
- Ozone Depleting Substances; Class I and Class II CFCs (chlorofluorocarbons) and HCFCs (hydrofluorocarbons)
- Chloroparaffins, short chained (10-13 carbon chain)
- Chromium VI and its compounds (except for use in applications exempted by the EU RoHS Directive)
- Halogenated dioxins or furans (i.e. polychlorinated dibenzodioxines, polychlorinated dibenzofurans)
- Lead and its compounds (except for use in applications exempted by the EU RoHS Directive)
- Mercury (except for use in applications exempted by the EU RoHS Directive)
- Nickel and its compounds in components that are likely to result in prolonged skin exposure
- PCBs (polychlorobiphenyls)
- PCTs (polychloroterphenyls)
- PBBs (polybromobiphenyls)
- PBDEs (polybrominated diphenylethers)
- BFR (brominated flame retardants) and PVC (polyvinyl chloride) in plastic parts greater than 25 grams
- Polychlorinated naphthalenes (PCNs)
- Tributyl tin (TBT)
- Triphenyl tin (TPT)

Additional Materials Information

- External and/or Internal cables may use PVC as an insulating material to ensure product safety
- The case material is, >PC+ABS < and >Mg-Al
- Product may contain post-industrial recycled content (plastics, metal, glass)
- This product contains 0% post consumer recycled plastic
- Materials that may require special handling, please see WEEE Product End-of-Life Instructions here
- Marking of plastic parts greater than 25 grams are done in accordance with ISO 11469 (see below)

-

⁶ Waste Handling. Local regulations should be observed when disposing of this product due to the presence of the materials and substances as listed above.



Flame Retardants Used in Mechanical Plastic Parts > 25 grams

Part	Flame Retardant	
Motherboard	6% TBBPA (Tetrabroms-Bisphenol A)	

Resin Material	Marking per ISO 11469:2000, 11469:1996	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.)	List applicable R-Phrase(s) per EU Directive 1272/2008
PC+ABS	>PC+ABS FR(40)<	FR(40)<	Organo Phosphate	

Mercury Information

Number of Bulbs	Average per bulb
0, WLED Displays Only	<0 mg

XII. PACKAGING

Information on Dell's sustainable packaging effort available here.

No CFCs (chlorofluorocarbons), HCFCs (hydrofluorocarbons) or other ozone depleting substances are used in packaging material. Chromium, lead, mercury, cadmium are not intentionally added to packaging materials and are not present in a cumulative concentration greater than 100 ppm as incidental impurities. No halogenated plastics or polymers are used for packaging material. Dell complies with the EU Directive 94/62/EEC. Plastics packaging materials marked according to ISO 11469 standards.

Packaging Materials	Total Weight of each Material type, (kg)	% of Post Consumer Recycled Content (PCR)
Corrugated Fiberboard	0.5723	80%
EPE	0.0824	5%
HDPE (including thermoformed)	0.0138	0%

Printed user documentation is bleached in a chlorine-free process. (Europe Only)

XIII. BATTERIES

Below is a listing of batteries that could be present in the product:

Battery Description – Internal Batteries	Battery Type	Battery Weight (kg)
CR-2032 coin cell	Lithium	.0036 kg
Rechargeable Battery 3 cell	Lithium Ion	.191 kg
Rechargeable Battery 6 cell	Lithium Ion	.436 kg

- Batteries used in this product are in compliance with EU Battery Directive 2006/66/EC
- Batteries in this product are not based on mercury, lead or cadmium technologies
- Information about takeback and the recycling of batteries can be found in the in the Recyclability section below
- The product documentation includes instructional information on the proper removal and disposal of the batteries used in this product



XIV. DESIGN FOR ENVIRONMENT

Longevity and Upgrading

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. Connections are easy to find and accessible with commonly available tools. To extend the life of your system, you can install or upgrade certain system components (e.g., microprocessor, memory, expansion cards, optical drives, and storage devices). Spare parts (such as batteries, power supplies, keyboard parts) are available after the end of production for up to five years, or otherwise through the warranty period.

Recyclability

Information for recycling is available here.

For recyclability, this system incorporates the following design guidelines:

- EU WEEE mark is applied to products sold in Europe, EU recycling information can be found at www.euro.dell.com/recycling
- WEEE Product End-of-Life Instructions are available here
- Plastic parts heavier than 25g have material codes according to ISO 11469:2000.
- Minimal use of composite structure materials.
- · Minimal use of non-separable connections, such as gluing and welding between different materials
- Painting/coating of plastics <100 grams is compatible with recycling or reuse
- Mechanical plastic parts greater than 100 grams consist of one material or of easily separable materials.

XV. RECYCLING/ END-OF-LIFE SERVICE INFORMATION

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, contact Dell for instructions by emailing recycling-emea@dell.com or visit www.dell.com/recyclingworldwide and select the relevant country.

XVI. DELL CORPORATE ENVIRONMENTAL INFORMATION

Information on Dell's Environmental initiatives, policies, programs and goals can be found at www.dell.com/environment.

Dell's Corporate Responsibility Policies are available here.

Product Safety, EMC and Environmental Datasheets for Dell products are located at: www.dell.com/regulatory_compliance_datasheets

Dell's commitment to accountability and assurance is further demonstrated in leveraging the Global Reporting Initiatives (GRI) G3 Guidelines in the preparation of our annual summary report and Web site. We are self-reporting at a B level and have submitted our self-report to GRI to check it against the criteria for GRI Application Level B. To view GRI Index 2009 click here.

Dell holds International Organization for Standardization (ISO) and Occupational Health & Safety Assessment Series (OHSAS) certifications/registrations in a number of important areas including global product development and recycling/take-*back programs, quality, safety, and health and environment. You can view or download copies of certificates <a href="https://example.com/health-and-environment-number-of-back-number-of-b