

MARKETING NAME.....Latitude E7450/Latitude 7450
REGULATORY MODEL.....P40G
REGULATORY TYPE......P40G002

www.dell.com

Dell Inc.

**EMC EMISSIONS CLASS...B** 

EFFECTIVE DATE.....December 01, 2014

#### **TABLE OF CONTENTS**

I.	GLOBAL ENVIRONMENTAL INFORMATION	2
II.	NFPA 99 CONFORMITY	
III.	POWER CORDS AND USER DOCUMENTATION	
IV.	DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS	
V.	TRADE (IMPORT/EXPORT) COMPLIANCE DATA	
VI.	SYSTEM DIMENSION AND WEIGHT	
VII.	PERFORMANCE DATA (ErP Lot 3 information is located in section XIV Appendix A)	2
VIII.	PRODUCT MATERIALS INFORMATION	
IX.	PACKAGING	4
Χ.	BATTERIES	4
XI.	DESIGN FOR ENVIRONMENT	
XII.	RECYCLING/ END-OF-LIFE SERVICE INFORMATION	4
XIII.	HELPFUL LINKS	4
XIV.	APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information	5

#### STATEMENT OF COMPLIANCE

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Generally, Information Technology Equipment (ITE) product compliance is based on IEC and CISPR standards and their national equivalent such as Product Safety, IEC 60950-1 and European Norm EN 60950-1 or EMC, CISPR 22/CISPR 24 and EN 55022/55024. Dell products have been verified to comply with the EU RoHS Directive 2011/65/EU. Dell products do not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B products are intended for use in residential/domestic environments but may also be used in non-residential/non-domestic environments.
- EMC Class A products are intended for use in non-residential/non-domestic environments. Class A products may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. ErP compliance is tied to the CE mark.

REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, 1907/2006) is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH directive. For information on SVHC (Substances of Very High Concern), see <a href="https://www.dell.com/REACH">www.dell.com/REACH</a>.

Compliance documentation, such as certification or Declaration of Compliance for the product is available upon request to <a href="mailto:regulatory">regulatory</a> compliance@dell.com</a>. Please include product identifiers such as marketing name, regulatory module, regulatory type and country that compliance information is needed in request.



### I. GLOBAL ENVIRONMENTAL INFORMATION

Environmental (Voluntary Marks)			
Country	Approval	Compliance	
Global	ENERGY STAR	ENERGY STAR 6.0	
Varies by country – see EPEAT.net	EPEAT (Configuration Dependent)	Gold	
China	CECP	Yes	
China	CEC	Yes	
South Korea	Korea e-standby	Yes	
Taiwan	Greenmark	NO	
India	BEE (NB only)	Yes	
Brazil	INMETRO	Yes	
USA	California Energy Commission	Yes	
Mexico	Energy Labeling Law	Yes	

#### II. NFPA 99 CONFORMITY

Select Dell systems have been tested and found to comply with the touch current requirements as defined in 10.3.5 of National Fire Protection Association standard NFPA 99:2012. The touch current does not exceed 100  $\mu$ A with ground wire intact (if a ground wire is provided) and 500  $\mu$ A with ground disconnected at 127 V AC, 60 Hz when tested in accordance with 10.3.5 of NFPA 99: 2012. To determine if this product complies with the above requirements, send a request to regulatory\_compliance@dell.com. Please include product identifiers such as marketing name, regulatory type and country for which compliance information is needed.

#### III. POWER CORDS AND USER DOCUMENTATION

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

#### IV. DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS

Dell Inc.

Department: Global Regulations and Standards

MS: PS4-30

Round Rock, Texas 78682, USA Regulatory\_Compliance@Dell.com

#### V. TRADE (IMPORT/EXPORT) COMPLIANCE DATA

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: <a href="mailto:www.dell.com/import\_export\_compliance">www.dell.com/import\_export\_compliance</a> or send request to <a href="mailto:www.dell.com/import\_export\_compliance">www.texport\_Compliance@dell.com</a>

#### VI. SYSTEM DIMENSION AND WEIGHT

Depth,	Width,	Height,	Weight, kg
337.0 mm	231.5mm	23.2 mm	1.559 Kg (depending upon installed options)

#### VII. PERFORMANCE DATA (ErP Lot 3 information is located in section XIV Appendix A)



#### VIII. PRODUCT MATERIALS INFORMATION<sup>1</sup>

Information on Dell's material use is available here.

To review Dell's Restricted Material Guidance document click here.

- The case material is, >TPU, PC+ABS-I-FR(40)<
  - This product contains 0% post-consumer recycled plastic
  - Marking of plastic parts greater than 25 grams are done in accordance with ISO 11469 (see below)

# Product is BFR/PVC Free ☑ Yes ☐ No Flame Retardants Used in Motherboard

Part	Flame Retardant
Motherboard	<12% Aluminum Hydroxide (AlH3O3) & Phosphorous resin
Motherboard	8% 9,10-Dihydro-9-oxa-10-phosphaphenanthrene 10-oxide

Flame Retardants Used in Mechanical Plastic Parts > 25 grams

Resin Material Name	Marking per ISO 1146 9:2000, 11469:1996	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.)	List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
ZBU10_LCD_BEZEL_W_CAMERA	>TPU, <u>PC-ABS-I</u> -FR(40)<	FR(40)	Organo Phosphate	NA
ZBU10_LCD_BEZEL_WO_CAME RA	>TPU, <u>PC-ABS-I</u> -FR(40)<	FR(40)	Organo Phosphate	NA
ZBU10_LOG_UP_SP_FP	>PC<		NA	NA
ZBU10_LOGIC_UP_WO_SP_FP	>PC<		NA	NA
ZBU10_LOGIC_UP_WO_NFC	>PC<		NA	NA
VAUAO TS COVER	>PC-GF50FR(40)<	FR(40)	Organo Phosphate	NA
VAUAU_13_COVER	> <u>EP</u> +CF,GF FR(40)<	NA	NA	NA

Mercury Information

Number of bulbs	Average per bulb	
0	NA	

# DECLARATION OF CONFORMITY WITH GAZETTE OF INDIA: EXTRAORDINARY, E-WASTE (MANAGEMENT & HANDLING) RULES (INDIA ROHS)

Dell Inc. declares that all Dell branded products have been designed and manufactured in compliance with E-Waste (Management & Handling) Rules<sup>2</sup> on the reduction in the use of hazardous materials in the manufacture of electrical and electronic equipment and their maximum allowed concentrations by weight in the homogenous material (except for the exemptions listed in schedule II).

Substance	Concentration
Lead	0.1%
Mercury	0.1%
PBB (Polybrominated Biphenyls)	0.1%
PBDE (Polybrominated Diphenyl Ethers)	0.1%
Hexavalent Chromium	0.1%

<sup>&</sup>lt;sup>1</sup> **Waste Handling.** Local regulations should be observed when disposing of this product due to the presence of the materials and substances as listed above.

Product Safety, EMC & Environmental Datasheet Revision A09

 $<sup>^{2}</sup>$  E-Waste (Management & Handling) Rules 2011, by the Ministry of Environment & Forests, Government of India dated May 12, 2011.



Cadmium 0.01%

Compliance has been verified via internal design controls, supplier declarations, and/or analytical test data. The undersigned below possesses the complete technical documentation relating to the declaration of compliance.

#### For additional information please visit:

- Restricted Material Compliance <u>www.dell.com/environmental\_information</u>
- Products MSDS (Material Safety Data Sheets):

#### Batteries:

http://www.dell.com/content/topics/topic.aspx/global/shared/about\_dell/values/regulatory\_compliance/en/dell\_battery\_declaration\_january2011?c=us&l=en&s=corp&~ck=anavml

#### IX. PACKAGING

Information on Dell's sustainable packaging effort available here.

Additional materials restricted in Packaging as per Dell's Restricted Material Guidance document found here.

	Total Weight	% of Post-Consumer Recycled Content (PCR)		
Packaging Materials	of each Material	AD1 region	DAO ragion	EMEA region
		APJ region	DAO region	EMEA region
	type, (kg)			
Corrugated Fiberboard	0.403	100%	100%	100%
EPE	0.065	>80%	>80%	>80%
HDPE (including thermoformed)	0.004	0	0	0

#### X. BATTERIES

Below is a listing of batteries that could be present in the product:

Battery Description – Batteries	Battery Type	Battery Weight (kg)
CR-2032 with cable wire	Li	0.005 (max)
3 cell 40Wh	Lithium	0.255 (max)
4 cell 54Wh	Lithium	0.307 (max)

#### XI. DESIGN FOR ENVIRONMENT

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on product Recyclability please visit <a href="www.dell.com/environmental\_information">www.dell.com/environmental\_information</a>

#### XII. RECYCLING/ END-OF-LIFE SERVICE INFORMATION

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, contact Dell for instructions by emailing <a href="mailto:recycling\_emea@dell.com">recycling\_emea@dell.com</a> or visit <a href="mailto:www.dell.com/recyclingworldwide">www.dell.com/recyclingworldwide</a> and select the relevant country.

#### XIII. HELPFUL LINKS

• Environmental Policy

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-global-environmental-policy.pdf

• Environment Website

www.dell.com/earth

• Corporate Sustainability Report

http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true

ISO 14001 Certification

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf



#### Materials Restricted for Use

http://www.dell.com/downloads/global/corporate/environ/restricted\_materials\_guid.pdf

## • Chemical Use Policy

http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf

#### Client Energy Calculator

 $\underline{http://www.dell.com/content/topics/topic.aspx/global/products/landing/en/client-energy-calculator? c=us\&l=en$ 

#### • Product Carbon Footprint

http://content.dell.com/us/en/corp/d/corp-comm/environment\_carbon\_footprint\_products

#### • RoHS Compliance

www.dell.com/rohsinfo

#### • REACH Compliance

www.dell.com/REACH

#### • Recycling Information

www.dell.com/recycling

• Supplier Responsibility

http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx

#### XIV. APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information

The ErP Lot 3 Standard includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops, Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, Computer Servers, and Small Scale Servers.

Category	Category A	Category B
Processor Speed in GHz	2.2	2.2
Number of Cores	2	2
Total Installed System Memory in GB	16	16
Graphics	Integrated	G1
WOL enabled in "Sleep" Mode	No	No
WOL enabled in "Off" Mode	No	No
As Tested: Lowest Power State	0.28	0.28
As Tested: Poff(W) WOL Disabled	0.28	0.28
As Tested: Poff(W) WOL Enabled		
As Tested: Psleep(W) WOL Disabled	0.94	0.90
As Tested: Psleep(W) WOL Enabled		
As Tested: Pidle(W)	5.67	5.20
Base TEC Limit (kWh)	36	48
TEC Adders Limit (kWh)	4.80	16.80
Base + Adders TEC Limit (kWh)	40.80	64.80
Results TEC	17.20	15.93

Power Supply	Internal or	Link to efficiency report	
Model #	External	Limit to employed, report	
AA65NM121 External http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&o		http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-	
AAOSINITEI		details&ref=5477379&appliance=EPS&nr=1	
DA65NM111-00 External		http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-	
DAOSINMITT-00		details&ref=5478051&appliance=EPS&nr=1	



	1	
DA65NM130	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-
		details&ref=8954085&appliance=EPS&nr=1
11465144170	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-
HA65NM130		details&ref=6448362&appliance=EPS&nr=1
11465165 00	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-
HA65NS5-00		details&ref=5470487&appliance=EPS&nr=1
1 0/CCN (M470	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-
HK65NM130		details&ref=8095191&appliance=EPS&nr=1
LA65NM130	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-
LAOSINIMISU		details&ref=6474043&appliance=EPS&nr=1
LA65NS2	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-
LAOSINSZ		details&ref=5485275&appliance=EPS&nr=1
BT90PM130	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-
D190PM130		details&ref=8954099&appliance=EPS&nr=1
DA90PM130	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-
DAGUPMISU		details&ref=6448377&appliance=EPS&nr=1
FA90PM130	External	NA
LA90PM111	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-
LAGUPMIII		details&ref=5485277&appliance=EPS&nr=1
LA90PM130	External	http://oee.nrcan.gc.ca/pml-lmp/index.cfm?action=app.formHandler&operation=details-
LASUPMISU		details&ref=8783126&appliance=EPS&nr=1

<sup>\*</sup> Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above. Energy consumption is tested at 230 Volts / 50 Hz.

#### **Energy Consumption\***

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click <a href="here">here</a> for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available <a href="here">here</a>

# Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779) Computers Category A:

Service Level	Sound Power (L <sub>WAd</sub> , bels) (1 bel=10 decibels, re 10 <sup>-12</sup> Watts)	Sound Pressure Bystander Position (L <sub>pAm</sub> , decibels) (re 2x10 <sup>-5</sup> Pa)
Hard Drive Accessing	2.8	16.9
Optical Drive Accessing	-	-
Idle	2.8	16.9

### **Computers Category B:**

Service Level	Sound Power (L <sub>WAd</sub> , bels) (1 bel=10 decibels, re 10 <sup>-12</sup> Watts)	Sound Pressure Bystander Position (L <sub>pAm</sub> , decibels) (re 2x10 <sup>-5</sup> Pa)
Hard Drive Accessing		
Optical Drive Accessing	-	-
Idle	2.6	16.5

<sup>\*</sup> This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.

For more details visit <a href="https://www.dell.com/environmental\_information">www.dell.com/environmental\_information</a>