

REGUI REGUI EFFEC	MARKETING NAMEOptiPlex 7040 MT Dell Inc REGULATORY MODELD18M www.dell.co REGULATORY TYPE D18M001 EFFECTIVE DATE Sep 30, 2015 EMC EMISSIONS CLASS B			
TABLE	OF CONTENTS			
Ι.	GLOBAL ENVIRONMENTAL INFORMATION			
II.	NFPA 99 CONFORMITY			
III.	POWER CORDS AND USER DOCUMENTATION			
IV.	DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS			
V.	TRADE (IMPORT/EXPORT) COMPLIANCE DATA			
VI.	SYSTEM DIMENSION AND WEIGHT			
VII.	PERFORMANCE DATA (ErP Lot 3 information is located in section XIV Appendix A)	3		
VIII.	PRODUCT MATERIALS INFORMATION	3		
IX.	PACKAGING	4		
Х.	BATTERIES	4		
XI.	DESIGN FOR ENVIRONMENT			
XII.	RECYCLING/ END-OF-LIFE SERVICE INFORMATION			
XIII.	HELPFUL LINKS			
XIV.	APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information			
XV.	APPENDIX B: ErP Lot 26 Network Standby (Energy Consumption) Information	6		

STATEMENT OF COMPLIANCE

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Generally, Information Technology Equipment (ITE) product compliance is based on IEC and CISPR standards and their national equivalent such as Product Safety, IEC 60950-1 and European Norm EN 60950-1 or EMC, CISPR 22/CISPR 24 and EN 55022/55024. Dell products have been verified to comply with the EU RoHS Directive 2011/65/EU. Dell products do not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B products are intended for use in residential/domestic environments but may also be used in nonresidential/non-domestic environments.
- EMC Class A products are intended for use in non-residential/non-domestic environments. Class A products . may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. ErP compliance is tied to the CE mark.

REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, 1907/2006) is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH directive. For information on SVHC (Substances of Very High Concern), see www.dell.com/REACH.

Compliance documentation, such as certification or Declaration of Compliance for the product is available upon request to regulatory_compliance@dell.com . Please include product identifiers such as marketing name, regulatory module, regulatory type and country that compliance information is needed in request.



Ι.

GLOBAL ENVIRONMENTAL INFORMATION	
----------------------------------	--

Environmental (Voluntary Marks)						
Country Approval Compliance						
Global	ENERGY STAR (Configuration Dependent)	6.1				
USA	EPEAT Gold	Y				
China	China CECP	Y				
China	China CEC	Y				

Adapter Certification and Declaration

Country	Authority/Mark
Australia/New Zealand	Australia/NZ MEPS
South Korea	South Korea MEPS
Canada	NRCan
California Energy Commission	Adapter & Battery Charger
EU	Regulation EC No 278/2009

II. NFPA 99 CONFORMITY

Select Dell systems have been tested and found to comply with the touch current requirements as defined in 10.3.5 of National Fire Protection Association standard NFPA 99:2012. The touch current does not exceed 100 μ A with ground wire intact (if a ground wire is provided) and 500 μ A with ground disconnected at 127 V AC, 60 Hz when tested in accordance with 10.3.5 of NFPA 99: 2012. To determine if this product complies with the above requirements, send a request to <u>regulatory_compliance@dell.com</u>. Please include product identifiers such as marketing name, regulatory type and country for which compliance information is needed.

III. POWER CORDS AND USER DOCUMENTATION

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

IV. DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS

Dell Inc. Department: Global Regulations and Standards MS: PS4-30 Round Rock, Texas 78682, USA <u>Regulatory_Compliance@Dell.com</u>

V. TRADE (IMPORT/EXPORT) COMPLIANCE DATA

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: <u>www.dell.com/import_export_compliance</u> or send request to <u>WW_Export_Compliance@dell.com</u>

VI. SYSTEM DIMENSION AND WEIGHT

Depth,	Width,	Height,	Weight, kg
mm/cm	mm/cm	mm/cm	
274mm/27.4cm	154mm/15.4cm	350mm/35cm	6.1Kg (depending upon installed options)



VII. PERFORMANCE DATA (ErP Lot 3 information is located in section XIV Appendix A)

The battery[ies] in this product cannot be easily replaced by users themselves.

VIII. PRODUCT MATERIALS INFORMATION¹

Information on Dell's material use is available here.

To review Dell's Restricted Material Guidance document click here.

- The case material is, > PCR- ABS ,SGCC <
 - This product contains 18.7 % post-consumer recycled plastic
 - Marking of plastic parts greater than 25 grams are done in accordance with ISO 11469 (see below)
 - Product is BFR/PVC Free
 Yes
 No

Flame Retardants Used in Motherboard

Part	Flame Retardant		
Motherboard	FR(4)		

Flame Retardants Used in Mechanical Plastic Parts > 25 grams

Resin Material Name	Marking per ISO 1146 9:2000, 11469:1996	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.)	List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
WAM,GA35AR00	>PCR-ABS<	N/A	N/A	N/A
Sabic, Cycoloy C6200	>PC+ABS FR40<	FR(40)	N/A	N/A
Bayer, Bayblend FR3010	>PC+ABS FR40<	FR(40)	N/A	N/A
Kingfa JH960- 6900	>PC+ABS FR40<	FR(40)	N/A	N/A

Mercury Information

Number of bulbs	Average per bulb
0	0

India RoHS Declaration DECLARATION OF CONFORMITY WITH GAZETTE OF INDIA: EXTRAORDINARY, E-WASTE (MANAGEMENT & HANDLING) RULES (INDIA ROHS)

Manufacturer Name and Address: Dell Inc. One Dell Way Round Rock, Texas, USA 78682

¹ Waste Handling. Local regulations should be observed when disposing of this product due to the presence of the materials and substances as listed above.



Dell Inc. declares that all Dell branded products have been designed and manufactured in compliance with E-Waste (Management & Handling) Rules² on the reduction in the use of hazardous materials in the manufacture of electrical and electronic equipment and their maximum allowed concentrations by weight in the homogenous material (except for the exemptions listed in schedule II).

Substance	Concentration
Lead	0.1%
Mercury	0.1%
PBB (Polybrominated Biphenyls)	0.1%
PBDE (Polybrominated Diphenyl Ethers)	0.1%
Hexavalent Chromium	0.1%
Cadmium	0.01%

Compliance has been verified via internal design controls, supplier declarations, and/or analytical test data. The undersigned below possesses the complete technical documentation relating to the declaration of compliance.

For additional information please visit:

- Restricted Material Compliance www.dell.com/environmental_information
- Products MSDS (Material Safety Data Sheets):

Batteries: Battery MSDS Documentation and Declaration

IX. PACKAGING

Information on Dell's sustainable packaging effort available here. Additional materials restricted in Packaging as per Dell's Restricted Material Guidance document found here

Ruditional materials restricted in Packaging as per Delt's Restricted Material Guidance document round <u>mere</u> .						
	Total Weight	% of Post-Consumer Recycled Content (PCR)				
Packaging Materials	of each					
Fackaging Materials	Material	APJ region	DAO region	EMEA region		
	type, (kg)		-			
Corrugated Fiberboard	1.22	90%	Over 25%	Over 25%		
EPE	0.23	90%	NA	NA		

Х. BATTERIES

Below is a listing of batteries that could be present in the product:

Battery Description – Batteries	Battery Type	Battery Weight (kg)
CR-2032 coin cell	Lithium	0.032

XI. **DESIGN FOR ENVIRONMENT**

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on product Recyclability please visit www.dell.com/environmental_information

XII. **RECYCLING/ END-OF-LIFE SERVICE INFORMATION**

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, contact Dell for instructions by emailing recycling_emea@dell.com or visit www.dell.com/recyclingworldwide and select the relevant country.

XIII. **HELPFUL LINKS**

Environmental Policy

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-global-environmental-policy.pdf

E-Waste (Management & Handling) Rules 2011, by the Ministry of Environment & Forests, Government of India dated May 12, 2011.



- Environment Website www.dell.com/earth
- Corporate Sustainability Report <u>http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true</u>

 ISO 14001 Certification
- ISO 14001 Certification http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf
- Materials Restricted for Use
 http://www.dell.com/downloads/global/corporate/environ/restricted_materials_guid.pdf
- Chemical Use Policy http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf
 Client Energy Calculator
- Client Energy Calculator
 http://www.dell.com/content/topics/topic.aspx/global/products/landing/en/client-energy-calculator?c=us&l=en
 http://www.dell.com/content/topics/topic.aspx/global/products/landing/en/client-energy-calculator?c=us&l=en
- Product Carbon Footprint
 http://content.dell.com/us/en/corp/d/corp-comm/environment_carbon_footprint_products
- RoHS Compliance
 www.dell.com/rohsinfo
- REACH Compliance
 <u>www.dell.com/REACH</u>
- Recycling Information
 <u>www.dell.com/recycling</u>
- Supplier Responsibility
 http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx

XIV. APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information

The ErP Lot 3 Standard includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops, Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, Computer Servers, and Small Scale Servers. ErP Lot 3 provides certain exclusions based upon product type, screen size, and/or the amount of power consumed in idle mode. Product energy and acoustic information might be reported for products that are out of scope of ErP

Lot 3 for informational purposes only.

Category				Category D
Processor Speed in GHz	0	0	0	2.7
Number of Cores	0	0	0	4
Total Installed System Memory in GB	0	0	0	32
Graphics	Select	Integrated	Gl	G2
WOL enabled in "Sleep" Mode	No	No	No	No
WOL enabled in "Off" Mode	No	No	No	No
As Tested: Lowest Power State				0.50
As Tested: Poff(W) WOL Disabled				0.50
As Tested: Poff(W) WOL Enabled				
As Tested: Psleep(W) WOL Disabled				1.94
As Tasted: Psleep(W) WOL Enabled				
As Tested: Pidle(W)				28.12
Base TEC Limit (kWh)	0	0	0	150.00
TEC Adders Limit (kWh)	0.00	0.00	18.00	58.00
Base + Adders TEC Limit (kWh)	0.00	0.00	18.00	208.00
Results TEC	0.00	0.00	0.00	101.79

Power Supply Model #	Internal or External	Link to efficiency report
AC240EM-00	Internal	http://www.plugloadsolutions.com/psu_reports/DELL,%20INCAC240EM-00_240W_ECOS%204308_Report.pdf
H240EM-00	Internal	http://www.plugloadsolutions.com/psu_reports/DELL_H240EM-00_240W_ECOS%204204_Report.pdf
B240EM-00	Internal	http://www.plugloadsolutions.com/psu_reports/DELL,%20INCB240EM-00_240W_ECOS%204272_Report.pdf
L240EM-00	Internal	http://www.plugloadsolutions.com/psu_reports/DELL%20INCL240EM-00_240W_ECOS%204273_Report.pdf
D240EM-00	Internal	http://www.plugloadsolutions.com/psu_reports/DELL,%20INCD240EM-00_240W_ECOS%204262_Report.pdf



L240EPM-00	Internal	http://www.plugloadsolutions.com/psu_reports/DELL%20INCL240EPM-00_240W_ECOS%204274_Report.pdf
D240EPM-00	Internal	http://www.plugloadsolutions.com/psu_reports/DELL.%20INCD240EPM-00_240W_ECOS%204263_Report.pdf
F240EPM-00	Internal	http://www.plugloadsolutions.com/psu_reports/DELL%20INC_F240EPM-00_240W_ECOS%204245_Report.pdf

* Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption*

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click <u>here</u> for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available <u>here</u>

* This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied. For more details visit www.dell.com/environmental_information

Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779) Computers Category D:

Service Level	Sound Power (L _{WAd} , bels) (1 bel=10 decibels, re 10 ⁻¹² Watts)	Sound Pressure Bystander Position (L _{pAm} , decibels) (re 2x10 ⁻⁵ Pa)
Hard Drive Accessing	3.2	19.2
Optical Drive Accessing	5.3	37.4
Idle	3.2	19.2

XV. APPENDIX B: ErP Lot 26 Network Standby (Energy Consumption) Information

The ErP Lot 26 Standard includes Network Standby power requirements to be provided by the manufacturer. This is applicable to multiple product categories. If no information is reported, it's assumed it is out of scope of ErP Lot 26.