

# Material Safety Data Sheet

Issued/Revised date: Jan.01, 2022

Document No.:MSDS2022010101

## Section 1 – Chemical Product and Company

### Identification

**Product Name: Rechargeable Li-ion Battery**

**Manufacturer: SUNWODA ELECTRONIC CO., LTD**

**Address: No.2, Yihe Rd, Shilong Community, Shiyan Baoan District, Shenzhen**

**City, China**

**Post Code: 518108**

**Tel: 0755-29516888**



**Street,**

## Section 2 – Composition/Information on Ingredient

### 2.1 ATL Cell

Hazardous Ingredients	%	CAS Number
Graphite	7-25	7782-42-5
Lithium Cobalt Oxide	15-40	12190-79-3
Lithium Hexafluorophosphate (1-)	0-5	21324-40-3
Diethyl Carbonate	0-15	105-58-8

地址：中国深圳市宝安区石岩街道石龙社区颐和路 2 号

Address: No. 2, Yihe Rd, Shilong Community, Shiyan Street, Baoan District, Shenzhen City, China

TEL: 86-755-29516888

FAX: 86-755-29516999

Propylene Carbonate	0-15	108-32-7
Ethylene Carbonate	0-15	96-49-1
Copper	10-12	7440-50-8
Aluminum	3-5	7429-90-5
Nickel	0-1	231-111-4

## 2.2. LSN Cell

	%	CAS Number
<b><u>Hazardous Ingredients</u></b> <u>Lithium</u>	41	12190-79-3
<u>Cobaltite</u>	21	7782-42-5
<u>Graphite Carbon</u>	4	21324-40-3
<u>Lithium Hexafluorophosphate</u>		
<u>Organic solvent</u> Non-Hazardous	14	
	20	
Ingredients(tabs,pouch,separator,etc.)		

## 2.3. Coslight Cell

	%	CAS Number
<b><u>Hazardous Ingredients</u></b> Graphite	7-25	7782-42-5
Lithium Cobalt Oxide	15-40	12190-79-3
Hexafluoropropylene-vinylidene fluoride 9011-	3-15	9011-17-0
Lithium Hexafluorophosphate	0-5	21324-40-3

地址：中国深圳市宝安区石岩街道石龙社区颐和路 2 号

Address: No. 2, Yihe Rd, Shilong Community, Shiyao Street, Baoan District, Shenzhen City, China

TEL: 86-755-29516888

FAX: 86-755-29516999

---

Acetylene Black	0-2	1333-86-4
Diethyl Carbonate	0-15	105-58-8
Dimethyl Carbonate	0-15	616-38-6

---

### **Section 3 – Hazards Identification**

#### **Health Hazards (Acute and Chronic)**

These chemicals are contained in a sealed can .Risk of exposure occurs only if the battery is mechanically or electrically abused. Contact of electrolyte and extruded lithium with skin and eyes should be avoided.

#### **Sign/Symptoms of Exposure**

A shorted lithium battery can cause thermal and chemical burns upon contact with the skin. May be a reproductive hazard.

### **Section 4 – First Aid Measures**

#### **Eyes**

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

#### **Skin**

Remove contaminated clothes and rinse skin with plenty of water of shower for 15 minutes. Get medical aid.

#### **Inhalation**

Remove from exposure and move to fresh air immediately. Use oxygen if available.

#### **Ingestion**

Give at least 2 glasses of milk or water. Induce vomiting unless patient is unconscious. Call a physician.

## **Section 5 – Fire Fighting Measures**

**Flash Point:** N/A

**Auto-Ignition Temperature:** N/A

**Extinguishing Media:** Dry powder, CO<sub>2</sub>

**Special Fire-Fighting Procedures:** Self-contained breathing apparatus.

**Unusual Fire and Explosion Hazards:** Cell may vent when subjected to excessive heat exposing battery contents.

**Hazardous Combustion Products:** Carbon monoxide, carbon dioxide, lithium oxide fumes.

## **Section 6 – Accidental Release Measures**

### **Steps to be Taken in case Material is Released or Spilled**

If the battery material is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. Wipe it up with a cloth, and dispose of it in a plastic bag and put into a steel can.

The preferred response is to leave the area and allow the batteries to cool and vapors to dissipate. Provide maximum ventilation. Avoid skin and eye contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerate.

### **Waste Disposal Method**

It is recommended to discharge the battery to the end, handing in the abandoned batteries to related department unified, dispose of the batteries in accordance with approved local, state, and federal requirements. Consult state environmental protection agency and/or federal EPA.

## **Section 7 – Handling and Storage**

The batteries should not be opened, destroyed or incinerate, since they may leak or rupture and release to the environment the ingredients that they contain in the hermetically sealed container. Do not short circuit terminals, or over charge the battery, forced over-discharge, throw to fire. Do not crush or puncture the battery, or immerse in liquids.

### **Precautions to be taken in handling and storing**

Avoid mechanical or electrical abuse. Storage preferably in cool, dry and ventilated area, which is subject to little temperature change. Storage at high temperatures should be avoided. Do not place the battery near heating equipment, nor expose to direct sunlight for long periods.

### **Other Precautions**

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

## **Section 8 –Exposure Controls, Personal Protection**

### **Respiratory Protection**

In case of battery venting, provide as much ventilation as possible. Avoid confined areas with venting batteries. Respiratory Protection is not necessary under conditions of normal use.

### **Ventilation**

Not necessary under conditions of normal use.

### **Protective Gloves**

Not necessary under conditions of normal use.

### **Other Protective Clothing or Equipment**

Not necessary under conditions of normal use.

Protection, Protective Gloves, Protective Clothing and safety glass with side shields.

## **Section 9 –Physical and Chemical Properties**

State	Solid
Odor	N/A
PH	N/A
Vapor pressure	N/A
Vapor density	N/A
Boiling point	N/A
Solubility in water	Insoluble
Specific gravity	N/A
Density	N/A

## **Section 10 –Stability and Reactivity**

### **Stability**

Stable.

### **Conditions to Avoid**

Heating, mechanical abuse and electrical abuse.

**Hazardous Decomposition Products** N/A.

**Hazardous Polymerization** N/A.

If leaked, forbidden to contact with strong oxidizers, mineral acids, strong alkalis, halogenated hydrocarbons.

## **Section 11 –Toxicological Information**

Inhalation, skin contact and eye contact are possible when the battery is opened.

Exposure to internal contents, the corrosive fumes will be very irritating to skin, eyes and mucous membranes. Overexposure can cause symptoms of non-fibrosis lung injury and membrane irritation.

## **Section 12 –Ecological Information**

When promptly used or disposed the battery does not present environmental hazard. When disposed, keep away from water, rain and snow.

## **Section 13 –Disposal Considerations**

### **APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARTION**

If batteries are still fully charged or only partially discharged, they can be considered a reactive hazardous waste because of significant amount of not creation, or unconsumed lithium remaining in the spent battery. The batteries must be neutralized through an approved secondary treatment facility prior to disposal as a hazardous waste. Recycling of battery can be done in authorized facility, through licensed waste carrier.

## **Section 14 –Transport Information**

The battery models listed have a Watt-hour rating of no more than 100Wh.And shipment

contains no item listed under IATA DGR Special Provision A154 and meets all requirements under UN Manual of Tests and Criteria Part III, subsection 38.3. UN regulation

- UN 3480, Batteries only, IATA Dangerous Goods regulations, packing instruction 965 is applied.
- UN 3481, Lithium ion batteries packed with equipment, IATA Dangerous Goods Regulations packing instruction 966 is applied.
- UN 3481, Lithium ion batteries contained in equipment, IATA Dangerous Goods Regulations packing instruction 967 is applied.

No	ITEMS	RESULT	REMARKS
1	Altitude simulation	Pass	Test1 to 5 must be conducted in sequence on the same cell or battery
2	Thermal test	Pass	
3	Vibration	Pass	
4	Shock	Pass	
5	External short circuit	Pass	
6	Crush	Pass	
	Impact	N/A	
7	Overcharge	Pass	Only battery do need this test item
8	Forced charge	Pass	

Each package is capable of withstanding a 1.2m drop test in any orientation without damage to cells or batteries contained therein, without shifting of the contents so as to allow battery to battery (or cell to cell ) contact and without release of contents. Net quantity of package does not exceed 10kg.

Packaging complies with the requirements of section IB of Packing Instructions 965 of 63<sup>rd</sup> DGR

Manual of IATA and section II of PI965~PI967 of 63

And the net quantity of lithium ion batteries (or cells) does not exceed 5KgG (Passenger aircraft) or 35KgG (Cargo Aircraft Only).

The article is not subject to other provisions of IMO IMDG Code according to special provision 188.

More information concerning shipping, testing, marking and packaging can be obtained from Label master at <http://www.labelmaster.com>.

Separate battery when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport. Take in a cargo of them without falling, dropping, and breakage. Prevent collapse of cargo piles and wet by rain.

**Transport Fashion:** By air or sea.

## **Section 15 –Regulatory Information**

Canadian Federal Regulations:

These products have been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

**WHMIS Classification:** Not Controlled, manufactured article.

---

**New Substance Notification Regulations:** Lithium hexafluorophosphate is listed on the

Non-Domestic Substance List (NDSL). All other ingredients in the product are listed, as required, on Canada's Domestic Substances List (DSL)

**National Pollutant Release Inventory (NPRI) Substances:** These products do not contain any NPRI chemicals.

**United States Federal and State Regulations:**

**TSCA Status:** All ingredients in these products are listed on the TSCA inventory.

**OSHA:** These products do not meet criteria as per Part 1910.1200, manufactured article.

**SARA EPA Title III:** None.

**Sec. 302/304:** None.

**Sec. 311/312:** None.

**Sec. 313:** None.

**CERCLA RQ:** None

**Australia and New Zealand**

**SUSMP:** 不适用

**AICS:** 所有成分都在 AICS 清单

地址：中国深圳市宝安区石岩街道石龙社区颐和路 2 号

Address: No.2, Yihe Rd, Shilong Community, Shiyuan Street, Baoan District, Shenzhen City, China

TEL: 86-755-29516888

FAX: 86-755-29516999



**HSNO Approval number:** 不适用

**HSNO Group Title:** 不适用

**NOHSC: 10008 Risk Phrases:** R34 – 引起烧伤 **NOHSC:**

**1008 Safety Phrases:**

S1 – Keep locked up.

S2 – Keep out of reach of children.

S23 – Do not breathe vapor.

S24/25 – Avoid contact with skin and eyes.

S26 – In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S27/28 – After contact with skin, take off immediately all contaminated clothing and wash immediately with plenty of water.

S36/37/39 – Wear suitable protective clothing, gloves and eye/face protection.

S56 – Dispose of this material and its container at hazardous waste or special waste collection point.

S62 – If swallowed, DO NOT induce vomiting: seek medical advice immediately and show this container or label.

S64 – If swallowed, rinse mouth with water (Only if the person is conscious).

**EC Classification for the Substance/Preparation:**

These products are not classified as hazardous according to Regulation (EC) No. 1272/2008.

Keep out of the reach of children.

**EU Restrictions on**

**use:**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended:

Aluminium (CAS 7429-90-5)

**Other EU Regulations**

This Safety Data Sheet complies with the requirements of Regulation (EC) No. 1907/2006.

**Japanese Regulations**

Japanese Industrial Standards (JIS) JIS Z 7253:2012

Waste disposal and public cleaning law

Law for Promotion of Effective Utilization of Resources

**Taiwanese Regulations**

Regulation of Labelling and Hazard Communication of Dangerous and Harmful Materials: Labeling requirements and other relevant provision of chemicals, this product is not classified as dangerous goods. Toxic Chemicals Substance Control Law: Not Listed.

地址: 中国深圳市宝安区石岩街道石龙社区颐和路 2 号

Address: No. 2, Yihe Rd, Shilong Community, Shiyuan Street, Baoan District, Shenzhen City, China

TEL: 86-755-29516888

FAX: 86-755-29516999

CNS 1030016 Safety of primary and secondary lithium cells and batteries during transport.

**Chinese Regulations**

General Rule for Classification and Hazard Communication of Chemicals (GB 13690-2009):

Specifies the classification, labeling and hazard communication of chemicals in compliance with the GHS standard for chemical production sites and labeling of consumer goods.

General Rule for Preparation of Precautionary Labels for Chemicals (GB 15258-2009): Specifies the relevant application methods of precautionary labels for chemicals.

Safety Data Sheet for Chemical Products Content and Order of Sections (GB/T 16483-2008)

**Taiwanese Regulations**

Regulation of Labelling and Hazard Communication of Dangerous and Harmful Materials: Labeling requirements and other relevant provision of chemicals, this product is not classified as dangerous goods.

Toxic Chemicals Substance Control Law: Not Listed.

CNS 1030016 Safety of primary and secondary lithium cells and batteries during transport.

**Chinese Regulations**

General Rule for Classification and Hazard Communication of Chemicals (GB 13690-2009):

Specifies the classification, labeling and hazard communication of chemicals in compliance with the GHS standard for chemical production sites and labeling of consumer goods.

General Rule for Preparation of Precautionary Labels for Chemicals (GB 15258-2009): Specifies the relevant application methods of precautionary labels for chemicals.

Safety Data Sheet for Chemical Products Content and Order of Sections (GB/T 16483-2008)

**Section 16 –Additional Information**

The above information is based on the date of which we are aware and is believed to be correct as of the data hereof .Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material of his particular purpose.

**17. Appendix**

**Further Information**

Model Name	Dell Part Number	Nominal Voltage	Rated Capacity	Wh Rating
YRDD6	WJPC4	11.4V	3500mAh	42Wh
JPFMR	65N6H	11.4V	3500 mAh	42 Wh
293F1	404T8	11.25 V	3467 mAh	41 Wh
FK0VR	HFN8K	15.2 V	3625 mAh	58 Wh
RCVVT	NWDC0	11.55V	6827mAh	83Wh
X9FTM	5JMD8	11.55V	7650mAh	93Wh
YRDD6	CTGKT	11.4V	3500mAh	42Wh

3HWPP	JG75F	15.2V	4250mAh	68Wh
JK6Y6	5NDNH	11.25v	3378 mAh	40 Wh
H5CKD	7T8CD	15V	3360mAh	53 Wh
WY9DX	05R42	11.4	3500mAh	42Wh
RJ40G	1K2CF	15.2	3941mAh	63Wh
9JM71	727CG	11.4	3500mAh	42Wh
7FMXV	1PP63	15.2	3941mAh	63Wh
9F4FN	8PK6G	7.6	5000mAh	40Wh
G91J0	FH3K2	11.25V	3467mAh	41Wh
V6W33	VKYJX	15V	3420mAh	54Wh
TN70C	3RR09	15.2V	4000mAh	64Wh

Address:

TEL: 86-755-29516888

FAX: 86-755-29516999

Global Product Compliance Engineering & Environmental Affairs  
One Dell Way (PS4 30)  
Round Rock, TX 78682



Safety Data Sheet – Appendix A

Subject: Amendment to original SDS prepared by the manufacturer

**Section 1. Identification**

In addition to the information in **1. Identification** section of the original manufacturer prepared SDS, the following information also applies for Dell products:

Supplier's Details

Supplier's Details	Dell Inc. One Dell Way Round Rock, TX 78682	<b>For Australia only</b> Supplier's Details	Dell Australia Pty Limited Building 3 14 Acquatic Drive French's Forest Sydney, NSW Postcode 2086 +(61) 2 8223 9403
Emergency telephone number	CHEMTREC North America 800-424-9300  International 1-703-527-3887	Australia  Emergency Telephone number	CHEMTREC Australia (Sydney) +(61) 2 90372994
Prepared by	Global Product Compliance, Dell Inc.		

[www.dell](http://www.dell).

地址：中国深圳市宝安区石岩街道石龙社区颐和路 2 号

Address: No.2, Yihe Rd, Shilong Community, Shiyao Street, Baoan District, Shenzhen City, China

TEL: 86-755-29516888

FAX: 86-755-29516999

**SUNWODA**  
欣旺达

**欣旺达电子股份有限公司**  
Sunwoda Electronic CO.,LTD.



