



PowerEdge FC640

Flexibility and performance with best-in-class density.

The PowerEdge FC640 delivers powerful performing processors, large memory capacity and highly scalable I/O capability, that meet dense virtualized environments, XaaS, scale-out and private cloud needs.

Powerful 2-socket modular architecture server

A flexible, two-socket half-height/width compute sled powered by up to two 28-core, Intel™ Xeon™ SP processors, each FC640 supports up to 2TB of DDR4 memory, making it a perfect candidate for dense virtualization environments, software defined storage, databases, HPC, big data analytics, and private cloud workloads. The FC640 storage options include two 2.5-inch drives, with an option of NVMe PCIe SSDs for high performing direct attached storage requirements. The FX2 chassis supports up to four FC640 servers.

Innovative management with intelligent automation

The Dell OpenManage systems management portfolio enables peak efficiency for PowerEdge servers, through intelligent, automated management of routine IT tasks. Combined with the unique agent-free management capabilities of the embedded iDRAC9 with Lifecycle Controller, the FC640 is simply managed, freeing up your time for high profile projects.

- Increase IT data protection and integrity with the embedded security features of iDRAC9.
- Enable collective or individual management of your servers with the Dell Chassis Management Controller (CMC), embedded within the FX2 enclosure, phone or tablet.
- Improve IT productivity and agility with OpenManage Essentials: from bare-metal deployment to ongoing maintenance, and enforcement of IT policies within production environments.

End-to-end server ecosystem and life cycle security

Every PowerEdge server is designed as part of a cyber resilient architecture, integrating security into the full server lifecycle. The FC640 leverages new security features built-into every new PowerEdge server strengthening protection so you can reliably and securely deliver accurate data to your customers no matter where they are. By considering each aspect of system security, from design to retirement, Dell ensures trust and delivers a worry-free, secure infrastructure without compromise.

- Rely on a secure component supply chain to ensure protection from factory to the data center.
- Maintain data safety with cryptographically signed firmware packages and Secure Boot.
- Prevent unauthorized or malicious change with Server Lockdown.
- Wipe all data from storage media including hard drives, SSDs and system memory quickly and securely with System Erase.

PowerEdge FC640

- Powered by Intel Xeon Processors Scalable Family
- Perfect for dense 'anything-as-a-service' (XaaS) environments
- Access to eight PCIe 3.0 slots via FX2 chassis

PowerEdge FC640

Features	Technical Specification	
Processor	Up to two Intel® Xeon® Scalable processor, up to 28 cores per processor	
Memory	16 DDR4 DIMM slots, supports RDIMM / LRDIMM / AEP, up to 2667MT/s speeds, 512 GB max mem ECC Registered DDR4	
Storage controllers	Internal controllers: Software RAID S140, PERC H330, H730P Boot Optimized Storage system, Internal Dual SD Module	
Drive bays	Front: Up to 2 x 2.5" HDD/SSD/NVMe, max 12.8 TB (PCIe SSD)	
Power supplies	See FX2 enclosure for specifications.	
Fans	Hot plug fans with full redundancy	
Dimensions (LxWxD)	40.3mm x 211 mm x 535.8 mm	
Embedded / At-Server	iDRAC9 with Lifecycle Controller iDRAC Direct	iDRAC REST API with Redfish Quick Sync 2 BLE/wireless module
Consoles & Mobile	OpenManage Enterprise (available soon) OpenManage Essentials	OpenManage Mobile OpenManage Power Center
Integrations	Microsoft® System Center, VMware® vCenter™, BMC Software (available from BMC)	
Connections	Nagios & Nagios XI, HP Operations Manager i (OMi)	
Tools	Dell Repository Manager Dell Update Package Dell System Update Dell Server Update Utility	iDRAC Service Module OpenManage Server Administrator OpenManage Storage Services
Security	TPM 1.2/2.0 optional Cryptographically signed firmware Silicon Root of Trust	Secure Boot System Lockdown System Erase
I/O & Ports	Network daughter card options 2 x 10GE + 2 X 1GE, 4 x 10GE Video card: VGA controller integrated with iDRAC PCIe: See enclosure specifications	
Supported operating systems	Canonical® Ubuntu® Server LTS Citrix® XenServer® Microsoft Windows Server® with Hyper-V Oracle® Linux Red Hat® Enterprise Linux SUSE® Linux Enterprise Server VMware vSphere®	For specifications and interoperability details, see Dell.com/OSsupport
Recommended support and services	Choose Dell ProSupport Plus for critical systems or Dell ProSupport for premium hardware and software support for your PowerEdge solution. Consulting and deployment offerings are also available. Contact your Dell representative today for more information. Availability and terms of Dell Services vary by region. For more information, visit dell.com/itlifecycleservices .	
Dell Financial Services	Deliver results with easy financing. Explore financial options that move at the speed of business. For more information, contact your Dell Sales Representative.*	

Learn More at Dell.com/PowerEdge

* Payment solutions provided and serviced by Dell Financial Services L.L.C. or its affiliate or designee ("DFS") for qualified customers. Offers may not be available or may vary in certain countries. Where available, offers may be changed without notice and are subject to product availability, credit approval, execution of documentation provided by and acceptable to DFS, and may be subject to minimum transaction size. Offers not available for personal, family or household use. Dell and the Dell logo are trademarks of Dell Inc. Restrictions and additional requirements may apply to transactions with governmental or public entities. Product availability may vary by region. Please contact your Dell representative for more information.

© 2017 Dell Inc. or its subsidiaries. All Rights Reserved. Dell, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

