

MARKETING NAMEInspiron 15–3531 REGULATORY MODELP28F REGULATORY TYPEP28F005 EFFECTIVE DATEMay 16, 2014 EMC EMISSIONS CLASSB	Dell Inc. www.dell.com
TABLE OF CONTENTS	
I. GLOBAL ENVIRONMENTAL INFORMATION	2
II. NFPA 99 CONFORMITY	
III. POWER CORDS AND USER DOCUMENTATION	2
IV. DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS	2
V. TRADE (IMPORT/EXPORT) COMPLIANCE DATA	2
VI. SYSTEM DIMENSION AND WEIGHT	
VII. PERFORMANCE DATA (ErP Lot 3 information is located in section XIV Appendix A)	2
VIII. PRODUCT MATERIALS INFORMATION	
IX. PACKAGING	4
X. BATTERIES	
XI. DESIGN FOR ENVIRONMENT	4
XII. RECYCLING/ END-OF-LIFE SERVICE INFORMATION	5
XIII. HELPFUL LINKS	5
XIV. APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information	5

STATEMENT OF COMPLIANCE

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Generally, Information Technology Equipment (ITE) product compliance is based on IEC and CISPR standards and their national equivalent such as Product Safety, IEC 60950-1 and European Norm EN 60950-1 or EMC, CISPR 22/CISPR 24 and EN 55022/55024. Dell products have been verified to comply with the EU RoHS Directive 2011/65/EU. Dell products do not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B products are intended for use in residential/domestic environments but may also be used in non-residential/non-domestic environments.
- EMC Class A products are intended for use in non-residential/non-domestic environments. Class A products may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. ErP compliance is tied to the CE mark.

REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, 1907/2006) is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH directive. For information on SVHC (Substances of Very High Concern), see <u>www.dell.com/REACH</u>.

Compliance documentation, such as certification or Declaration of Compliance for the product is available upon request to <u>regulatory_compliance@dell.com</u>. Please include product identifiers such as marketing name, regulatory module, regulatory type and country that compliance information is needed in request.



Environmental (Voluntary Marks)			
Country	Approval	Compliance	
Global	ENERGY STAR	Energy Star 6.0	
Varies by country – see EPEAT.net	EPEAT	Bronze	
Australia/New Zealand	Australia/NZ MEPS	MEPS	
California Energy Commission	California (CEC) Battery Charger	CEC	
	Regulation		

I. GLOBAL ENVIRONMENTAL INFORMATION

II. NFPA 99 CONFORMITY

Select Dell systems have been tested and found to comply with the touch current requirements as defined in 10.3.5 of National Fire Protection Association standard NFPA 99:2012. The touch current does not exceed 100 μ A with ground wire intact (if a ground wire is provided) and 500 μ A with ground disconnected at 127 V AC, 60 Hz when tested in accordance with 10.3.5 of NFPA 99: 2012. To determine if this product complies with the above requirements, send a request to <u>regulatory_compliance@dell.com</u>. Please include product identifiers such as marketing name, regulatory type and country for which compliance information is needed.

III. POWER CORDS AND USER DOCUMENTATION

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

IV. DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS

Dell Inc. Department: Global Regulations and Standards MS: PS4-30 Round Rock, Texas 78682, USA <u>Regulatory_Compliance@Dell.com</u>

V. TRADE (IMPORT/EXPORT) COMPLIANCE DATA

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: www.dell.com/import_export_compliance or send request to WW_Export_Compliance@dell.com

VI. SYSTEM DIMENSION AND WEIGHT

Depth, mm	Width, mm	Height, mm/cm	Weight, kg	Optimal Resolution (Display Only)
376	259	29.7	2.61 Kg (depending upon installed options)	NA

VII. PERFORMANCE DATA (ErP Lot 3 information is located in section XIII Appendix A)

The battery [ies] in this product cannot be easily replaced by users themselves.



* Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption*

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click <u>here</u> for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available <u>here</u>

* This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied. For more details visit www.dell.com/environmental_information

VIII. PRODUCT MATERIALS INFORMATION¹

Information on Dell's material use is available here.

To review Dell's Restricted Material Guidance document click here.

- The case material is,: <u>> PC+ABS-TD15FR(40)<: >PC+ABS-FR(40)<</u>
- This product contains 0% post-consumer recycled plastic
- Marking of plastic parts greater than 25 grams are done in accordance with ISO 11469 (see below)

Product is BFR/PVC Free D Yes No

Flame Retardants Used in Motherboard

Part	Flame Retardant
Motherboard	TBBPA 10~15%

Flame Retardants Used in Mechanical Plastic Parts > 25 grams

Resin Material Name	Marking per ISO 1146 9:2000, 11469:1996	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.)
ZBW00_LCD_COVER	>PC+ABS-TD15 FR(40)<	FR(40)	Organo Phosphate
VAW00_LCD_BEZEL	>PC+ABS-FR(40)<	FR(40)	Organo Phosphate
ZBW00_LOGIC_UP	>PC+ABS-TD15 FR(40)<	FR(40)	Organo Phosphate
ZBW00_LOGIC_LOW	>PC+ABS-TD15 FR(40)<	FR(40)	Organo Phosphate
VAW00_BIG_DOOR	>PC+ABS-TD15 FR(40)<	FR(40)	Organo Phosphate
VBW00_DUMMY_ODD	>PC+ABS-TD15 FR(40)<	FR(40)	Organo Phosphate

Mercury Information

Number of bulbs	Average per bulb
0	NA

DECLARATION OF CONFORMITY WITH GAZETTE OF INDIA: EXTRAORDINARY, E-WASTE (MANAGEMENT & HANDLING) RULES (INDIA ROHS)

Dell Inc. declares that all Dell branded products have been designed and manufactured in compliance with E-Waste (Management & Handling) Rules² on the reduction in the use of hazardous materials in the manufacture of

¹ **Waste Handling.** Local regulations should be observed when disposing of this product due to the presence of the materials and substances as listed above.

E-Waste (Management & Handling) Rules 2011, by the Ministry of Environment & Forests, Government of India dated May 12, 2011.



electrical and electronic equipment and their maximum allowed concentrations by weight in the homogenous material (except for the exemptions listed in schedule II).

Substance	Concentration
Lead	0.1%
Mercury	0.1%
PBB (Polybrominated Biphenyls)	0.1%
PBDE (Polybrominated Diphenyl Ethers)	0.1%
Hexavalent Chromium	0.1%
Cadmium	0.01%

Compliance has been verified via internal design controls, supplier declarations, and/or analytical test data. The undersigned below possesses the complete technical documentation relating to the declaration of compliance.

For additional information please visit:

- Restricted Material Compliance <u>www.dell.com/environmental_information</u>
- Products MSDS (Material Safety Data Sheets):

Batteries:

http://www.dell.com/content/topics/topic.aspx/global/shared/about_dell/values/regulatory_compliance/en/d ell_battery_declaration_january2011?c=us&l=en&s=corp&~ck=anavml

IX. PACKAGING

Information on Dell's sustainable packaging effort available <u>here</u>. Additional materials restricted in Packaging as per Dell's Restricted Material Guidance document found <u>here</u>.

	Total Weight	% of Post-Consumer Recycled Content (PCR)		
Packaging Materials	of each Material type, (kg)	APJ region	DAO region	EMEA region
Corrugated Fiberboard	0.54	100%	100%	100%
Molded paper pulp	0.002	>80%	>80%	>80%
HDPE (including thermoformed)	0.24	100%	100%	100%
Molded Bamboo	0.006	0	0	0

X. BATTERIES

Below is a listing of batteries that could be present in the product:

Battery Description – Batteries	Battery Type	Battery Weight (kg)
CR-2032 coin cell	Li-Mno2 Battery	0.0032(max)
4cell / LG 2.8A 40 Wh	Lithium	0.260 (max)
6 cell / SDI 3.0A 65 Wh	Lithium	0.360 (max)
4 cell / Pana 2.9A 40 Wh	Lithium	0.260 (max)

XI. DESIGN FOR ENVIRONMENT

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on product Recyclability please visit <u>www.dell.com/environmental_information</u>



XII. RECYCLING/ END-OF-LIFE SERVICE INFORMATION

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, contact Dell for instructions by emailing <u>recycling_emea@dell.com</u> or visit <u>www.dell.com/recyclingworldwide</u> and select the relevant country.

XIII. HELPFUL LINKS

- Environmental Policy
 http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-global-environmental-policy.pdf
- Environment Website
 www.dell.com/earth
- Corporate Sustainability Report
 <u>http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true</u>
- ISO 14001 Certification
 <u>http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf</u>
- Materials Restricted for Use
 http://www.dell.com/downloads/global/corporate/environ/restricted_materials_guid.pdf
- Chemical Use Policy
 http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf
- Client Energy Calculator
 http://www.dell.com/content/topics/topic.aspx/global/products/landing/en/client-energy-calculator?c=us&l=en
- Product Carbon Footprint
 http://content.dell.com/us/en/corp/d/corp-comm/environment_carbon_footprint_products
- RoHS Compliance
 www.dell.com/rohsinfo
- REACH Compliance www.dell.com/REACH
- Recycling Information
 www.dell.com/recycling
- Supplier Responsibility
 http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx

XIV. APPENDIX A: ErP Lot 3 Product (Energy Consumption) Information

The ErP Lot 3 Standard includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops, Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, Computer Servers, and Small Scale Servers.



Category	Category A		
Processor Speed in GHz	2.16	0	0
Number of Cores	2	0	0
Total Installed System Memory in GB	4	0	0
Graphics	Integrated	Select	Select
WOL enabled in "Sleep" Mode		No	
WOL enabled in "Off" Mode		No	
As Tasted: Lowest Power State	0.38		
As Tested: Poff(W) WOL Disabled	0.38		
As Tested: Poff(W) WOL Enabled			
As Tested: Psleep(W) WOL Disabled	0.48		
As Tested: Psleep(W) WOL Enabled			
As Tested: Pidle(W)	3.33		
Base TEC Limit (kWh)	36	0	0
TEC Adders Limit (kWh)	0.00	0.00	0.00
Base + Adders TEC Limit (kWh)	36.00	0.00	0.00
Results TEC	11.17	0.00	0.00

Power Supply Model #	Internal or External	Link to efficiency report
AA65NM121	External	http://oee.nrcan.gc.ca/pml-Imp/index.cfm?action=app.formHandler&operation=details- details&ref=5477379&appliance=EPS&nr=1
DA65NM111-00	External	http://oee.nrcan.gc.ca/pml-Imp/index.cfm?action=app.formHandler&operation=details- details&ref=5478051&appliance=EPS&nr=1
HA65NS5-00	External	http://oee.nrcan.gc.ca/pml-Imp/index.cfm?action=app.formHandler&operation=details- details&ref=5470487&appliance=EPS&nr=1
LA65NS2	External	http://oee.nrcan.gc.ca/pml-Imp/index.cfm?action=app.formHandler&operation=details- details&ref=5485275&appliance=EPS&nr=1

* Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption*

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click <u>here</u> for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available <u>here</u>

* This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied. For more details visit www.dell.com/environmental_information

Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779)

	Sound Power	Sound Pressure	
Service Level	(L _{WAd} , bels) (1 bel=10 decibels,	Bystander Position	
	re 10 ⁻¹² Watts)	(L _{pAm} , decibels) (re 2x10 ⁻⁵ Pa)	
Hard Drive Accessing	2.7	16.0	
Optical Drive			
Accessing	-	-	
Idle	2.7	15.8	