




Exceptional experience by design.

LATITUDE 3000 SERIES 3480 | 3580



Reliability and performance

Quality components inside and increased performance with the latest Intel® 7th generation Core i processors



Next level in connectivity

Experience mobile freedom like never before with optional 4G/LTE complimenting wireless options you already enjoy.



Easy access

Easily sign on by activating Windows Hello via optional touch fingerprint reader or optional Dell infrared camera



Security at its best

Reduce malware threats up to 50% with the Dell Data Protection endpoint suite.

Features & Technical Specifications

| Model Number ¹ | Latitude 3480 | Latitude 3480 |
|--|--|---|
| Feature | Technical Specification (Skylake - 6th Generation Intel®) | Technical Specification (Kaby Lake - 7th Generation Intel®) |
| Processor Options¹ | 6th Gen Intel® Core Processors, U Dual Core | 7th Gen Intel® Core Processors, U Dual Core |
| Operating System¹ | <p>Microsoft® Windows® 10 Home 64 bit</p> <p>Microsoft® Windows® 10 Professional 64 bit</p> <p>Microsoft® Windows® 10 National Academic 64-bit (Bid Desk)</p> <p>Non-Volume License Windows 10 Pro to Windows 7 Pro 64 bit Image through Dell Configuration Services (select languages)</p> <p>Microsoft® Windows® 7 Professional 64 bit, (available through downgrade rights from Windows® 10 Pro License)</p> <p>Microsoft® Windows® 7 Professional 64 bit, Volume License Agreement only (available through downgrade rights from Windows® 10 Pro License, MS Volume License Agreement customers only)</p> <p>Microsoft® Windows® 7 Professional 32 bit, select languages, (available through downgrade rights from Windows® 10 Pro License)</p> <p>Microsoft® Windows® 8.1 Professional 64 bit, (available through downgrade rights from Windows® 10 Pro License only through Dell Configuration Services)</p> <p>Ubuntu 16.04 LTS 64-bit</p> <p>NeoKylin 6.0 64 bit</p> | <p>Microsoft® Windows® 10 Home 64 bit</p> <p>Microsoft® Windows® 10 Professional 64 bit</p> <p>Microsoft® Windows® 10 National Academic 64-bit (Bid Desk)</p> <p>Ubuntu 16.04 LTS 64-bit</p> <p>NeoKylin 6.0 64 bit</p> |
| Memory Options^{1,2,3,14} | DDR4 2400 MHz running at 2133 MHz; 2 slots supporting up to 16GB | DDR4 2400 MHz running at 2133 MHz; 2 slots supporting up to 16GB |
| Chipset¹ | Integrated with the Processor | Integrated with the Processor |
| Intel Responsiveness Technologies^{1,6} | Intel® Rapid Storage Technology | Intel® Rapid Storage Technology |
| Graphics^{1,13} | <p>Intel® Integrated HD Graphics (Celeron)</p> <p>Intel® Integrated HD Graphics 520</p> <p>AMD Radeon™ R5 M430</p> | <p>Intel® Integrated HD Graphics (Celeron)</p> <p>Intel® Integrated HD Graphics 620</p> <p>AMD Radeon™ R5 M430</p> |
| Display¹ | <p>14.0" HD (1366 x 768) Anti-glare (16:9) WLED, 200 nits</p> <p>14.0" FHD (1920 x 1080) Anti-glare (16:9) WLED, 220 nits</p> <p>14.0" HD (1366 x 768) LED Backlit On-cell Touch Display with Truelife</p> | <p>14.0" HD (1366 x 768) Anti-glare (16:9) WLED, 200 nits</p> <p>14.0" FHD (1920 x 1080) Anti-glare (16:9) WLED, 220 nits</p> <p>14.0" HD (1366 x 768) LED Backlit On-cell Touch Display with Truelife</p> |
| Storage Options^{1,3} | <p>HDD options: 2.5" 7mm 500GB 7200rpm, 2.5" 7mm 1TB 5400rpm HDD</p> <p>Hybrid option: 2.5" 7mm 500GB 5400RPM Hybrid Drive (8GB Cache)</p> <p>SSD M.2 2280 SATA options: 128GB, 256GB (via carrier)</p> <p>SSD M.2 2242 SATA options: 32GB Cache (in WWAN slot), 64GB Cache (via carrier)</p> <p>Dell Fast Response Free Fall Sensor and HDD Isolation (standard feature)</p> | <p>HDD options: 2.5" 7mm 500GB 7200rpm, 2.5" 7mm 1TB 5400rpm HDD</p> <p>Hybrid option: 2.5" 7mm 500GB 5400RPM Hybrid Drive (8GB Cache)</p> <p>SSD M.2 2280 SATA options: 128GB, 256GB (via carrier)</p> <p>SSD M.2 2242 SATA options: 32GB Cache (in WWAN slot), 64GB Cache (via carrier)</p> <p>Dell Fast Response Free Fall Sensor and HDD Isolation (standard feature)</p> |

| Feature | Technical Specification (Skylake - 6th Generation Intel®) | Technical Specification (Kaby Lake - 7th Generation Intel®) |
|---|---|---|
| Security ¹ | TPM 2.0 FIPS 140-2 Certified, TCG Certified (Windows® 10 only) TCG Certified/FIPS 140-2 TPM 1.2 (Win 7, 8.1. Field upgradable to TPM 2.0 with Windows® 10) Optional Touch Fingerprint Reader Optional Computrace ⁵ Dell Client Command Suite Optional Dell Data Security and Management Software Dell Endpoint Security Suite Enterprise Dell Data Guardian Dell Encryption (Enterprise or Personal) Dell Threat Defense Dell Protected Workspace MozyPro®, MozyEnterprise® RSA NetWitness® Endpoint VMware Airwatch® RSA SecurID Access Absolute Data & Device Security | TPM 2.0 FIPS 140-2 Certified, TCG Certified (Windows® 10 only) TCG Certified/FIPS 140-2 TPM 1.2 (Win 7, 8.1. Field upgradable to TPM 2.0 with Windows® 10) Optional Touch Fingerprint Reader Optional Computrace ⁵ Dell Client Command Suite Optional Dell Data Security and Management Software Dell Endpoint Security Suite Enterprise Dell Data Guardian Dell Encryption (Enterprise or Personal) Dell Threat Defense Dell Protected Workspace MozyPro®, MozyEnterprise® RSA NetWitness® Endpoint VMware Airwatch® RSA SecurID Access Absolute Data & Device Security |
| Docking ¹ | USB 3.1 Gen 1 Docking Only (optional, sold separately) | USB 3.1 Gen 1 Docking Only (optional, sold separately) |
| Optical Drive Options | External Options Only | External Options Only |
| Multimedia ¹ | Integrated High Quality Speakers Universal Headphone Jack Integrated digital array microphone Integrated Infra-Red HD video webcam supporting Windows Hello Ready with Facial Recognition (included with Touch systems) Integrated HD video webcam (included with non-Touch systems) | Integrated High Quality Speakers Universal Headphone Jack Integrated digital array microphone Integrated Infra-Red HD video webcam supporting Windows Hello Ready with Facial Recognition (included with Touch systems) Integrated HD video webcam (included with non-Touch systems) |
| Battery Options ¹ | 42 Whr ExpressCharge Capable (Prismatic) 56 Whr ExpressCharge Capable (Prismatic) | 42 Whr ExpressCharge Capable (Prismatic) 56 Whr ExpressCharge Capable (Prismatic) |
| Power Options ¹ | E4 65W adapter, 7.4mm barrel E5 65W Rugged adapter, 7.4mm barrel (available for India only) | E4 65W adapter, 7.4mm barrel E5 65W Rugged adapter, 7.4mm barrel (available for India only) |
| Connectivity Options ^{1,12} | 10/100/1000 Ethernet Wireless LAN Options: Qualcomm QCA9377 802.11ac Dual Band (1x1) Wireless Adapter+ Bluetooth 4.1 Qualcomm QCA61x4A 802.11ac Dual Band (2x2) Wireless Adapter+ Bluetooth 4.1 Intel® Dual-Band Wireless-AC 8265 Wi-Fi + BT 4.2 (limited to 4.1 by Windows OS) Wireless Card (2x2) Optional Mobile Broadband Options: ^{7, 8} Qualcomm® Snapdragon™ X7 LTE-A (DW5811e) for AT&T, Verizon & Sprint, US. (not available with SKL CPUs or KBL CEL CPU) Qualcomm® Snapdragon™ X7 LTE-A (DW5811e) (EMEA/APJ/ROW) (not available with SKL CPUs or KBL CEL CPU) Qualcomm® Snapdragon™ X7 HSPA+ (DW5811e) (China/Indonesia/India) (not available with SKL CPUs or KBL CEL CPU) | 10/100/1000 Ethernet Wireless LAN Options: Qualcomm QCA9377 802.11ac Dual Band (1x1) Wireless Adapter+ Bluetooth 4.1 Qualcomm QCA61x4A 802.11ac Dual Band (2x2) Wireless Adapter+ Bluetooth 4.1 Intel® Dual-Band Wireless-AC 8265 Wi-Fi + BT 4.2 (limited to 4.1 by Windows OS) Wireless Card (2x2) Optional Mobile Broadband Options: ^{7, 8} Qualcomm® Snapdragon™ X7 LTE-A (DW5811e) for AT&T, Verizon & Sprint, US. (not available with SKL CPUs or KBL CEL CPU) Qualcomm® Snapdragon™ X7 LTE-A (DW5811e) (EMEA/APJ/ROW) (not available with SKL CPUs or KBL CEL CPU) Qualcomm® Snapdragon™ X7 HSPA+ (DW5811e) (China/Indonesia/India) (not available with SKL CPUs or KBL CEL CPU) |

| Feature | Technical Specification (Skylake - 6th Generation Intel®) | Technical Specification (Kaby Lake - 7th Generation Intel®) |
|--|--|--|
| Ports, Slots & Chassis¹ | 1 USB 2.0, 2 USB 3.1 Gen 1 (one with PowerShare), HDMI 1.4, VGA RJ-45, external uSIM card tray option SD 3.0 Memory card reader Universal Jack (global headset jack + mic phone in + line in support) Optional Touch Fingerprint Reader Noble Wedge Lock slot | 1 USB 2.0, 2 USB 3.1 Gen 1 (one with PowerShare), HDMI 1.4, VGA RJ-45, external uSIM card tray option SD 3.0 Memory card reader Universal Jack (global headset jack + mic phone in + line in support) Optional Touch Fingerprint Reader Noble Wedge Lock slot |
| Dimensions & Weight^{1,13} | Width: 13.3" / 337.4mm Height (front): 0.92" / 23.3mm Depth: 9.6" / 244.0mm Starting weight: 3.89 lbs. / 1.76 kg (42Whr battery, M.2 SSD, HD touch, 1x4GB, UMA, no FPR, non-backlit KB, no WWAN) | Width: 13.3" / 337.4mm Height (front): 0.92" / 23.3mm Depth: 9.6" / 244.0mm Starting weight: 3.89 lbs. / 1.76 kg (42Whr battery, M.2 SSD, HD touch, 1x4GB, UMA, no FPR, non-backlit KB, no WWAN) |
| Regulatory and Environmental Compliance¹ | Regulatory Model: P79G Regulatory Type: P79G001 ENERGY STAR 6.1 ¹ EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net No TAA configurations available | Regulatory Model: P79G Regulatory Type: P79G001 ENERGY STAR 6.1 ¹ EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net No TAA configurations available |
| Input¹ | Single Pointing, non backlit w/Precision compliant Clickpad Touchpad (no buttons) Single Pointing, backlit w/Precision compliant Clickpad Touchpad (no buttons) | Single Pointing, non backlit w/Precision compliant Clickpad Touchpad (no buttons) Single Pointing, backlit w/Precision compliant Clickpad Touchpad (no buttons) |
| Systems Management¹ | Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command Update, Dell Command Power Manager | Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command Update, Dell Command Power Manager |
| Warranty and Service¹ | Limited Hardware Warranty ⁴ Standard 1 year Mail-in Service after Remote Diagnosis ¹⁰ optional 2, 3, 4 and 5 year hardware warranty extensions and 2-5 year Dell ProSupport contracts available ¹⁰ | Limited Hardware Warranty ⁴ Standard 1 year Mail-in Service after Remote Diagnosis ¹⁰ optional 2, 3, 4 and 5 year hardware warranty extensions and 2-5 year Dell ProSupport contracts available ¹⁰ |
| Peripheral Ecosystem¹ | Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Dual Video USB 3.1 Gen 1 Docking Station D1000, Dell Multimedia Keyboard KB216, Dell Wireless Mouse WM126, Dell Power Companion (18000mAh) PW7015L, Dell Urban Briefcases and Backpacks, Dell 24" (E2417H) & 22" (E2216H) Monitors, Dell Pro Stereo Headset (UC350 SfB enabled) and Dell Legacy Adapter (LD17-serial/parallel connectivity) | Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Dual Video USB 3.1 Gen 1 Docking Station D1000, Dell Multimedia Keyboard KB216, Dell Wireless Mouse WM126, Dell Power Companion (18000mAh) PW7015L, Dell Urban Briefcases and Backpacks, Dell 24" (E2417H) & 22" (E2216H) Monitors, Dell Pro Stereo Headset (UC350 SfB enabled) and Dell Legacy Adapter (LD17-serial/parallel connectivity) |

¹ Offering may vary by country and by configuration

² A 64-bit operating system is required to support 4GB or more of system memory.

³ GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.

⁴ Limited Hardware Warranty: For copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty

⁵ Computrace Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.absolute.com/en/about/legal/agreements.

⁶ Intel Rapid Storage Technology requires a HDD, mSATA or an SSD, as primary storage device and Windows OS required

⁷ Wireless antenna available only at time of system purchase

⁸ Mobile Broadband Subject to service provider's broadband subscription and coverage area; additional charges apply.

⁹ Onsite Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.

¹⁰ Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.

¹¹ GB means 1 billion bytes and TB equals 1 trillion bytes; significant system memory may be used to support graphics, depending on system memory size and other factors.

¹² Miracast Wireless Technology: Requires a compatible media adapter (sold separately) and an HDMI-enabled display.

¹³ Weights vary depending on configuration and manufacturing variability.

¹⁴ Intel 6th Gen and 7th Gen Core 15W (U) CPUs support 2133MHz memory

Features & Technical Specifications

| Model Number ¹ | Latitude 3580 | Latitude 3580 |
|--|--|---|
| Feature | Technical Specification (Skylake - 6th Generation Intel®) | Technical Specification (Kaby Lake - 7th Generation Intel®) |
| Processor Options¹ | 6th Gen Intel® Core Processors, U Dual Core | 7th Gen Intel® Core Processors, U Dual Core |
| Operating System¹ | <p>Microsoft® Windows® 10 Home 64 bit</p> <p>Microsoft® Windows® 10 Professional 64 bit</p> <p>Microsoft® Windows® 10 National Academic 64-bit (Bid Desk)</p> <p>Non-Volume License Windows 10 Pro to Windows 7 Pro 64 bit Image through Dell Configuration Services (select languages)</p> <p>Microsoft® Windows® 7 Professional 64 bit, (available through downgrade rights from Windows® 10 Pro License)</p> <p>Microsoft® Windows® 7 Professional 64 bit, Volume License Agreement only (available through downgrade rights from Windows® 10 Pro License, MS Volume License Agreement customers only)</p> <p>Microsoft® Windows® 7 Professional 32 bit, select languages, (available through downgrade rights from Windows® 10 Pro License)</p> <p>Microsoft® Windows® 8.1 Professional 64 bit, (available through downgrade rights from Windows® 10 Pro License only through Dell Configuration Services)</p> <p>Ubuntu 16.04 LTS 64-bit</p> <p>NeoKylin 6.0 64 bit</p> | <p>Microsoft® Windows® 10 Home 64 bit</p> <p>Microsoft® Windows® 10 Professional 64 bit</p> <p>Microsoft® Windows® 10 National Academic 64-bit (Bid Desk)</p> <p>Ubuntu 16.04 LTS 64-bit</p> <p>NeoKylin 6.0 64 bit</p> |
| Memory Options^{1,2,3,14} | DDR4 2400 MHz running at 2133 MHz; 2 slots supporting up to 16GB | DDR4 2400 MHz running at 2133 MHz; 2 slots supporting up to 16GB |
| Chipset¹ | Integrated with the Processor | Integrated with the Processor |
| Intel Responsiveness Technologies^{1,6} | Intel® Rapid Storage Technology | Intel® Rapid Storage Technology |
| Graphics^{1,13} | <p>Intel® Integrated HD Graphics (Celeron)</p> <p>Intel® Integrated HD Graphics 520</p> <p>AMD Radeon™ R5 M430</p> | <p>Intel® Integrated HD Graphics (Celeron)</p> <p>Intel® Integrated HD Graphics 620</p> <p>AMD Radeon™ R5 M430</p> |
| Display¹ | <p>15.6" HD (1366 x 768) Anti-glare (16:9) WLED, 200 nits</p> <p>15.6" FHD (1920 x 1080) Anti-glare (16:9) WLED, 220 nits</p> <p>15.6" HD (1366 x 768) LED Backlit On-cell Touch Display with Truelife</p> | <p>15.6" HD (1366 x 768) Anti-glare (16:9) WLED, 200 nits</p> <p>15.6" FHD (1920 x 1080) Anti-glare (16:9) WLED, 220 nits</p> <p>15.6" HD (1366 x 768) LED Backlit On-cell Touch Display with Truelife</p> |
| Storage Options^{1,3} | <p>HDD options: 2.5" 7mm 500GB 7200rpm, 2.5" 7mm 1TB 5400rpm HDD</p> <p>Hybrid option: 2.5" 7mm 500GB 5400RPM Hybrid Drive (8GB Cache)</p> <p>SSD M.2 2280 SATA options: 128GB, 256GB (via carrier)</p> <p>SSD M.2 2242 SATA options: 32GB Cache (in WWAN slot), 64GB Cache (via carrier)</p> <p>Dell Fast Response Free Fall Sensor and HDD Isolation (standard feature)</p> | <p>HDD options: 2.5" 7mm 500GB 7200rpm, 2.5" 7mm 1TB 5400rpm HDD</p> <p>Hybrid option: 2.5" 7mm 500GB 5400RPM Hybrid Drive (8GB Cache)</p> <p>SSD M.2 2280 SATA options: 128GB, 256GB (via carrier)</p> <p>SSD M.2 2242 SATA options: 32GB Cache (in WWAN slot), 64GB Cache (via carrier)</p> <p>Dell Fast Response Free Fall Sensor and HDD Isolation (standard feature)</p> |

| Feature | Technical Specification (Skylake - 6th Generation Intel®) | Technical Specification (Kaby Lake - 7th Generation Intel®) |
|--|---|---|
| Security¹ | TPM 2.0 FIPS 140-2 Certified, TCG Certified (Windows® 10 only) TCG Certified/FIPS 140-2 TPM 1.2 (Win 7, 8.1. Field upgradable to TPM 2.0 with Windows® 10) Optional Touch Fingerprint Reader Optional Computrace ⁵ Dell Client Command Suite Optional Dell Data Security and Management Software Dell Endpoint Security Suite Enterprise Dell Data Guardian Dell Encryption (Enterprise or Personal) Dell Threat Defense Dell Protected Workspace MozyPro®, MozyEnterprise® RSA NetWitness® Endpoint VMware Airwatch® RSA SecurID Access Absolute Data & Device Security | TPM 2.0 FIPS 140-2 Certified, TCG Certified (Windows® 10 only) TCG Certified/FIPS 140-2 TPM 1.2 (Win 7, 8.1. Field upgradable to TPM 2.0 with Windows® 10) Optional Touch Fingerprint Reader Optional Computrace ⁵ Dell Client Command Suite Optional Dell Data Security and Management Software Dell Endpoint Security Suite Enterprise Dell Data Guardian Dell Encryption (Enterprise or Personal) Dell Threat Defense Dell Protected Workspace MozyPro®, MozyEnterprise® RSA NetWitness® Endpoint VMware Airwatch® RSA SecurID Access Absolute Data & Device Security |
| Docking¹ | USB 3.1 Gen 1 Docking Only (optional, sold separately) | USB 3.1 Gen 1 Docking Only (optional, sold separately) |
| Optical Drive Options | External Options Only | External Options Only |
| Multimedia¹ | Integrated High Quality Speakers Universal Headphone Jack Integrated digital array microphone Integrated Infra-Red HD video webcam supporting Windows Hello Ready with Facial Recognition (included with Touch systems) Integrated HD video webcam (included with non-Touch systems) | Integrated High Quality Speakers Universal Headphone Jack Integrated digital array microphone Integrated Infra-Red HD video webcam supporting Windows Hello Ready with Facial Recognition (included with Touch systems) Integrated HD video webcam (included with non-Touch systems) |
| Battery Options¹ | 42 Whr ExpressCharge Capable (Prismatic) 56 Whr ExpressCharge Capable (Prismatic) | 42 Whr ExpressCharge Capable (Prismatic) 56 Whr ExpressCharge Capable (Prismatic) |
| Power Options¹ | E4 65W adapter, 7.4mm barrel E5 65W Rugged adapter, 7.4mm barrel (available for India only) | E4 65W adapter, 7.4mm barrel E5 65W Rugged adapter, 7.4mm barrel (available for India only) |
| Connectivity Options^{1,12} | 10/100/1000 Ethernet Wireless LAN Options: Qualcomm QCA9377 802.11ac Dual Band (1x1) Wireless Adapter+ Bluetooth 4.1 Qualcomm QCA61x4A 802.11ac Dual Band (2x2) Wireless Adapter+ Bluetooth 4.1 Intel® Dual-Band Wireless-AC 8265 Wi-Fi + BT 4.2 (limited to 4.1 by Windows OS) Wireless Card (2x2) Optional Mobile Broadband Options: ^{7, 8} Qualcomm® Snapdragon™ X7 LTE-A (DW5811e) for AT&T, Verizon & Sprint, US. (not available with SKL CPUs or KBL CEL CPU) Qualcomm® Snapdragon™ X7 LTE-A (DW5811e) (EMEA/APJ/ROW) (not available with SKL CPUs or KBL CEL CPU) Qualcomm® Snapdragon™ X7 HSPA+ (DW5811e) (China/Indonesia/India) (not available with SKL CPUs or KBL CEL CPU) | 10/100/1000 Ethernet Wireless LAN Options: Qualcomm QCA9377 802.11ac Dual Band (1x1) Wireless Adapter+ Bluetooth 4.1 Qualcomm QCA61x4A 802.11ac Dual Band (2x2) Wireless Adapter+ Bluetooth 4.1 Intel® Dual-Band Wireless-AC 8265 Wi-Fi + BT 4.2 (limited to 4.1 by Windows OS) Wireless Card (2x2) Optional Mobile Broadband Options: ^{7, 8} Qualcomm® Snapdragon™ X7 LTE-A (DW5811e) for AT&T, Verizon & Sprint, US. (not available with SKL CPUs or KBL CEL CPU) Qualcomm® Snapdragon™ X7 LTE-A (DW5811e) (EMEA/APJ/ROW) (not available with SKL CPUs or KBL CEL CPU) Qualcomm® Snapdragon™ X7 HSPA+ (DW5811e) (China/Indonesia/India) (not available with SKL CPUs or KBL CEL CPU) |

| Feature | Technical Specification (Skylake - 6th Generation Intel®) | Technical Specification (Kaby Lake - 7th Generation Intel®) |
|--|--|--|
| Ports, Slots & Chassis¹ | 1 USB 2.0, 2 USB 3.1 Gen 1 (one with PowerShare), HDMI 1.4, VGA RJ-45, external uSIM card tray option SD 3.0 Memory card reader Universal Jack (global headset jack + mic phone in + line in support) Optional Touch Fingerprint Reader Noble Wedge Lock slot | 1 USB 2.0, 2 USB 3.1 Gen 1 (one with PowerShare), HDMI 1.4, VGA RJ-45, external uSIM card tray option SD 3.0 Memory card reader Universal Jack (global headset jack + mic phone in + line in support) Optional Touch Fingerprint Reader Noble Wedge Lock slot |
| Dimensions & Weight^{1,13} | Width: 14.9" / 379.0mm Height (front): 0.92" / 23.3mm Depth: 10.0" / 255.0mm Starting weight: 4.29 lbs. / 1.95 kg (42Whr battery, M.2 SSD, HD non-touch, 1x4GB, UMA, no FPR, non-backlit KB, no WWAN) | Width: 14.9" / 379.0mm Height (front): 0.92" / 23.3mm Depth: 10.0" / 255.0mm Starting weight: 4.29 lbs. / 1.95 kg (42Whr battery, M.2 SSD, HD non-touch, 1x4GB, UMA, no FPR, non-backlit KB, no WWAN) |
| Regulatory and Environmental Compliance¹ | Regulatory Model: P79G Regulatory Type: P79G002 ENERGY STAR 6.1 ¹ EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net No TAA configurations available | Regulatory Model: P79G Regulatory Type: P79G002 ENERGY STAR 6.1 ¹ EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net No TAA configurations available |
| Input¹ | Single Pointing, non backlit w/Precision compliant Clickpad Touchpad (no buttons) Single Pointing, backlit w/Precision compliant Clickpad Touchpad (no buttons) | Single Pointing, non backlit w/Precision compliant Clickpad Touchpad (no buttons) Single Pointing, backlit w/Precision compliant Clickpad Touchpad (no buttons) |
| Systems Management¹ | Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command Update, Dell Command Power Manager | Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command Update, Dell Command Power Manager |
| Warranty and Service¹ | Limited Hardware Warranty ⁴ Standard 1 year Mail-in Service after Remote Diagnosis ¹⁰ optional 2, 3, 4 and 5 year hardware warranty extensions and 2-5 year Dell ProSupport contracts available ¹⁰ | Limited Hardware Warranty ⁴ Standard 1 year Mail-in Service after Remote Diagnosis ¹⁰ optional 2, 3, 4 and 5 year hardware warranty extensions and 2-5 year Dell ProSupport contracts available ¹⁰ |
| Peripheral Ecosystem¹ | Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Dual Video USB 3.1 Gen 1 Docking Station D1000, Dell Multimedia Keyboard KB216, Dell Wireless Mouse WM126, Dell Power Companion (18000mAh) PW7015L, Dell Urban Briefcases and Backpacks, Dell 24" (E2417H) & 22" (E2216H) Monitors, Dell Pro Stereo Headset (UC350 Sfb enabled) and Dell Legacy Adapter (LD17-serial/parallel connectivity) | Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Dual Video USB 3.1 Gen 1 Docking Station D1000, Dell Multimedia Keyboard KB216, Dell Wireless Mouse WM126, Dell Power Companion (18000mAh) PW7015L, Dell Urban Briefcases and Backpacks, Dell 24" (E2417H) & 22" (E2216H) Monitors, Dell Pro Stereo Headset (UC350 Sfb enabled) and Dell Legacy Adapter (LD17-serial/parallel connectivity) |

¹ Offering may vary by country and by configuration

² A 64-bit operating system is required to support 4GB or more of system memory.

³ GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.

⁴ Limited Hardware Warranty: For copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty

⁵ Computrace Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.absolute.com/en/about/legal/agreements.

⁶ Intel Rapid Storage Technology requires a HDD, mSATA or an SSD, as primary storage device and Windows OS required

⁷ Wireless antenna available only at time of system purchase

⁸ Mobile Broadband Subject to service provider's broadband subscription and coverage area; additional charges apply.

⁹ Onsite Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.

¹⁰ Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicesdescriptions.

¹¹ GB means 1 billion bytes and TB equals 1 trillion bytes; significant system memory may be used to support graphics, depending on system memory size and other factors.

¹² Miracast Wireless Technology: Requires a compatible media adapter (sold separately) and an HDMI-enabled display.

¹³ Weights vary depending on configuration and manufacturing variability.

¹⁴ Intel 6th Gen and 7th Gen Core 15W (U) CPUs support 2133MHz memory

Essential Accessories

LATITUDE 3000 SERIES 3480 | 3580

Purpose-built ecosystem: Latitude 14/15 3000

Powerful accessories designed and tested for free small and growing business users to achieve essential productivity on the go or at their desk.

At The Desk



Dell Dual Video
USB 3.0 Docking
Station D1000



Dell Multimedia
Keyboard and mouse -
KB216, WM126



Dell 24 Monitor |
E2417H

On-The-Go



Dell Portable Power
Companion (18000 mAh) -
PW7015L



Dell Pro Stereo
Headset – UC350



Easy to carry Dell
Urban backpack or
briefcase.