

MARKETING NAME....... Dell C2660dn Color Laser Printer

Dell Inc.

REGULATORY MODEL.... Dell C2660dn

www.dell.com

REGULATORY TYPE...... N/A

EFFECTIVE DATE..... Oct 24, 2013

EMC EMISSIONS CLASS... B

TABLE OF CONTENTS

1.	GLOBAL ENVIRONMENTAL INFORMATION	2
II.	NFPA 99 CONFORMITY	3
III.	POWER CORDS AND USER DOCUMENTATION	3
IV.	DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS	3
V.	TRADE (IMPORT/EXPORT) COMPLIANCE DATA	3
VI.	MATERIAL SAFETY DATA SHEET (MSDS)	3
VII.	SYSTEM DIMENSION AND WEIGHT	4
VIII.	PERFORMANCE DATA	
IX.	PRODUCT MATERIALS INFORMATION	5
X.	PACKAGING	5
XI.	BATTERIES	6
XII.	DESIGN FOR ENVIRONMENT	6
XIII.	RECYCLING/ END-OF-LIFE SERVICE INFORMATION	7
ΧΙV	HEI PELII LINKS	7

STATEMENT OF COMPLIANCE

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Generally, Information Technology Equipment (ITE) product compliance is based on IEC and CISPR standards and their national equivalent such as Product Safety, IEC 60950-1 and European Norm EN 60950-1 or EMC, CISPR 22/CISPR 24 and EN 55022/55024. Dell products have been verified to comply with the EU RoHS Directive 2011/65/EU. Dell products do not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

• EMC Class B products are intended for use in residential/domestic environments but may also be used in non-residential/non-domestic environments.



• EMC Class A products are intended for use in non-residential/non-domestic environments. Class A products may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet.

ErP compliance is tied to the CE mark.

REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, 1907/2006) is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH directive. For information on SVHC (Substances of Very High Concern), see www.dell.com/REACH.

Compliance documentation, such as certification or Declaration of Compliance for the product is available upon request to regulatory_compliance@dell.com. Please include product identifiers such as marketing name, regulatory module, regulatory type and country that compliance information is needed in request.

I. GLOBAL ENVIRONMENTAL INFORMATION

System Certification or Declaration

Environmental				
Country Approval Compliance				
Global	Energy Star	Ver1.2, Ver2.0(2013/11/E)		
US & Canada	EPEAT	Bronze		
Europe	ErP Lot6	Yes		
Germany	Blue Angel	Certified		

For more details concerning environmental information, click www.dell.com/environmental_information



II. NFPA 99 CONFORMITY

Select Dell systems have been tested and found to comply with the touch current requirements as defined in 10.3.5 of National Fire Protection Association standard NFPA 99:2012. The touch current does not exceed 100 uA with ground wire intact (if a ground wire is provided) and 500 uA with ground disconnected at 127 V AC, 60 Hz when tested in accordance with 10.3.5 of NFPA 99: 2012. To determine if this product complies with the above requirements, send a request to regulatory_compliance@dell.com. Please include product identifiers such as marketing name, regulatory type and country for which compliance information is needed.

III. POWER CORDS AND USER DOCUMENTATION

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

IV. DATASHEET RESPONSIBLE PARTY NAME AND ADDRESS

Dell Inc.

Department: Global Regulations and Standards

MS: PS4-30

Round Rock, Texas 78682, USA

Regulatory_Compliance@Dell.com

V. TRADE (IMPORT/EXPORT) COMPLIANCE DATA

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: www.dell.com/import_export_compliance or send request to www_Export_Compliance@dell.com

VI. MATERIAL SAFETY DATA SHEET (MSDS)

For any questions related to MSDS of specific Dell products, please refer to information on www.dell.com/regulatory_compliance.

Batteries:

http://www.dell.com/content/topics/topic.aspx/global/shared/about_dell/values/regulatory_compliance/en/dell_battery_declaration_january2011?c=us&l=en&s=corp&~ck=anavml

Printer Toner and Ink:

http://www.dell.com/downloads/global/corporate/environ/comply/MSDS_doc.pdf

VII. SYSTEM DIMENSION AND WEIGHT

Please refer to product userguide/edoc or product specification at Dell website

VIII. PERFORMANCE DATA

Energy Consumption¹

Service Level	Energy Consumption (Wattage)	BTU Calculation	Description of Service Level
*Printing	705.00	2411.10	The system is printing.
Ready Mode	61.00	208.62	The system is in a ready waiting mode waiting for instruction.
Copying	NA	0.00	The system is in Copying mode. Power level at 230V ac.
Scan	NA	0.00	The system is scanning
Sleep 1	9.50	32.49	The system is in a low-power sleep mode (setting range: 15 – 45 minutes).
Sleep 2	2.00	6.84	The system is in a low-power sleep mode (setting range: 30 – 90 minutes).
Off	0.00	0.00	The system is turned off but is still connected to its AC power source.

^{*}Maximum Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above.

Energy consumption is tested at 230 Volts / 50 Hz. Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour. BTU is calculated based upon the wattage reading taken in the given mode. To convert Watts to BTU, (1 Watt = 3.42 BTU)

customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.

Revision A08 Page 4

¹ This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the



If applicable, iAMT increases the power consumption even during the off state. The power measurements reported above are valid only if the iAMT Management Engine (ME) is set to "ON" in S0 state only (S0 is simply power-on, non-sleep, working state).

For more details visit www.dell.com/environmental_information

Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779)

Service Level	Sound Power (L _{WAd} , bels) (1 bel=10 decibels, re 10 ⁻¹² Watts)	Sound Pressure Bystander Position (L _{pAm} , decibels) (re 2x10 ⁻⁵ Pa)
Printing	6.91	53.0 (Ref)
Idle	4.30	25.5 (Ref)

IX. PRODUCT MATERIALS INFORMATION²

Information on Dell's material use is available here.

To review Dell's Restricted Material Guidance document click here.

- The case material is, >PC+ABS <, PC, ABS, HIPS
- This product contains 0.04% post-consumer recycled plastic
- Marking of plastic parts greater than 25 grams are done in accordance with ISO 11469 (see below)

Flame Retardants Used in Motherboard

Part	Flame Retardant
Motherboard	Halogen-free Organic
ESS/MCU	Phosphates Compounds

Flame Retardants Used in Mechanical Plastic Parts > 25 grams

Resin Material Name	Marking per ISO 11469:2000, 11469:1996	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.)	List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive
------------------------	---	---	--	---

² **Waste Handling.** Local regulations should be observed when disposing of this product due to the presence of the materials and substances as listed above.

Revision A08 Page 5



				67/548/EEG or 1272/2008
PC/ABS	>PC+ABS- FR(40)<	FR(40)	Halogen-free Organic Phosphates Compounds	None
ABS	>ABS-FR(40)<	FR(40)	Halogen-free Organic Phosphates Compounds	None

Mercury Information

Number of bulbs	Average per bulb
If none, enter 0	0 < mg

For more information Dell's compliance to various materials restrictions regulations and list of substance prohibited from use please click www.dell.com/environmental_information

X. PACKAGING

Information on Dell's sustainable packaging effort available <u>here</u>. Additional materials restricted in Packaging as per Dell's Restricted Material Guidance document found <u>here</u>.

Packaging Materials	Total Weight of each Material type, (kg)	% of Post-Consumer Recycled Content (PCR)
Corrugated Fiberboard	4.81 kg	70% Over
EPS	0.46 kg	
LDPE Bags	0.11 kg	
Plastic Bags- PP	0.12 kg	
Other, please specify	NA	

For more details on packaging please click www.dell.com/environmental_information

XI. BATTERIES

Below is a listing of batteries that could be present in the product:

Battery Description – Batteries	Battery Type	Battery Weight (kg)
CR-2032 coin cell	Lithium	0.0029



For more details on batteries including MSDS please click www.dell.com/environmental_information

XII. DESIGN FOR ENVIRONMENT

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing.

For more information on product Recyclability please click www.dell.com/environmental_information

XIII. RECYCLING/ END-OF-LIFE SERVICE INFORMATION

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, contact Dell for instructions by emailing recycling_emea@dell.com or visit www.dell.com/recyclingworldwide and select the relevant country.

XIV. HELPFUL LINKS

Environmental Policy

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-global-environmental-policy.pdf

• Environment Website

www.dell.com/earth

Corporate Sustainability Report

http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true

ISO 14001 Certification

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf

Materials Restricted for Use

http://www.dell.com/downloads/global/corporate/environ/restricted_materials_guid.pdf

Chemical Use Policy

http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf

Client Energy Calculator

http://www.dell.com/content/topics/topic.aspx/global/products/landing/en/client-energy-calculator?c=us&l=en

Product Carbon Footprint

http://content.dell.com/us/en/corp/d/corp-comm/environment_carbon_footprint_products



RoHS Compliance

www.dell.com/rohsinfo

• REACH Compliance

www.dell.com/REACH

- Recycling Information
- www.dell.com/recycling
- Supplier Responsibility

http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx

APPENDIX A: ErP Lot 26 Energy Information

Network Standby Classification	LoNA	
Off/Standby - Watts	0.0W	
Network Standby - Watts	1.7/1.1W	
Number of Network Ports	2	
Location of Network Ports	Back	
Network Port Type	Ethernet/USB	
Network Port(s) Activated or Deactivated	Network Port(s) "Activated"	
Network Port Maximum Performance in GB/s	1000 Mbps	
Communication protocol used by equipment	Ethernet - TCPIP/USB 2.x	
Description of how to assert Network Standby Mode		
Sequence of events to trigger automatic assertion of Network Standby Mode	Information available @ www.dell.com/regulatory_compliance and/or www.dell.com/support	
Notes regarding operation of the equipment EX: how the user switches the equipment into network standby		
Default time for PM function to switch equipment into this mode		
Inactivity time required to enter Network Standby		
Re-activation trigger		
Measurement Method		