



LATITUDE 3301

Small in design. Big on collaboration.



NEW 13" SIZE WITH INNOVATIVE WEBCAM

A new edition to the 3000 series, The Latitude 3301 is the world's smallest* and lightest** 13" essential business notebook, offered in a sleek aluminum or black finish. It features an innovative webcam for high-quality video conferencing, even in low light. This tiny 2.7mm camera allows for narrow screen borders, and the optional FHD display minimizes distractions to view work with complete clarity.



CONNECTIVITY FOR PRODUCTIVITY

Quickly dock or connect to peripherals with a full range of available ports including USB Type-C™, Type-A, HDMI and MicroSD slot. For times when battery is low, Dell ExpressCharge allows up to 80% battery charge in an hour.



WORK FASTER ANYWHERE

Start your day faster with an innovative sensor that powers on just by opening the lid. Then log in quickly and safely with an optional fingerprint reader on the power button. Stay connected even without Wi-Fi with available CAT 9 WWAN speeds up to 450 Mb/s. The latest Intel 8th Gen Intel® Core™ processors also ensure apps run faster and large files are handled with ease.



SERVICEABLE & RELIABLE

Growing businesses can take comfort with serviceable parts including battery, WWAN/WLAN, memory, and storage. And the 3000 laptops are no exception for having Latitude commercial standards for torture, life cycle and environmental testing.

Recommended Accessories

LATITUDE 3301

ON-THE-GO



DELL WIRELESS MOUSE | WM126

Get everyday wireless performance with excellent battery life, no matter where you work.



DELL PRO SLIM
BACKPACK 15 | PO1520PS

A dependable everyday companion, this backpack provides quality protection for your devices.



DELL NOTEBOOK POWER BANK
PLUS (18,000 MAH) | PW7015L

This lightweight and compact power bank will allow your laptop or cellphone to stay powered on-the-go without adding bulk to your bag.



DELL ADAPTER | USB-C TO
HDMI/VGA/ETHERNET/USB 3.0 | DA200

Connect your Latitude to almost any device with a convenient 6-in-1 compact adapter.

AT THE DESK



DELL DOCK | WD19

Work at full speed with Dell's powerful USB-C dock. Charge your system faster, support up to three displays and connect to your peripherals via a single cable.



DELL 24
MONITOR | P2419H

Optimize your workspace with this efficient 24" monitor with an ultrathin border, a small footprint and comfort-enhancing features.



DELL WIRELESS KEYBOARD &
MOUSE COMBO | KM636

Designed with a compact size and chiclet keys, this keyboard and mouse offers the convenience of wireless and clutter-free performance at your desk.



DELL DUAL MONITOR
STAND | MDS19

This space-saving stand, mounts up to two 27-inch monitors, providing the screen real estate you need to be most productive.



DELL PRO STEREO
HEADSET | UC150

Hear every word clearly on your next call with the Dell Pro Stereo Headset, optimized to provide in-person call quality and certified for Microsoft Skype for Business.

Built for business

Dell Technologies Unified Workspace

Dell Technologies Unified Workspace is the most comprehensive solution to deploy, secure, manage and support virtually all devices from the cloud. We designed this revolutionary solution with intelligence and automation providing visibility across the entire endpoint environment. We help save time, improve user experience, optimize resources and strengthen security.



DEPLOY

Our modern deployment solution, ProDeploy in the Unified Workspace allows you to revolutionize the way deployment gets done. By spending just one hour for set up, IT can then hand deployment to Dell and have preconfigured systems shipped directly to the end users - wherever they are.



SECURE

Dell Endpoint Security for the Unified Workspace helps manage growing cyber risks while embracing workforce transformation. With Dell SafeGuard and Response powered by Secureworks, gain actionable insight to help quickly and efficiently prevent, detect and respond to cyber-attacks-keeping your environment free from harm.



MANAGE

We integrated our hardware management solution Dell Client Command Suite with VMware Workspace ONE, allowing you to take advantage of unified endpoint management (UEM) and manage the firmware, operating system and applications for all devices from the Workspace ONE console. UEM simplifies the management of the entire environment saving IT time from having to work between separate consoles for PCs and phones.



SUPPORT

ProSupport Plus continues to be the only predictive and proactive support in the market. When compared to key competitors, ProSupport Plus with SupportAssist reduced time to resolve a failed hard drive with up to 11x faster time to resolution*

*Based on a Principled Technologies test report, "Spend Less Time and Effort Troubleshooting Laptop Hardware Failures" dated April 2018. Testing ommisioned by Dell, conducted in the United States. Actual results will vary. Full report: <http://facts.pt/L52XKM>

Features & Technical Specifications

LATITUDE 3301

Feature	Dell Latitude 3301 Technical Specifications
Processor ¹	8 th Gen Intel® Core™ Processors up to i7 4-Core
Operating System ¹	Microsoft® Windows 10 Pro 64 bit Microsoft® Windows 10 Home 64 bit Windows 10S (S-Mode Post RTS August)
Memory Options ^{1,2,3}	LPDDR3 2133 Mhz Non-ECC SDRAM Dual channel, On board, Supporting up to 8GB
Chipset ¹	Integrated with the Processor
Intel Responsiveness Technologies ^{1,7}	Intel® Rapid Storage Technology
Graphics ^{1,13}	Intel® UHD Graphics 620
Display ¹	13.3" HD (1366x768) WLED, 220nits, eDP 1.2, TN, Anti-Glare, Camera & Microphone, (Black, PC) 13.3" FHD (1920x1080) WLED 300nits, eDP 1.3, WVA / IPS, Anti-Glare, Camera & Microphone, (Black, PC) 13.3" FHD (1920x1080) WLED 300nits, eDP 1.3, WVA / IPS, TrueLife, Camera & Microphone, (Aluminum)
Storage Options ^{1,3}	SSD M.2 2230, up to 512GB, PCIe NVMe, Class 35 SSD M.2 2280, up to 512GB, PCIe NVMe, Class 40 Optional Secondary Storage: SSD M.2 2230, up to 512GB, PCIe NVMe, Class 35 (in WLAN configuration only)
Security ¹	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional fingerprint reader in power button Dell Client Command Suite Optional Dell Data Security and Management Software Dell Endpoint Security Suite Enterprise Dell Data Guardian Dell Encryption Enterprise Dell Encryption Personal Dell Threat Defense MozyPro® or MozyEnterprise® RSA NetWitness® Endpoint RSA SecurID Access VMware Workspace ONE Absolute® Endpoint Visibility and Control
Docking ¹	Dell Dock WD19 (optional, sold separately)
Optical Drive Options	External Options Only
Multimedia ¹	High Quality Speakers Universal Audio Jack Single Microphone 2.7mm HD Camera Waves Max Audio Pro
Battery Options ^{1,5}	45 Whr ExpressCharge™ Capable 4-cell Battery 52 Whr ExpressCharge™ Capable 4-cell Battery
Power Options ¹	65W adapter, 4.5mm barrel 65W adapter, Type-C
Connectivity options ^{1,14}	10/100/1000 Ethernet is via USB dongle only, no RJ-45 port Wireless LAN Options: Intel® Dual-Band Wireless-AC 9560 WiFi (802.11ac) 2x2 + Bluetooth 5.0 (Bluetooth Optional) Intel® Dual Band Wireless AC 9462 WiFi (802.11ac) 1x1 + Bluetooth 5.0 Optional Mobile Broadband Options: ^{8,10} Intel® XMM 7360 4G/LTE - Advanced Cat 9 (DW 5820e)
Ports, Slots & Chassis ¹	1x USB Type C™ 3.1 Gen 1 with Power Delivery & DisplayPort 1.2 1 x USB 3.1 Gen 1 1x HDMI 1.4 1x MicroSD 3.0 Card Reader 1x uSim Card Tray (Black PC only) 1x Universal Audio Jack 1x Optional Touch Fingerprint Reader in Power Button 1 x DC-in 4.5mm barrel

Features & Technical Specifications

LATITUDE 3301

Feature	Dell Latitude 3301 Technical Specifications
Dimensions & Weight ^{1,15}	BLACK PC: Width: 12.11" / 307.6mm (PC) Depth: 8.05" / 204.5mm (PC) Height: .66" / 16.8mm (PC) Starting Weight: 2.61 lbs / 1.18 kgs (45Whr battery, M.2 SSD, UMA, PC) ALUMINUM: Width: 12.11" / 307.6mm (AL) Depth: 8.05" / 204.5mm (AL) Height: 0.59" / 14.9mm (AL) Starting weight: 2.59 lbs / 1.17 kgs (45Whr battery, M.2 SSD, UMA, AL)
Regulatory and Environmental Compliance ¹	Regulatory Model: P114G Regulatory Type: P114G002 ENERGY STAR EPEAT Registered. For specific country participation and rating, please see www.epeat.net BFR/CFR/PVC Free
Input ¹	Single Pointing Spill Resistant Non-Backlit Keyboard Single Pointing Spill Resistant Backlit Keyboard Microsoft® Precision Touchpad
Systems Management ¹	Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command Update, Dell Command Power Manager
Warranty and Service ¹	Limited Hardware Warranty ⁴ Standard 1 year Mail-in Service after Remote Diagnosis ¹¹ optional 2, 3, 4 and 5 year hardware warranty extensions and 3-5 year Dell ProSupport contracts available ¹²
Peripheral Ecosystem ¹	Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Dock-WD19, Dell Power Companions, Dell Professional Briefcases, Dell 24" & 27" Monitors, and Dell Wireless Keyboard and Mouse



LATITUDE 3301

Small in design. Big on collaboration.

1 Offering may vary by country and by configuration

2 A 64-bit operating system is required to support 4GB or more of system memory.

3 GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.

4 Limited Hardware Warranty: For copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty

5 Battery support is dependent upon graphics support. Check technical guides for detailed support

6 COMPUTRACE Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.absolute.com/en/about/legal/agreements.

7 Intel Rapid Storage Technology requires a HDD, mSATA, or an SSD, as primary storage device and Windows OS required

8 Wireless antenna available only at time of system purchase

9 Dell Latitude 5000 Series are brominated flame retardant free (BFR-free) and polyvinyl chloride free (PVC-free); meeting the definition of BFR-/PVC-free as set forth in the iNEMI Position Statement on the 'Definition of Low-Halogen Electronics (BFR-/CFR-/PVC-free)'. Plastic parts contain less than 1,000 ppm (0.1%) of bromine (if the Br source is from BFRs) and less than 1,000 ppm (0.1%) of chlorine (if the Cl source is from CFRs or PVC or PVC copolymers). All printed circuit board (PCB) and substrate laminates contain bromine/chlorine total less than 1,500 ppm (0.15%) with a maximum chlorine of 900 ppm (0.09%) and maximum bromine being 900 ppm (0.09%).

10 Mobile Broadband Subject to service provider's broadband subscription and coverage area; additional charges apply.

11 Mail-in Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.

12 Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicesdescriptions.

13 GB means 1 billion bytes and TB equals 1 trillion bytes; significant system memory may be used to support graphics, depending on system memory size and other factors.

14 Miracast Wireless Technology: Requires a compatible media adapter (sold separately) and an HDMI-enabled display.

15 Weights vary depending on configuration and manufacturing variability.

* Based on Dell Internal analysis in April 2019, using publicly available data. The smallest refers total surface area of the notebooks.

** Based on Dell Internal analysis in April 2019, using publicly available data to compare starting weights.